



Rules of
Department of Natural Resources
Division 20—Clean Water Commission
Chapter 7—Water Quality

Title	Page
10 CSR 20-7.010 Prevention of Pollution from Wells to Subsurface Waters of the State (Rescinded July 10, 1980)	3
10 CSR 20-7.015 Effluent Regulations.....	3
10 CSR 20-7.020 Effluent Regulations (Rescinded July 10, 1980)	10
10 CSR 20-7.030 Water Quality Standards (Rescinded December 11, 1977).....	10
10 CSR 20-7.031 Water Quality Standards	10
10 CSR 20-7.050 General Methodology for Development of Impaired Waters List	137

**Title 10—DEPARTMENT OF
NATURAL RESOURCES**

**Division 20—Clean Water Commission
Chapter 7—Water Quality**

**10 CSR 20-7.010 Prevention of Pollution
from Wells to Subsurface Waters of the
State**

(Rescinded July 10, 1980)

AUTHORITY: section 204.026, RSMo 1978. Original rule filed June 19, 1974, effective June 29, 1974. Amended: Filed April 1, 1975, effective April 11, 1975. Rescinded: Filed Oct. 12, 1979, effective July 10, 1980.

10 CSR 20-7.015 Effluent Regulations

PURPOSE: This rule sets forth the limits for various pollutants which are discharged to the various waters of the state. The two previous rules 10 CSR 20-6.050 and 10 CSR 20-7.010 have been rescinded and this rule combines certain aspects of both rules and modifies the format of the effluent regulations. This rule also complies with the latest changes to the Federal Clean Water Act, P.L. 97-117 (1981).

(1) Designations of Waters of the State.

(A) For the purpose of this rule, the waters of the state are divided into the following categories:

1. The Missouri and Mississippi Rivers;
2. Lakes and reservoirs, including natural lakes and any impoundments created by the construction of a dam across any waterway or watershed. An impoundment designed for or used as a disposal site for tailings or sediment from a mine or mill shall be considered a wastewater treatment device and not a lake or reservoir. Releases to lakes and reservoirs include discharges into streams one-half (1/2) stream mile (.80 km) before the stream enters the lake as measured to its normal full pool;
3. A losing stream is a stream which distributes thirty percent (30%) or more of its flow through natural processes such as through permeable geologic materials into a bedrock aquifer within two (2) miles' flow distance downstream of an existing or proposed discharge. Flow measurements to determine percentage of water loss must be corrected to approximate the seven (7)-day Q_{10} stream flow. If a stream bed or drainage way has an intermittent flow or a flow insufficient to measure in accordance with this rule, it may be determined to be a losing stream on the basis of channel development, valley configuration, vegetation development,

dye tracing studies, bedrock characteristics, geographical data and other geological factors. Only discharges which in the opinion of the department reach the losing section and which occur within two (2) miles upstream of the losing section of the stream shall be considered releases to a losing stream. A list of known losing streams is available from the Water Pollution Control Program. Other streams may be determined to be losing by the Division of Geology and Land Survey;

4. Metropolitan no-discharge streams. These streams and the limitations on discharging to them are listed in the commission's Water Quality Standards 10 CSR 20-7.031. This rule shall in no way change, amend or be construed to allow a violation of the existing or future water quality standards;

5. Special streams—wild and scenic rivers, Ozark National Scenic Riverways and Outstanding State Resource Waters;

6. Subsurface waters in aquifers; and

7. All other waters except as noted in paragraphs (1)(A)1.–6. of this rule.

(B) The effluent limitation for each category is listed separately in sections (2)–(8). In addition to the limitations identified under each specific designation, the general conditions contained in section (9) apply to all discharges.

(2) Effluent Limitations for the Missouri and Mississippi Rivers.

(A) The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source or wastewater treatment facility.

(B) Discharges from wastewater treatment facilities which receive primarily domestic waste or from publicly-owned treatment works (POTWs) shall undergo treatment sufficient to conform to the following limitations:

1. Biochemical Oxygen Demand₅ (BOD₅) and nonfilterable residues (NFRs) equal to or less than a monthly average of thirty milligrams per liter (30 mg/l) and a weekly average of forty-five milligrams per liter (45 mg/l);

2. pH shall be maintained in the range from six to nine (6–9) standard units;

3. Exceptions to paragraphs (2)(B)1. and 2. are as follows:

A. If the facility is a wastewater lagoon, the NFRs shall be equal to or less than a monthly average of eighty (80) mg/l and a weekly average of one hundred twenty (120) mg/l and the pH shall be maintained above 6.0, and the BOD₅ shall be equal to or less than a monthly average of forty-five (45)

mg/l and a weekly average of sixty-five (65) mg/l;

B. If the facility is a trickling filter plant the BOD₅ and NFRs shall be equal to or less than a monthly average of forty-five (45) mg/l and a weekly average of sixty-five (65) mg/l;

C. Where the use of effluent limitations set forward in this section is known or expected to produce an effluent that will endanger or violate water quality, the department will set specific effluent limitations for individual dischargers to protect the water quality of the receiving streams. When a waste load allocation or a total maximum daily load study is conducted for a stream or stream segment, all permits for discharges in the study area shall be modified to reflect the limits established in the study;

D. The department may require more stringent limitations than authorized in subsections (3)(A) and (B) under the following conditions:

(I) If the facility is an existing facility, the department may set the BOD₅ and NFR limits based upon an analysis of the past performance, rounded up to the next five (5) mg/l range; and

(II) If the facility is a new facility, the department may set the BOD₅ and NFR limits based upon the design capabilities of the plant considering geographical and climatic conditions;

(a) A design capability study has been conducted for new lagoon systems. The study reflects that the effluent limitations should be BOD₅ equal to or less than a monthly average of forty-five (45) mg/l, a weekly average of sixty-five (65) mg/l, NFRs equal to or less than a monthly average of seventy (70) mg/l and a weekly average of one hundred ten (110) mg/l.

(b) A design capability study has been conducted for new trickling filter systems and the study reflects that the effluent limitations should be BOD₅ and NFRs equal to or less than a monthly average of forty (40) mg/l and a weekly average of sixty (60) mg/l; and

E. If the facility is a POTW wastewater treatment facility providing at least primary treatment during a precipitation event and discharges on a noncontinuous basis, the discharge may be allowed provided that:

(I) BOD₅ and NFRs equal to or less than a weekly average of forty-five (45) mg/l. The NFR (total suspended solids) limit may be higher than forty-five (45) mg/l for combined sewer overflow treatment devices when organic solids are demonstrated to be an insignificant fraction of total inorganic storm

water generated solids, and the permittee can demonstrate that achieving a limit of forty-five (45) mg/l is not cost effective relative to water quality benefits. In these cases, an alternative total suspended solids limit would be developed.

(II) pH shall be maintained in the range from six to nine (6–9) standard units; and

(III) Only the wastewater in excess of the capacity of the noncontinuous wastewater treatment plant hydraulic capacity may be discharged;

4. Fecal coliform. Discharges to the Mississippi from the Missouri-Iowa line down to Lock and Dam 26 shall not contain more than a monthly average of four hundred (400) fecal coliform colonies per one hundred milliliters (100 ml) and a daily maximum of one thousand (1000) fecal coliform colonies per one hundred milliliters (100 ml) from April 1 to October 31. The department may waive or relax this limitation if the owner or operator of the wastewater treatment facility can demonstrate that neither health nor water quality will be endangered by failure to disinfect.

5. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed or used in accordance with a sludge management practice approved by the department; and

6. When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five (5) mg/l less than the regular BOD₅ in the operating permit.

(C) The suspended solids which are present in stream water and which are removed during treatment may be returned to the same body of water from which they were taken, along with any additional suspended solids resulting from the treatment of water to be used as public potable water or industrial purposes using essentially the same process as a public water treatment process. This includes the solids that are removed from potable waters that are withdrawn from wells located in the alluvial valley of the Missouri and Mississippi Rivers.

(D) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that shall require, at a minimum, one (1) wastewater sample per year for each fifty thousand (50,000) gallons

per day (gpd) of effluent, or fraction thereof, except that—

A. Point sources that discharge less than twenty-five thousand (25,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one (1) million gallons per day (mgd) will be required at a minimum to collect twenty (20) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements; and

C. Sludge sampling will be established in the permit.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall collect samples on a regular evenly spaced schedule, while point sources with seasonal discharges shall collect samples evenly spaced during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples will be grab samples unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (2)(D)3. are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site specific informational needs of the department.

(3) Effluent Limitations for the Lakes and Reservoirs.

(A) The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source or wastewater treatment facility to a lake or reservoir designated in 10 CSR 20-7.031 as L2 and L3 which is publicly owned.

(B) Discharges from wastewater treatment facilities which receive primarily domestic waste or from POTWs shall undergo treatment sufficient to conform to the following limitations:

1. BOD₅ and NFRs equal to or less than a monthly average of twenty (20) mg/l and a weekly average of thirty (30) mg/l;

2. pH shall be maintained in the range from six to nine (6–9) standard units;

3. Discharge to lakes and reservoirs identified as whole body contact areas shall not contain more than a monthly average of

four hundred (400) fecal coliform colonies per one hundred milliliters (100 ml) and a daily maximum of one thousand (1,000) fecal coliform colonies per one hundred milliliters (100 ml) from April 1 to October 31. The department may waive or relax this limitation if the permittee can demonstrate that neither health nor water quality will be endangered by failure to disinfect;

4. Where the use of effluent limitations set forth in section (3) is known or expected to produce an effluent that will endanger or violate water quality, the department may either—conduct waste load allocation studies in order to arrive at a limitation which protects the water quality of the state or set specific effluent limitations for individual dischargers to protect the water quality of the receiving streams. When a waste load allocation study is conducted for a stream or stream segment, all permits for discharges in the study area shall be modified to reflect the limits established in the waste load allocation study;

5. If the facility is a POTW wastewater treatment facility providing at least primary treatment during a precipitation event and discharges on a noncontinuous basis, the discharge may be allowed subject to the following:

A. BOD₅ and NFRs equal to or less than a weekly average of forty-five (45) mg/l;

B. pH shall be maintained in the range from six to nine (6–9) standard units; and

C. Only the wastewater in excess of the capacity of the noncontinuous wastewater treatment plant hydraulic capacity may be discharged;

6. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed of or used in accordance with a sludge management practice approved by the department; and

7. When the wastewater treatment process causes nitrification which effects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five (5) mg/l less than the regular BOD₅ in the operating permit.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that will require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one point three (1.3) mgd will be required, at a minimum, to collect fifty-two (52) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements; and

C. Sludge sampling will be established in the permit.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular evenly spaced schedule, while point sources with seasonal discharges shall collect samples evenly spaced during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be grab samples unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (3)(C)3. are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site specific informational needs of the department.

(D) For lakes designated in 10 CSR 20-7.031 as L1, which are primarily used for public drinking water supplies, there will be no discharge into the watersheds above these lakes from domestic or industrial wastewater sources regulated by these rules. Discharges from potable water treatment plants, such as filter wash, may be permitted. Separate storm sewers will be permitted, but only for the transmission of storm water. Discharges permitted prior to the effective date of this requirement may continue to discharge so long as the discharge remains in compliance with its operating permit.

(E) For lakes designated in 10 CSR 20-7.031 as L3 which are not publicly owned, the discharge limitations shall be those contained in section (8).

(F) In addition to other requirements in this section, discharges to Lake Taneycomo and its tributaries between Table Rock Dam and Power Site Dam (and excluding the discharges from the dams) shall not exceed five-tenths (0.5) mg/l of phosphorus as a monthly average. Discharges meeting both the follow-

ing conditions shall be exempt from this requirement:

1. Those permitted prior to adoption of this rule; and

2. Those with design flows of less than twenty-two thousand five hundred gallons per day (22,500 gpd). All existing facilities whose capacity is increased would be subject to phosphorus limitations. The department may allow the construction and operation of interim facilities without phosphorus control provided their discharges are connected to regional treatment facilities with phosphorus control not later than three (3) years after authorization. Discharges in the White River basin and outside of the area designated above for phosphorus limitations shall be monitored for phosphorus discharges, and the frequency of monitoring shall be the same as that for BOD₅ and NFR, but not less than annually. The department may reduce the frequency of monitoring if the monitoring data is sufficient for water quality planning purposes.

(G) In addition to other requirements in this section, discharges to Table Rock Lake watershed, defined as hydrologic units numbered 11010001 and 11010002, shall not exceed five-tenths milligrams per liter (0.5 mg/l) of phosphorus as a monthly average according to the following schedules except as noted in paragraph (3)(G)5.:

1. Any new discharge shall comply with this new requirement upon the start of operations;

2. Any existing discharge, or any sum of discharges operated by a single continuing authority, with a design flow of 1.0 mgd or greater shall comply no later than four (4) years after the effective date of this rule;

3. Any existing discharge, or any sum of discharges operated by a single continuing authority, with a design flow of 0.1 mgd or greater, but less than 1.0 mgd, shall comply no later than eight (8) years after the effective date of this rule, and shall not exceed one milligram per liter (1.0 mg/l) as a monthly average as soon as possible and no later than four (4) years after the effective date of this rule;

4. Any existing discharge with a design flow of twenty-two thousand five hundred gallons per day (22,500 gpd) or greater but less than 0.1 mgd shall comply no later than eight (8) years after the effective date of this rule;

5. Any existing discharge with a design flow of less than twenty-two thousand five hundred gallons per day (22,500 gpd) permitted prior to the effective date of this rule shall be exempt from this requirement unless the design flow is increased; and

6. Any existing discharge in which the design flow is increased shall comply according to the schedule applicable to the final design flow.

(4) Effluent Limitations for Losing Streams.

(A) Discharges to losing streams shall be permitted only after other alternatives including land application, discharge to a gaining stream and connection to a regional wastewater treatment facility have been evaluated and determined to be unacceptable for environmental and/or economic reasons.

(B) If the department agrees to allow a release to a losing stream, the permit will be written using the limitations contained in subsections (4)(B) and (C). Discharges from wastewater treatment facilities which receive primarily domestic waste or from POTWs permitted under this section shall undergo treatment sufficient to conform to the following limitations:

1. BOD₅ equal to or less than a monthly average of ten (10) mg/l and a weekly average of fifteen (15) mg/l;

2. NFRs equal to or less than a monthly average of fifteen (15) mg/l and a weekly average of twenty (20) mg/l;

3. pH shall be maintained in the range from six to nine (6–9) standard units;

4. Discharges to losing streams shall not contain more than a monthly average of four hundred (400) fecal coliform colonies per one hundred milliliters (100 ml) and a daily maximum of one thousand (1,000) fecal coliform colonies per one hundred milliliters (100 ml);

5. Where chlorine is used as a disinfectant, the effluent shall be dechlorinated except when the discharge is—

A. Into an unclassified stream at least one (1) mile from a water quality standard classified stream; and

B. Into a flowing stream where the seven (7)-day Q₁₀ flow is equal to or greater than fifty (50) times the effluent flow;

6. If the facility is a POTW wastewater treatment facility providing at least primary treatment during a precipitation event and discharges on a noncontinuous basis, the discharge may be allowed subject to the following:

A. BOD₅ and NFRs equal to or less than a weekly average of forty-five (45) mg/l;

B. pH shall be maintained in the range from six to nine (6–9) standard units; and

C. Only the wastewater in excess of the capacity of the noncontinuous wastewater treatment plant hydraulic capacity may be discharged;

7. Sludges removed in the treatment process shall not be discharged. Sludges shall be

routinely removed from the wastewater treatment facility and disposed of or used in accordance with a sludge management practice approved by the department; and

8. When the wastewater treatment process causes nitrification which effects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five (5) mg/l less than the regular BOD₅ in the operating permit.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that shall require at a minimum one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one point three (1.3) mgd will be required at a minimum to collect fifty-two (52) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements; and

C. Sludge samples will be established in the permit.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (4)(C)3. are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site specific informational needs of the department.

(5) Effluent Limitations for Metropolitan No-Discharge Streams.

(A) Discharge to metropolitan no-discharge streams is prohibited, except as specifically permitted under the Water Quality Standards, 10 CSR 20-7.031 and noncontaminated storm water flows.

(B) All permits for discharges to these streams shall be written to ensure compliance with the water quality standards.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that shall require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one point three (1.3) mgd will be required at a minimum to collect fifty-two (52) wastewater samples per year; and

C. Sludge sampling will be established in the permit.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during the season of discharge.

3. Sample types shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (5)(C)3. are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site specific informational needs of the department.

(6) Effluent Limitations for Special Streams.

(A) Limits for Wild and Scenic Rivers and Ozark National Scenic Riverways and Drainages Thereto.

1. The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source or wastewater treatment facility to waters included in this section.

2. Discharges from wastewater treatment facilities which receive primarily

domestic waste or from POTWs are limited as follows:

A. New releases from any source other than POTW facilities are prohibited;

B. Discharges from sources that existed before June 29, 1974, or if additional stream segments are placed in this section, discharges that were permitted at the time of the designation will be allowed;

C. Discharges from POTWs; and

D. Releases from the permitted facilities under subparagraphs (6)(A)2.A.-C. shall meet the following effluent limitation:

(I) BOD₅ equal to or less than a monthly average of ten (10) mg/l and a weekly average of fifteen (15) mg/l;

(II) NFRs equal to or less than a monthly average of fifteen (15) mg/l and a weekly average of twenty (20) mg/l;

(III) pH shall be maintained in the range from six to nine (6-9) standard units;

(IV) Discharges shall not contain more than a monthly average of four hundred (400) fecal coliform colonies per one hundred milliliters (100 ml) and a daily maximum of one thousand (1,000) fecal coliform colonies per one hundred milliliters (100 ml);

(V) Where chlorine is used as a disinfectant, the effluent shall be dechlorinated except when the discharge is—

(a) Into an unclassified stream at least one (1) mile from a water quality standard classified stream; or

(b) Into a flowing stream where the seven (7)-day Q₁₀ flow is equal to or greater than fifty (50) times the effluent flow;

(VI) If the facility is a POTW wastewater treatment facility providing at least primary treatment during a precipitation event and discharges on a noncontinuous basis, the discharge may be allowed subject to the following:

(a) BOD₅ and NFRs equal to or less than a weekly average of forty-five (45) mg/l;

(b) pH shall be maintained in the range from six to nine (6-9) standard units; and

(c) Only the wastewater in excess of the capacity of the noncontinuous wastewater treatment plant hydraulic capacity may be discharged; and

(VII) When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing.

If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five (5) mg/l less than the regular BOD₅ in the operating permit.

3. Industrial, agricultural and other non-domestic contaminant sources, point sources or wastewater treatment facilities which are not included under subparagraph (6)(A)2.B. shall not be allowed to discharge. Agrichemical facilities shall be designed and constructed so that all bulk liquid pesticide nonmobile storage containers and all bulk liquid fertilizer nonmobile storage containers are located within a secondary containment facility. Dry bulk pesticides and dry bulk fertilizers shall be stored in a building so that they are protected from the weather. The floors of the buildings shall be constructed of an approved design and material(s). At an agrichemical facility, all transferring, loading, unloading, mixing and repackaging of bulk agrichemicals shall be conducted in an operational area. All precipitation collected in the operational containment area or secondary containment area as well as process generated wastewater shall be stored and disposed of in a no-discharge manner.

4. Monitoring requirements.

A. The department will develop a wastewater and sludge sampling program based on design flow that will require, at a minimum, one (1) wastewater sample per year for each twenty-five thousand (25,000) gpd of effluent, or fraction thereof, except that—

(I) Point sources that discharge less than five thousand (5,000) gpd may only be required to submit an annual report;

(II) Point sources that discharge more than one point three (1.3) mgd will be required at a minimum to collect fifty-two (52) wastewater samples per year; and

(III) Sludge sampling will be established in the permit.

B. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during the season of discharge.

C. Sample types shall be as follows:

(I) Samples collected from lagoons may be grab samples;

(II) Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

(III) Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

D. The monitoring frequency and sample types stated in paragraph (6)(D)3. are minimum requirements. The permit writer shall establish monitoring frequencies and

sampling types to fulfill the site specific informational needs of the department.

(B) Limits for Outstanding State Resource Waters as per Water Quality Standards.

1. Discharges shall not cause the current water quality in the streams to be lowered.

2. Discharges will be permitted as long as the requirements of paragraph (6)(B)1. are met and the limitations in section (8) are not exceeded.

(7) Effluent Limitations for Subsurface Waters.

(A) No person shall release any water into aquifers, store or dispose of water in a way which causes or permits it to enter aquifers either directly or indirectly unless it meets the appropriate groundwater protection criteria set in 10 CSR 20-7.031, Table A at a point ten feet (10') under the release point except as provided in subsections (7)(E) and (F). The permit writer shall review the complete application and other data to determine which parameter to include in the permit.

(B) No wastewater shall be introduced into sinkholes, caves, fissures or other openings in the ground which do or are reasonably certain to drain into aquifers except as provided in section (4) of this rule.

(C) All abandoned wells and test holes shall be properly plugged or sealed to prevent pollution of subsurface waters, as per the requirements of the Division of Geology and Land Survey.

(D) Where any wastewater treatment facility or any water contaminant source or point source incorporates the use of land treatment systems which allows or can reasonably be expected to allow wastewater effluents to reach the aquifer. Compliance with subsection (7)(A) shall be determined by a site specific monitoring plan.

(E) The effluent limitations specified in subsection (7)(A) shall not apply to facilities designed and constructed to meet department design criteria provided these designs have been reviewed and approved by the Department of Natural Resources. The Department of Natural Resources has the right to require monitoring, reporting, public notice and other information as deemed appropriate. This exemption may be revoked by the department should any monitoring indicate an adverse effect on a beneficial water use or if the numeric criteria in the Water Quality Standards are being exceeded.

(F) Any person not included in subsection (7)(E) who releases, stores or disposes of water in a manner which results in releases of water to an aquifer having concentrations in excess of one (1) or more parameter limitations provided in subsection (7)(A) may be

allowed to resample for purposes of verification of the excess. At their discretion, persons may demonstrate, at the direction of the Department of Natural Resources, that the impact on the water quality in the aquifer is negligible on the beneficial uses. The demonstration shall consider, at a minimum, the following factors:

1. Site geology;
2. Site geohydrology;
3. Existing and potential water uses;
4. Existing surface water and groundwater quality;
5. Characteristics of wastes or wastewater contained in facilities; and
6. Other items as may be required by the Department of Natural Resources to assess the proposal.

A. All demonstrations shall be reviewed by the department if the demonstrations show that the impact on groundwater quality will not result in an unreasonable risk to the public, alternate effluent limitation(s) will be proposed by the Department of Natural Resources and presented to the Clean Water Commission for approval. The Clean Water Commission has the right to require monitoring, reporting, public notice and other information as deemed appropriate in the approval of the alternate limitation for one (1) or more parameters from (7)(A). The Clean Water Commission may hold a public hearing to secure public comment prior to final action on an alternate limitation.

B. No alternate limitations will be granted which would impair beneficial uses of the aquifer or threaten human health or the environment.

C. Alternate limitations may be revoked by the department should any monitoring indicate an adverse effect on a beneficial water use or violations of the alternate limitation.

(8) Effluent Limitations for All Waters, Except Those in Paragraphs (1)(A)1.–6.

(A) The following limitations represent the maximum amount of pollutants which may be discharged from any point source, water contaminant source or wastewater treatment facility.

(B) Discharges from wastewater treatment facilities which receive primarily domestic waste or POTWs shall undergo treatment sufficient to conform to the following limitations:

1. BOD₅ and NFRs equal to or less than a monthly average of thirty (30) mg/l and a weekly average of forty-five (45) mg/l;
2. pH shall be maintained in the range from six to nine (6–9) standard units;
3. The limitations of paragraphs (8)(B)1. and 2. will be effective unless a

water quality impact study has been conducted by the department, or conducted by the permittee and approved by the department, showing that alternate limitation will not cause violations of the Water Quality Standards or impairment of the uses in the standards. When a water quality impact study has been completed to the satisfaction of the department, the following alternate limitation may be allowed:

A. If the facility is a wastewater lagoon, the NFRs shall be equal to or less than a monthly average of eighty (80) mg/l and a weekly average of one hundred twenty (120) mg/l and the pH shall be maintained above 6.0 and the BOD₅ shall be equal to or less than a monthly average of forty-five (45) mg/l and a weekly average of sixty-five (65) mg/l;

B. If the facility is a trickling filter plant, the BOD₅ and NFRs shall be equal to or less than a monthly average of forty-five (45) mg/l and a weekly average of sixty-five (65) mg/l;

C. Where the use of effluent limitations set forth in section (8) is known or expected to produce an effluent that will endanger water quality, the department will set specific effluent limitations for individual dischargers to protect the water quality of the receiving streams. When a waste load allocation study is conducted for a stream or stream segment, all permits for discharges in the study area shall be modified to reflect the limits established in the waste load allocation study;

D. The department may require more stringent limitations than authorized in subsections (3)(A) and (B) under the following conditions:

(I) If the facility is an existing facility, the department may set the BOD₅ and NFR limits based upon an analysis of the past performance, rounded up to the next five (5) mg/l range; and

(II) If the facility is a new facility, the department may set the BOD₅ and NFR limits based upon the design capabilities of the plant considering geographical and climatic conditions;

(a) A design capability study has been conducted for new lagoon systems. The study reflects that the effluent limitations should be BOD₅ equal to or less than a monthly average of forty-five (45) mg/l, a weekly average of sixty-five (65) mg/l, NFRs equal to or less than a monthly average of seventy (70) mg/l and a weekly average of one hundred ten (110) mg/l;

(b) A design capability study has been conducted for new trickling filter sys-

tems and the study reflects that the effluent limitations should be BOD₅ and NFR equal to or less than a monthly average of forty (40) mg/l and a weekly average of sixty (60) mg/l; and

E. If the facility is a POTW wastewater treatment facility providing at least primary treatment during a precipitation event and discharges on a noncontinuous basis, the discharge may be allowed provided that:

(I) BOD₅ and NFRs equal to or less than a weekly average of forty-five (45) mg/l. The NFR (total suspended solids) limit may be higher than forty-five (45) mg/l for combined sewer overflow treatment devices when organic solids are demonstrated to be an insignificant fraction of total inorganic storm water generated solids, and the permittee can demonstrate that achieving a limit of forty-five (45) mg/l is not cost effective relative to water quality benefits. In these cases, an alternative total suspended solids limit would be developed.

(II) pH shall be maintained in the range from six to nine (6–9) units; and

(III) Only the wastewater in excess of the capacity of the noncontinuous wastewater treatment plant hydraulic capacity may be discharged;

4. Fecal coliform.

A. Discharges to streams identified as whole body contact areas, discharges within two (2) miles upstream of these areas and discharges to streams with a seven (7)-day Q₁₀ flow of zero (0) in metropolitan areas where the stream is readily accessible to the public shall not contain more than a monthly average of four hundred (400) fecal coliform colonies per one hundred milliliters (100 ml) and a daily maximum of one thousand (1000) fecal coliform colonies per one hundred milliliters (100 ml) from April 1 to October 31. The department may waive or relax this limitation if the owner or operator of the wastewater treatment facility can demonstrate that neither health nor water quality will be endangered by failure to disinfect.

B. Where chlorine is used as a disinfectant, the effluent shall be dechlorinated except when the discharge is—

(I) Into an unclassified stream at least one (1) mile from a Water Quality Standards classified stream; or

(II) Into a flowing stream where the seven (7)-day Q₁₀ flow is equal to or greater than fifty (50) times the design effluent flow;

5. Sludges removed in the treatment process shall not be discharged. Sludges shall be routinely removed from the wastewater treatment facility and disposed of or used in

accordance with a sludge management practice approved by the department; and

6. When the wastewater treatment process causes nitrification which affects the BOD₅ reading, the permittee can petition the department to substitute carbonaceous BOD₅ in lieu of regular BOD₅ testing. If the department concurs that nitrification is occurring, the department will set a carbonaceous BOD₅ at five (5) mg/l less than the regular BOD₅ in the operating permit.

(C) Monitoring Requirements.

1. The department will develop a wastewater and sludge sampling program based on design flow that will require at a minimum one (1) wastewater sample per year for each fifty thousand (50,000) gpd of effluent, or fraction thereof, except that—

A. Point sources that discharge less than twenty-five thousand (25,000) gpd may only be required to submit an annual report;

B. Point sources that discharge more than one (1) mgd will be required at a minimum to collect twenty (20) wastewater samples per year unless the applicant can show that the wastewater has a consistent quality, such as once through cooling water or mine dewatering, then the department may set less frequent sampling requirements; and

C. Sludge sampling will be established in the permit.

2. Sampling frequency shall be spread evenly throughout the discharge year. This means that a point source with a continuous discharge shall take samples on a regular schedule, while point sources with seasonal discharges shall collect samples during their season of discharge.

3. Sample type shall be as follows:

A. Samples collected from lagoons may be grab samples;

B. Samples collected from mechanical plants shall be twenty-four (24)-hour composite samples, unless otherwise specified in the operating permit; and

C. Sludge samples shall be a grab sample unless otherwise specified in the operating permit.

4. The monitoring frequency and sample types stated in paragraph (8)(C)3. are minimum requirements. The permit writer shall establish monitoring frequencies and sampling types to fulfill the site specific informational needs of the department.

(9) General Conditions.

(A) Monitoring, Analysis and Reporting.

1. All construction and operating permit holders shall submit reports at intervals established by the permit or at any other reasonable intervals required by the department.

The monitoring and analytical schedule shall be as established by the Missouri Department of Natural Resources in the operating permit.

2. The analytical and sampling methods used must conform to the following reference methods unless alternates are approved by the department:

A. *Standard Methods for the Examination of Waters and Wastewaters* (14, 15, 16, 17, 18, 19 and 20th Edition), published by the Water Environment Federation, 601 Wythe Street, Alexandria, VA 22314;

B. *Water Testing Standards, Vol. 11.01 and 11.02*, published by American Society for Testing and Materials, West Conshohocken, PA 19428;

C. *Methods for Chemical Analysis of Water and Wastes* (EPA-600/4-79-020), published by the Environmental Protection Agency, Water Quality Office, Analytical Quality Control Laboratory, 1014 Broadway, Cincinnati, OH 54202; and

D. *NPDES Compliance Sampling Inspection Manual*, published by Environmental Protection Agency, Enforcement Division, Office of Water Enforcement, 401 Main Street, S.W., Washington DC 20460.

3. Sampling and analysis by the department to determine violations of this regulation will be conducted in accordance with the methods listed in paragraph (9)(A)2. or any other approved by the department. Violations may be also determined by review of the permittee's self-monitoring reports. Analysis conducted by the permittee or his/her laboratory shall be conducted in such a way that the precision and accuracy of the analyzed results can be determined.

4. If, for any reason, the permittee does not comply with or will be unable to comply with any discharge limitations or standards specified in the permit, the permittee shall provide the department with the following information, with the next discharge monitoring report as required under subsection (9)(A):

A. A description of the discharge and cause of noncompliance;

B. The period of noncompliance, including exact dates and times and/or the anticipated time when the discharge will return to compliance; and

C. Steps being taken to reduce, eliminate and prevent recurrence of the noncompliance.

5. In the case of any discharge subject to any applicable toxic pollutant effluent standard under section 307(a) of the Federal Clean Water Act, the information required by paragraph (9)(A)4. regarding a violation of this standard shall be provided within twenty-four (24) hours from the time the owner or

operator of the water contaminant source, point source or wastewater treatment facility becomes aware of the violation or potential violation. If this information is provided orally, a written submission covering these points shall be provided within five (5) working days of the time the owner or operator of the water contaminant source, point source or wastewater treatment facility becomes aware of the violation.

(B) Dilution Water. Dilution of treated wastewater with cooling water or other less contaminated water to lower the effluent concentration to limits required by an effluent regulation of the Clean Water Law shall not be an acceptable means of treatment.

(C) Compliance.

1. New sources. Water contaminant sources, point sources and wastewater treatment facilities and their tributary sewer systems on which construction begins after the effective date of the applicable effluent guidelines shall meet all requirements of this regulation and the Missouri Clean Water Law.

2. Sources for which construction and operating permits were issued prior to the effective date of this regulation shall meet all the requirements of the existing permit. Where the existing permit contains more stringent limitations than those contained in this regulation, the permittee may apply to the department for a modification of the permit to contain the new limitations. The department will notify the applicant of its decision to modify or deny the application within sixty (60) days after receiving an application.

(D) Compliance with New Source Performance Standards.

1. Except as provided in paragraph (9)(D)2., any new water contaminant source, point source or wastewater treatment facility on which construction commenced after October 18, 1972, or any new source, which meets the applicable promulgated new source performance standards before the commencement of discharge, shall not be subject to any more stringent new source performance standards or to any more stringent technology-based standards under subsection 301(b)(2) of the Federal Clean Water Act for the shortest of the following periods:

A. Ten (10) years from the date that construction is completed;

B. Ten (10) years from the date the source begins to discharge process or other nonconstruction related wastewater; or

C. The period of depreciation or amortization of the facility for the purposes of section 167 or 169 (or both) of the *Internal Revenue Code* of 1954.

2. The protection from more stringent standards of performance afforded by paragraph (9)(D)1. does not apply to—

A. Additional or more stringent permit conditions which are not technology based, for example, conditions based on water quality standards or effluent standards or prohibitions under section 307(a); and

B. Additional permit conditions controlling pollutants listed as toxic under section 307(a) of the Federal Clean Water Act or as hazardous substances under section 311 of the Federal Clean Water Act and which are not controlled by new source performance standards. This exclusion includes permit conditions controlling pollutants other than those identified as hazardous where control of those other pollutants has been specifically identified as the method to control the hazardous pollutant.

(E) Bypassing.

1. Any bypass or shutdown of a wastewater treatment facility and tributary sewer system or any part of a facility and sewer system that results in a violation of permit limits or conditions is prohibited except—

A. Where unavoidable to prevent loss of life, personal injury or property damages;

B. Where unavoidable excessive storm drainage or runoff would damage any facilities or processes necessary for compliance with the effluent limitations and conditions of this permit; and

C. Where maintenance is necessary to ensure efficient operation and alternative measures have been taken to maintain effluent quality during the period of maintenance;

2. The permittee shall notify the department by telephone within twenty-four (24) hours and follow with a written report within five (5) days of all bypasses or shutdowns that result in a violation of permit limits or conditions. POTWs that bypass during storm water infiltration events need only report on their discharge monitoring reports. This section does not excuse any person from any liability, unless this relief is otherwise provided by the statute.

(F) Sludge facilities shall meet the applicable control technology for sewage sludge treatment, use and disposal as published by the Environmental Protection Agency (EPA) in 40 CFR 503 and applicable state standards and limitations published in 10 CSR 20 and 10 CSR 80. Where there are no standards available or applicable, or when more stringent standards are appropriate to protect human health and the environment, the department shall set specific limitations in permits on a case-by-case basis using best professional judgment.

(G) Industrial, agricultural and other non-domestic water contaminant sources, point sources or wastewater treatment facilities which are not included under subsection (2)(B), (3)(B), (4)(B), or (8)(B)—

1. These facilities shall meet the applicable control technology currently effective as published by the EPA in 40 CFR 405-471. Where there are no standards available or applicable, the department shall set specific parameter limitations using best professional judgment. pH shall be maintained in the range from six to nine (6-9) standard units, except that discharges of uncontaminated cooling water and water treatment plant effluent may exceed nine (9) standard units, but may not exceed ten and one-half (10.5) standard units, if it can be demonstrated that the pH will not exceed nine (9) standard units beyond the regulatory mixing zone; and

2. Agrichemical facilities shall be designed and constructed so that all bulk liquid pesticide nonmobile storage containers and all bulk liquid fertilizer nonmobile storage containers are located within a secondary containment facility. Dry bulk pesticides and dry bulk fertilizers shall be stored in a building so that they are protected from the weather. The floors of the buildings shall be constructed of an approved design and material(s). At an agrichemical facility, the following procedures shall be conducted in an operational area: all transferring, loading, unloading, mixing and repackaging of bulk agrichemicals. All precipitation collected in the operational containment area or secondary containment area as well as process generated wastewater shall be stored and disposed of in a no-discharge manner or treated to meet the applicable control technology referenced in paragraph (9)(G)1.

AUTHORITY: section 644.026, RSMo Supp. 1999. Original rule filed June 6, 1974, effective June 16, 1974. Amended: Filed April 1, 1975, effective April 11, 1975. Rescinded: Filed Oct. 16, 1979, effective July 11, 1980. Readopted: Filed Feb. 4, 1980, effective July 11, 1980. Rescinded and readopted: Filed Nov. 10, 1982, effective May 12, 1983. Amended: Filed Sept. 11, 1984, effective March 12, 1985. Amended: Filed July 25, 1985, effective Dec. 26, 1985. Amended: Filed Feb. 1, 1988, effective June 13, 1988. Amended: Filed Sept. 13, 1988, effective Feb. 14, 1989. Amended: Filed July 15, 1991, effective Jan. 13, 1992. Amended: Filed Sept. 2, 1993, effective May 9, 1994. Amended: Filed March 1, 1999, effective Nov. 30, 1999. Amended: Filed Dec. 30, 1999, effective Sept. 30, 2000.*

**Original authority: 204.026, RSMo 1972, amended 1973, transferred to 644.026, RSMo 1986, amended 1987, 1993, 1995.*

10 CSR 20-7.020 Effluent Regulations
(Rescinded July 10, 1980)

AUTHORITY: section 204.026, RSMo 1978. Original rule filed June 6, 1974, effective June 16, 1974. Amended: Filed April 1, 1975, effective April 11, 1975. Rescinded: Filed Oct. 12, 1979, effective July 10, 1980.

10 CSR 20-7.030 Water Quality Standards
(Rescinded December 11, 1977)

AUTHORITY: sections 204.021 and 204.026, RSMo Supp. 1973. Rescinded: effective Dec. 11, 1977.

10 CSR 20-7.031 Water Quality Standards

PURPOSE: This rule identifies beneficial uses of waters of the state, criteria to protect those uses and defines the antidegradation policy. It is developed in response to the Missouri Clean Water Law and the federal Clean Water Act, Section 303(c)(1) and (2), which requires that state water quality standards be reviewed at least once every three years. These revisions are pursuant to the national goal of protection of fish, shellfish and wildlife and recreation in and on the water as outlined in Section 101(a)(2) of the Act.

Editor's Note: The secretary of state has determined that the publication of this rule in its entirety would be unduly cumbersome or expensive. The entire text of the material referenced has been filed with the secretary of state. This material may be found at the Office of the Secretary of State or at the headquarters of the agency and is available to any interested person at a cost established by state law.

(1) Definitions.

(A) Acute toxicity—Conditions producing adverse effects or lethality on aquatic life following short-term exposure. The acute criteria in Tables A and B are maximum concentrations which protect against acutely toxic conditions. Acute toxicity is also indicated by exceedence of whole-effluent toxicity (WET) test conditions of paragraph (3)(I)2. For substances not listed in Table A or B, 0.3 of the median lethal concentration, or the no observed acute effect concentration for representative species, may be used to determine absence of acute toxicity.

(B) Aquifer—A subsurface water-bearing bed or stratum which stores or transmits water in recoverable quantities that is currently being used or could be used as a water source for private or public use. It does not include water in the vadose zone.

(C) Beneficial water uses. Beneficial uses (1)(C)1.-11. of classified waters are identified in Tables G and H. Beneficial uses (1)(C)12.-15. of classified waters must be determined on a site-by-site basis and are therefore not listed in Tables G and H.

1. Irrigation—Application of water to cropland or directly to plants that may be used for human or livestock consumption. Occasional supplemental irrigation, rather than continuous irrigation, is assumed.

2. Livestock and wildlife watering—Maintenance of conditions to support health in livestock and wildlife.

3. Cold-water fishery—Waters in which naturally occurring water quality and habitat conditions allow the maintenance of a naturally reproducing or stocked trout fishery and other naturally reproducing populations of recreationally important fish species.

4. Cool-water fishery—Waters in which naturally occurring water quality and habitat conditions allow the maintenance of a sensitive, high-quality sport fishery (including smallmouth bass and rock bass) and other naturally reproducing populations of recreationally important fish species.

5. Protection of aquatic life (General warm-water fishery)—Waters in which naturally occurring water quality and habitat conditions allow the maintenance of a wide variety of warm-water biota, including naturally reproducing populations of recreationally important fish species. This includes all Ozark Class C and P streams, all streams with seven (7)-day Q_{10} low flows of more than one-tenth cubic feet per second (0.1 cfs), all P1 streams and all classified lakes. However, individual Ozark Class C streams may be determined to be limited warm-water fisheries on the basis of limited habitat, losing-stream classification, land-use characteristics or faunal studies which demonstrate a lack of recreationally important fish species.

6. Protection of aquatic life (Limited warm-water fishery)—Waters in which natural water quality and/or habitat conditions prevent the maintenance of naturally reproducing populations of recreationally important fish species. This includes non-Ozark Class C streams and non-Ozark Class P streams with seven (7)-day Q_{10} low flows equal to or less than 0.1 cfs and Ozark Class C streams with the characteristics outlined in paragraph (1)(C)5.

7. Human health protection (Fish consumption and secondary contact recreation)—Criteria to protect this use are based on the assumption of an average amount of fish consumed on a long-term basis. Protection of this use includes compliance with Federal Drug Administration (FDA) limits for fish tissue, maximum water concentrations corresponding to the 10^{-6} cancer risk level and other human health fish consumption criteria. Secondary contact recreation assumes limited physical contact with the water without likelihood of water ingestion.

8. Whole-body-contact recreation—Activities in which there is direct human contact with the raw surface water to the point of complete body submergence. The raw water may be ingested accidentally and certain sensitive body organs, such as the eyes, ears and the nose, will be exposed to the water. Although the water may be ingested accidentally, it is not intended to be used as a potable supply unless acceptable treatment is applied. Water so designated is intended to be used for swimming, water skiing or skin diving.

9. Boating and canoeing—Activities in which limited contact with water is assumed.

10. Drinking water supply—Maintenance of a raw water supply which will yield potable water after treatment by public water treatment facilities.

11. Industrial process water and industrial cooling water—Water to support various industrial uses; since quality needs will vary by industry, no specific criteria are set in these standards.

12. Storm- and flood-water storage and attenuation—Waters which serve as overflow and storage areas during flood or storm events slowly release water to downstream areas, thus lowering flood peaks and associated damage to life and property.

13. Habitat for resident and migratory wildlife species, including rare and endangered species—Waters that provide essential breeding, nesting, feeding and predator escape habitats for wildlife including waterfowl, birds, mammals, fish, amphibians and reptiles.

14. Recreational, cultural, educational, scientific and natural aesthetic values and uses—Waters that serve as recreational sites for fishing, hunting and observing wildlife; waters of historic or archeological significance; waters which provide great diversity for nature observation, educational opportunities and scientific study.

15. Hydrologic cycle maintenance—Waters hydrologically connected to rivers and streams serve to maintain flow conditions during periods of drought. Waters that are connected hydrologically to the groundwater

system recharge groundwater supplies and assume an important local or regional role in maintaining groundwater levels.

(D) Biocriteria—Numeric values or narrative expressions that describe the reference biological integrity of aquatic communities inhabiting waters that have been designated for aquatic-life protection.

(E) Chronic toxicity—Conditions producing adverse effects on aquatic life or wildlife following long-term exposure but having no readily observable effect over a short time period. Chronic numeric criteria in Tables A and B are maximum concentrations which protect against chronic toxicity; these values shall be considered four (4)-day averages. Chronic toxicity is also indicated by exceedence of WET test conditions of subsection (4)(P). For substances not listed in Table A or B, commonly used endpoints such as the no-observed effect concentration or inhibition concentration of representative species may be used to demonstrate absence of toxicity.

(F) Classified waters—All waters listed as L1, L2 and L3 in Table G and P, P1 and C in Table H. During normal flow periods, some rivers back water into tributaries which are not otherwise classified. These permanent backwater areas are considered to have the same classification as the water body into which the tributary flows.

1. Class L1—Lakes used primarily for public drinking water supply.

2. Class L2—Major reservoirs.

3. Class L3—Other lakes which are waters of the state. These include both public and private lakes. For effluent regulation purposes, publicly owned L3 lakes are those for which a substantial portion of the surrounding lands are publicly owned or managed.

4. Class P—Streams that maintain permanent flow even in drought periods.

5. Class P1—Standing-water reaches of Class P streams.

6. Class C—Streams that may cease flow in dry periods but maintain permanent pools which support aquatic life.

7. Class W—Wetlands that are waters of the state that meet the criteria in the *Corps of Engineers Wetlands Delineation Manual* (January 1987), and subsequent federal revisions. Class W waters do not include wetlands that are artificially created on dry land and maintained for the treatment of mine drainage, stormwater control, drainage associated with road construction, or industrial, municipal or agricultural waste. Class W determination on any specific site shall be consistent with federal law.

(G) Ecoregion—A major region within the state which contains waters with similar geo-

logical, hydrological, chemical and biological characteristics.

(H) Epilimnion—Zone of atmospheric mixing in a thermostratified lake.

(I) Fecal coliform bacteria—A group of bacteria originating in intestines of warm-blooded animals which indicates the possible presence of pathogenic organisms in water.

(J) Hypolimnion—Zone beneath the zone of atmospheric mixing in a thermostratified lake.

(K) Lethal concentration₅₀ (LC₅₀)—Concentration of a toxicant which would be expected to kill fifty percent (50%) of the individuals of the test species organisms in a test of specified length of time.

(L) Losing stream—A stream which distributes thirty percent (30%) or more of its flow during low flow conditions through natural processes, such as through permeable geologic materials into a bedrock aquifer within two (2) miles' flow distance downstream of an existing or proposed discharge. Flow measurements to determine percentage of water loss must be corrected to approximate the seven (7)-day Q_{10} stream flow. If a stream bed or drainage way has an intermittent flow or a flow insufficient to measure in accordance with this rule, it may be determined to be a losing stream on the basis of channel development, valley configuration, vegetation development, dye tracing studies, bedrock characteristics, geographical data and other geological factors. Losing streams are listed in Table J; additional streams may be determined to be losing by the Division of Geology and Land Survey.

(M) Low-flow conditions—

1. Seven (7)-day one (1)-in-ten (10)-year low flow (7-day Q_{10})—The average minimum flow for seven (7) consecutive days that has a probable recurrence interval of once-in-ten (10) years; and

2. Sixty (60)-day, one (1)-in-two (2)-year low flow (60-day, Q_{12})—The average minimum flow for sixty (60) consecutive days that has a probable recurrence interval of once-in-two (2) years.

(N) Mixing zone—An area of dilution of effluent in the receiving water beyond which chronic toxicity criteria must be met.

(O) Outstanding national resource waters—Waters which have outstanding national recreational and ecological significance. These waters shall receive special protection against any degradation in quality. Congressionally designated rivers, including those in the Ozark national scenic riverways and the wild and scenic rivers system, are so designated (see Table D).

(P) Outstanding state resource waters—High quality waters with a significant aes-

thetic, recreational or scientific value which are specifically designated as such by the Clean Water Commission (see Table E).

(Q) Ozark streams—Streams lying within the Ozark faunal region as described in the *Aquatic Community Classification System for Missouri*, Missouri Department of Conservation, 1989.

(R) Reference stream reaches—Stream reaches determined by the department to be the best available representatives of ecoregion waters in a natural condition, with respect to habitat, water quality, biological integrity and diversity, watershed land use and riparian conditions.

(S) Regulated-flow streams—A stream that derives a majority of its flow from an impounded area with a flow-regulating device.

(T) Water hardness—The total concentration of calcium and magnesium ions expressed as calcium carbonate. For purposes of this rule, hardness will be determined by the twenty-fifth percentile value, so that no more than twenty-five percent (25%) of samples fall below the value of a representative number of samples from the water body in question or from a similar water body at the appropriate stream flow conditions.

(U) Water quality criteria—Chemical, physical and biological properties of water that are necessary to protect beneficial water uses.

(V) Zone of initial dilution—A small area of initial mixing below an effluent outfall beyond which acute toxicity criteria must be met.

(W) Zone of passage—A continuous water route necessary to allow passage of organisms with no acutely toxic effects produced on their populations.

(X) Wetlands—Those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas. This definition is consistent with both the United States Army Corps of Engineers 33 CFR 328.3(b) and the United States Environmental Protection Agency 40 CFR 232.2(r).

(Y) Whole effluent toxicity tests—A toxicity test conducted under specified laboratory conditions on specific indicator organisms. To estimate chronic and acute toxicity of the effluent in its receiving stream, the effluent may be diluted to simulate the computed percent effluent at the edge of the mixing zone or zone of initial dilution.

(Z) Other definitions as set forth in the Missouri Clean Water Law and 10 CSR 20-2.010 shall apply to terms used in this rule.

(2) Antidegradation. The antidegradation policy shall provide three (3) levels of protection.

(A) Public health, existing in-stream water uses and a level of water quality necessary to protect existing uses shall be maintained and protected.

(B) For all waters of the state, if existing water quality is better than applicable water quality criteria established in these rules, that existing quality shall be fully maintained and protected. Water quality may be lowered only if the state finds, after full satisfaction of the intergovernmental coordination and public participation requirements, that the lowered water quality is necessary to allow important economic and social development in the geographical area in which the waters are located. In allowing the lowering of water quality, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources and all cost-effective and reasonable best management practices for nonpoint source control before allowing any lowering of water quality. This provision allows a proposed new or modified point or nonpoint source of pollution to result in limited lowering of water quality provided that—

1. The source does not violate any of the general criteria set fourth in section (3) of this rule, or any of the criteria for protection of beneficial uses set forth in section (4) of this rule;

2. The source meets all applicable technological effluent limitations and minimum standards of design for point sources or minimum pollution control practices for nonpoint sources; and

3. The lowering of water quality, in the judgment of the department, is necessary for the accommodation of important economic and social development in the geographical vicinity of the discharge. In making a preliminary determination based on socioeconomic development considerations, the department may consider the potential for regional increases in utility rates, taxation levels or recoverable costs associated with the production of goods or services that may result from the imposition of a strict no-degradation policy. Consideration may also be given to the possible indirect effects of a policy on per capita income and the level of employment in the geographical vicinity of the proposed pollution source. Any preliminary decision by the department to allow a limited lowering of water quality will be stated as such in a pub-

lic notice issued pursuant to 10 CSR 20-6.010. Pursuant to that provision, a public hearing will be held in the geographical vicinity of the proposed pollution source, if the department determines there is significant public interest in and need for a hearing.

(C) There shall be no lowered water quality in outstanding national resource waters or outstanding state resource waters, as designated in Tables D and E.

(3) General Criteria. The following water quality criteria shall be applicable to all waters of the state at all times including mixing zones. No water contaminant, by itself or in combination with other substances, shall prevent the waters of the state from meeting the following conditions:

(A) Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly or harmful bottom deposits or prevent full maintenance of beneficial uses;

(B) Waters shall be free from oil, scum and floating debris in sufficient amounts to be unsightly or prevent full maintenance of beneficial uses;

(C) Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor or prevent full maintenance of beneficial uses;

(D) Waters shall be free from substances or conditions in sufficient amounts to result in toxicity to human, animal or aquatic life;

(E) There shall be no significant human health hazard from incidental contact with the water;

(F) There shall be no acute toxicity to livestock or wildlife watering;

(G) Waters shall be free from physical, chemical or hydrologic changes that would impair the natural biological community;

(H) Waters shall be free from used tires, car bodies, appliances, demolition debris, used vehicles or equipment and solid waste as defined in Missouri's Solid Waste Law, section 260.200, RSMo, except as the use of such materials is specifically permitted pursuant to section 260.200-260.247;

(I) Waters in mixing zones and unclassified waters which support aquatic life on an intermittent basis shall be subject to the following requirements:

1. The acute toxicity criteria of Tables A and B and the requirements of subsection (4)(B); and

2. The following whole effluent toxicity conditions must be satisfied:

A. Single dilution method. The percent effluent at the edge of the zone of initial dilution will be computed and toxicity tests performed at this percent effluent. These

tests must show statistically insignificant mortality on the most sensitive of at least two (2) representative, diverse species; and

B. Multiple dilution method. An LC_{50} will be derived from a series of test dilutions. The computed percent effluent at the edge of the zone of initial dilution must be less than three-tenths (0.3) of the LC_{50} for the most sensitive of at least two (2) representative, diverse species.

(4) Specific Criteria. The specific criteria shall apply to classified waters. Protection of drinking water supply is limited to surface waters designated for raw drinking water supply and aquifers. Protection of whole-body-contact recreation is limited to classified waters designated for that use. Only waters designated for livestock and wildlife watering are considered to be long-term supplies and are subject to the chronic toxicity requirements of the specific criteria.

(A) The maximum chronic toxicity criteria in Tables A and B shall apply to waters designated for the indicated uses given in Tables G and H. All Table A and B criteria are chronic toxicity criteria, except those specifically identified as acute criteria. Water contaminants shall not cause or contribute to concentrations in excess of these values. Table A values listed as health advisory levels shall be used in establishing discharge permit limits and management strategies until additional data becomes available to support alternative criteria, or other standards are established. However, exceptions may be granted in the following cases:

1. Permanent flow streams when the stream flow is less than seven (7)-day Q_{10} ;

2. Regulated flow streams if the flow is less than the minimum release flow agreed upon by the regulating agencies;

3. When natural upstream concentrations of dissolved oxygen are below the criteria, wasteload allocations and permits for point source discharges will be developed so that existing natural dissolved oxygen concentrations, as determined on a regional or watershed basis, are maintained;

4. For the natural and unavoidable chemical and physical changes that occur in the hypolimnion of lakes. Streams below impoundments shall meet applicable specific criteria;

5. For mixing zones.

A. The mixing zone shall be exempted from the chronic criteria requirements of this section for those components of waste that are rendered nontoxic by dilution, dissipation or rapid chemical transformation. Acute numeric criteria of Tables A and B and whole effluent acute toxicity requirements of

subsection (3)(I) must be met at all times within the mixing zone, except within the zone of initial dilution. The following criteria do not apply to thermal mixing zones. Criteria for thermal mixing zones are listed in paragraph (4)(D)6.

B. The maximum size of mixing zones and zone of initial dilution will be determined as follows:

(I) Class C streams and streams with seven (7)-day Q_{10} low flows of 0.1 cfs or less.

(a) Mixing zone—length of one-quarter (1/4) mile. If multiple discharges affect a reach or if zone of passage requirements mandate less extensive mixing zones, shorter mixing zones may be required.

(b) Zone of initial dilution—not allowed;

(II) Streams with seven (7)-day Q_{10} low flow of one-tenth to twenty (0.1–20) cfs—

(a) Mixing zone—one-quarter (1/4) of the stream width, cross-sectional area or volume of flow; length one-quarter (1/4) mile. If the discharger can document that rapid and complete mixing of the effluent occurs in the receiving stream, the mixing zone may be up to one-half (1/2) of the stream width, cross-sectional area or volume of flow; and

(b) Zone of initial dilution—one-tenth (0.1) of the mixing zone width, cross-sectional area or volume of flow;

(III) Streams with seven (7)-day Q_{10} low flow of greater than twenty (20) cfs—

(a) Mixing zone—one-quarter (1/4) of stream width, cross-sectional area or volume of flow; length of one-quarter (1/4) mile; and

(b) Zone of initial dilution—one-tenth (0.1) of the mixing zone width, cross-sectional area or volume of flow and no more than ten (10) times the effluent design flow volume unless the use of diffusers or specific mixing zone studies can justify more dilution; and

(IV) Lakes.

(a) Mixing zone—not to exceed one-quarter (1/4) of the lake width at the discharge point or one hundred feet (100') from the discharge point, whichever is less.

(b) Zone of initial dilution—not allowed.

C. A mixing zone shall not overlap another mixing zone in a manner that the maintenance of aquatic life in the body of water in the overlapping area would be further adversely affected.

D. Other factors that may prohibit or further limit the size and location of mixing zones are the size of the river, the volume of

discharge, the stream bank configuration, the mixing velocities, other hydrologic or physiographic characteristics and the designated uses of the water, including type of aquatic life supported, potential effects on mouths of tributary streams and proximity to water supply intakes.

E. Zones of passage must be provided wherever mixing zones are allowed.

F. Mixing zone and zone of initial dilution size limits will normally be based on streams at the seven (7)-day Q_{10} low flow.

However, this percent of stream size limits also applies at higher stream flows and discharge limitations may be based on higher stream flows if discharge volume or quality may be adjusted to correlate with stream flow; and

6. For wetlands. Water quality needs will vary depending on the individual characteristics of wetlands. Application of numeric criteria will depend on the specific aquatic life, wildlife and vegetational requirements.

(B) Toxic Substances.

1. Water contaminants shall not cause the criteria in Tables A and B to be exceeded. Concentrations of these substances in bottom sediments or waters shall not harm benthic organisms and shall not accumulate through the food chain in harmful concentrations, nor shall state and federal maximum fish tissue levels for fish consumption be exceeded. More stringent criteria may be imposed if there is evidence of additive or synergistic effects. Site-specific criterial modifications may be allowed. With the department's approval, entities may conduct studies to determine if site-specific factors would justify modifications in the criteria that apply to specific receiving waters. In approving a study and reviewing its results, the department will take into account EPA and other appropriate guidelines as they exist at the time the study is submitted for approval.

2. For compliance with this rule, metals shall be analyzed by the following methods:

A. Aquatic life protection and human health protection—fish consumption.

(I) Mercury—total recoverable metals.

(II) All other metals—dissolved metals;

B. Drinking water supply—dissolved metals; and

C. All other beneficial uses—total recoverable metals.

3. Other potentially toxic substances for which sufficient toxicity data are not available may not be released to waters of the state until safe levels are demonstrated through adequate bioassay studies.

4. Drinking water criteria, for substances which are rendered nontoxic by transformation processes in the surface water body, shall apply at water supply withdrawal points.

5. Site-specific alternative criteria for human health—fish consumption may be allowed. Designation of this site-specific criteria must follow the established variance request process.

(C) Fecal Coliform Bacteria. Protections of whole-body-contact recreation is limited to classified waters designated for that use. For periods when the stream or lake is not affected by stormwater runoff, the fecal coliform count shall not exceed two hundred colonies per one hundred milliliters (200/100 ml) during the recreational season in waters designated for whole-body-contact recreation or at any time in losing streams. The recreational season is from April 1 to October 31.

(D) Temperature.

1. For general and limited warm-water fisheries beyond the mixing zone, water contaminant sources and physical alteration of the water course shall not raise or lower the temperature of a stream more than five degrees Fahrenheit (5°F). Water contaminant sources shall not cause or contribute to stream temperature in excess of ninety degrees Fahrenheit (90°F). However, site-specific ambient temperature data and requirements of sensitive resident aquatic species will be considered, when data are available, to establish alternative maxima or deviations from ambient temperatures.

2. For cool-water fisheries beyond the mixing zone, water contaminant sources and physical alteration of the water course shall not raise or lower the temperature of a stream more than five degrees Fahrenheit (5°F). Water contaminant sources shall not cause or contribute to stream temperature in excess of eighty-four degrees Fahrenheit (84°F).

3. For cold-water fisheries beyond the mixing zone, water contaminant sources and physical alteration of the water course shall not raise or lower the temperature of the water body more than two degrees Fahrenheit (2°F). Water contaminant sources shall not cause or contribute to temperatures above sixty-eight degrees Fahrenheit (68°F).

4. Water contaminant sources shall not cause any measurable rise in the temperature of lakes. An increase is allowable for Lake Springfield, Thomas Hill Reservoir and Montrose Lake; however, discharges from these lakes must comply with temperature limits for streams.

5. For the Mississippi River Zones 1A and 2, the water temperature outside the mixing zone shall not exceed the maximum lim-

its indicated in the following list during more than one percent (1%) of the time in any calendar year. In Zone 1B, limits may not be exceeded more than five percent (5%) of the time in a calendar year. At no time shall the river water temperature outside of the thermal mixing zone exceed the listed limits by more than three degrees Fahrenheit (3°F).

	A,B	C
	(°F)	(°F)
January	45	50
February	45	50
March	57	60
April	68	70
May	78	80
June	86	87
July	88	89
August	88	89
September	86	87
October	75	78
November	65	70
December	52	57

A = Zone 1A—Des Moines River to Lock and Dam No. 25.

B = Zone 1B—Lock and Dam No. 25 to Lock and Dam No. 26.

C = Zone 2—Lock and Dam No. 26 to the Missouri-Arkansas state line.

6. Thermal mixing zones shall be limited to twenty-five percent (25%) of the cross-sectional area or volume of a river, unless biological surveys performed in response to section 316(a) of the federal Clean Water Act (or equivalent) indicate no significant adverse impact on aquatic life. Thermal plume lengths and widths within rivers, and all plume dimensions within lakes, shall be determined on a case-by-case basis and shall be based on physical and biological surveys when appropriate.

(E) pH. Water contaminants shall not cause pH to be outside of the range of 6.5–9.0.

(F) Taste- and Odor-Producing Substances. Taste- and odor-producing substances shall be limited to concentrations in the streams or lakes that will not interfere with beneficial uses of the water. For those streams and lakes designated for drinking water supply use, the taste- and odor-producing substances shall be limited to concentrations that will not interfere with the production of potable water by reasonable water treatment processes.

(G) Turbidity and Color. Water contaminants shall not cause or contribute to turbidity or color that will cause substantial visible contrast with the natural appearance of the stream or lake or interfere with beneficial uses.

(H) Solids. Water contaminants shall not cause or contribute to solids in excess of a level that will interfere with beneficial uses. The stream or lake bottom shall be free of materials which will adversely alter the composition of the benthos, interfere with the spawning of fish or development of their eggs or adversely change the physical or chemical nature of the bottom.

(I) Radioactive Materials. All streams and lakes shall conform with state and federal limits for radionuclides established for drinking water supply.

(J) Dissolved Oxygen. Water contaminants shall not cause the dissolved oxygen to be lower than the levels described in Table A or as indicated in paragraph (4)(A)3.

(K) Total Dissolved Gases. Operation of impoundments shall not cause the total dissolved gas concentrations to exceed one hundred ten percent (110%) of the saturation value for gases at the existing atmospheric and hydrostatic pressures.

(L) Sulfate and Chloride Limit for Protection of Aquatic Life.

1. Streams with seven (7)-day Q_{10} low flow of less than one (1) cubic foot per second. The concentration of chloride plus sulfate shall not exceed one thousand milligrams per liter (1000 mg/l) at the seven (7)-day Q_{10} low flow. Table A includes additional chloride criteria.

2. Class P1, L1, L2 and L3 waters and streams with seven (7)-day Q_{10} low flow of more than one (1) cubic foot per second. The total chloride plus sulfate concentration shall not exceed the estimated natural background concentration by more than twenty percent (20%) at the sixty (60)-day Q_{10} low flow.

3. If higher concentrations can be demonstrated through bioassays or studies not to be detrimental to indigenous aquatic life, then an appropriate higher concentration shall be allowed.

(M) Carcinogenic Substances. Carcinogenic substances shall not exceed concentrations in water which correspond to the 10^{-6} cancer risk rate. This risk rate equates to one (1) additional cancer case in a population of one (1) million with lifetime exposure. Derivation of this concentration assumes average water and fish consumption amounts. Assumptions are two (2) liters of water and 6.5 grams of fish consumed per day. Federally established final maximum contaminant levels for drinking water supply shall supersede drinking water supply criteria developed in this manner.

(N) All methods of sample collection, preservation and analysis used in applying criteria in these standards shall be in accord

with those prescribed in the latest edition of *Standard Methods for the Examination of Water and Wastewater* or other procedures approved by the Environmental Protection Agency and the Missouri Department of Natural Resources.

(O) Criteria to protect designated uses are based on current technical literature, especially the Environmental Protection Agency's publication, *Quality Criteria for Water*, 1986. Criteria may be modified or expanded as additional information is developed or as needed to define narrative criteria for particular situations or locations.

(P) WET Chronic Tests. Chronic WET tests performed at the percent effluent at the edge of the mixing zone shall not be toxic to the most sensitive of at least two (2) representative, diverse species. Pollutant attenuation processes such as volatilization and biodegradation which may occur within the allowable mixing zone will be considered in interpreting results.

(Q) Biocriteria. The biological integrity of waters, as measured by lists or numeric diversity indices of benthic invertebrates, fish, algae or other appropriate biological indicators, shall not be significantly different from reference waters. Waters shall be compared with reference waters of similar size within an ecoregion. Reference water locations are listed in Table I.

(5) Groundwater.

(A) Water contaminants shall not cause or contribute to exceedance of Table A, Column VII limits in aquifers and caves. Table A values listed as health advisory levels shall be used in establishing management strategies and ground water cleanup criteria, until additional data becomes available to support alternative criteria or other standards are established. Substances not listed in Table A shall be limited so that drinking water, livestock watering and irrigation uses are protected.

(B) When criteria in Column I or II of Table A are more stringent than Column VII criteria, appropriate Column I or II criteria shall apply to waters in caves and to aquifers which contribute an important part of base flow of surface waters designated for aquatic life protection. Other substances not listed in Table A shall be limited in these aquifers and caves so that the aquatic life use is protected.

(C) Column VII and other criteria shall apply in any part of the aquifer, including the point at which the pollutant enters the aquifer. A specific monitoring depth requirement for releases to aquifers is included in 10 CSR 20-7.015(7)(A).

(D) For aquifers in which contaminant concentrations exceed Column VII criteria or

other protection criteria, and existing and potential uses are not impaired, alternative site-specific criteria may be allowed. To allow alternative criteria, the management authority must demonstrate that alternative criteria will not impair existing and potential uses. The demonstration must consider the factors and be subject to the review requirements of 10 CSR 20-7.015(7)(F).

(6) Metropolitan No-Discharge Streams. No water contaminant except uncontaminated cooling water, permitted stormwater discharges in compliance with permit conditions and excess wet-weather bypass discharges not interfering with beneficial uses, shall be discharged to the watersheds of streams listed in Table F. Existing interim discharges may be allowed until interceptors are available within two thousand feet (2,000') or a distance deemed feasible by the department, or unless construction of outfalls to alternative receiving waters not listed in Table F is deemed feasible by the department. Existing discharges include wastewater volumes up to the design capacity of existing permitted treatment facilities, including phased increases in design capacity approved by the department prior to the effective date of this rule. Additional facilities may be constructed to discharge to these waters only if they are intended to be interim facilities in accordance with a regional wastewater treatment plan approved by the department.

(7) Outstanding National Resource Waters. Under section (2), antidegradation section of this rule, new releases to outstanding national resource waters from any source other than publicly-owned waste treatment facilities and mine dewatering water are prohibited and releases from allowed facilities are subject to special effluent limitations as required in 10 CSR 20-7.015(6)(A)3. Table D contains a list of outstanding national resource waters.

(8) Outstanding State Resource Waters.

(A) The commission wishes to recognize certain high-quality waters that may require exceptionally stringent water-quality management requirements to assure conformance with the antidegradation policy. The degree of management requirements will be decided on an individual basis. To qualify for inclusion, all of the following criteria must be met. The waters listed in Table E must—

1. Have a high level of aesthetic or scientific value;
2. Have an undeveloped watershed; and
3. Be located on or pass through lands which are state or federally owned, or which are leased or held in perpetual easement for

conservation purposes by a state, federal or private conservation agency or organization.

(9) Lake Taneycomo. The commission wishes to recognize the uniqueness of Lake Taneycomo with respect to its high water clarity, its importance as a trout fishery and as the central natural resource in the rapidly developing Branson area and threats to the lake's water quality imposed by development. An especially stringent antidegradation policy will be observed in the development of effluent rules, discharge permits and nonpoint-source management plans and permits to assure that the high visual quality and aquatic resources are maintained. The use of the best treatment technology for point- and nonpoint-source discharges in the lake's watershed between Table Rock Lake and Power Site Dam will be the guiding principle in establishing limitations.

(10) Compliance with new or revised National Pollutant Discharge Elimination System (NPDES) or Missouri operating permit limitations based on criteria in this rule shall be achieved with all deliberate speed and no later than three (3) years from the date of issuance of the permit.

(11) Losing Streams.

(A) Losing stream determinations will usually be made upon the first application for discharge to a specific water or location within a watershed for a wastewater treatment facility, subdivision development or animal waste management facility.

(B) Permits or other approvals for those applications will be processed in accordance with the determinations. Additional permits or approvals will be processed in accordance with the latest determination.

(C) For application purposes, any proposed facility within five (5) miles of a known losing stream segment should presume that facility's receiving stream segment is also losing until and unless a specific geologic evaluation is made of that stream and concludes the stream segment is gaining.

(D) Existing facilities operating under a state operating permit and new facilities being constructed under a construction permit in proximity to stream segments subsequently determined to be losing will be allowed to continue in operation at permitted or approved effluent limits for a period of time lasting the design life of the facility (usually twenty (20) years from the original construction completion), provided the facility is in compliance with its effluent limits and remains in compliance with those limits, and

if neither of the following conditions is present:

1. If the discharge from such a facility can be eliminated by connection to a locally available facility, the facility shall be connected within three (3) years of the losing stream determination. A local facility shall be considered available if that facility or an interceptor is within two thousand feet (2000') or a distance deemed feasible by the department; and

2. If the discharge from such a facility is shown to cause pollution of groundwater, the facility shall be upgraded to appropriate effluent standards within three (3) years. The department shall include appropriate groundwater monitoring requirements in permits for any such facilities so that pollution, should it occur, would be detected.

(E) Any additional permits or approvals for increased treatment plant design capacity will be processed in accordance with the newest losing stream determination. No additional permits or approvals for any facilities shall be construed as lengthening the time for compliance with losing stream effluent limitations as established in subsection (11)(D).

(12) Severance. If a section, subsection, paragraph, sentence, clause, phrase or any part of this rule be declared unconstitutional or invalid for any reason, the remainder of this rule shall not be affected and shall remain in full force and effect.

(13) Effective Date. This rule becomes effective immediately upon adoption and compliance with the requirements of subsection 644.036.3, of the Missouri Clean Water Law and Chapter 536, RSMo.

AUTHORITY: sections 644.021 and 644.026, RSMo Supp. 1995. Original rule filed May 13, 1977, effective Dec. 11, 1977. Amended: Filed Oct. 15, 1980, effective April 11, 1981. Amended: Filed July 12, 1984, effective Dec. 13, 1984. Rescinded and readopted: Filed Aug. 4, 1987, effective Dec. 12, 1987. Amended: Filed Nov. 14, 1988, effective April 15, 1989. Rescinded and readopted: Filed Sept. 5, 1990, effective March 14, 1991. Amended: Filed Sept. 2, 1993, effective May 9, 1994. Amended: Filed Nov. 14, 1995, effective July 30, 1996. Amended: Filed March 1, 1996, effective Nov. 30, 1996.*

**Original authority: 644.021, RSMo 1972, amended 1973 and 644.026, RSMo 1972, amended 1973, 1987.*

Table A—Criteria for Designated Uses

- I = Protection of Aquatic Life
 II = Human Health Protection—Fish Consumption
 III = Drinking Water Supply
 IV = Irrigation
 V = Livestock, Wildlife Watering
 VI = Whole-Body-Contact Recreation
 VII = Groundwater

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Chlorine (total residual)							
cold-water	2						
warm-water chronic—	10						
acute—	19						
Cyanide (amenable to chlorination)							
chronic—	5						
acute—	22						
Hydrogen sulfide (un-ionized)	2						
Pollutant (mg/l)	I	II	III	IV	V	VI	VII
Chloride chronic—	230(+)		250				
acute—	860(+)						
Sulfate (+)			250				
Fluoride			4		4		4
Nitrate-N			10				10
Dissolved oxygen (minimum)							
warm-water and cool-water fisheries	5						
cold-water fisheries	6						
Oil and grease	10						
+See subsection (4)(L).							
Pollutant (/100 ml)	I	II	III	IV	V	VI	VII
Fecal Coliform Bacteria						200	
Pollutant ($^{\circ}\text{F}$)	I	II	III	IV	V	VI	VII
Temperature (maximum)							
warm-water	90						
cool-water	84						
cold-water	68						
Temperature (maximum change)							
warm-water	5						
cool-water	5						
cold-water	2						
Pollutant (percent saturation)	I	II	III	IV	V	VI	VII
Total Dissolved Gases	110%						



- I = Protection of Aquatic Life
- II = Human Health Protection—Fish Consumption
- III = Drinking Water Supply
- IV = Irrigation
- V = Livestock, Wildlife Watering
- VI = Whole-Body-Contact Recreation
- VII = Groundwater

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Metals							
Aluminum (acute)	750						
Antimony		4300	6				6
Arsenic	20		50	100			50
Barium			2000				2000
Beryllium	5		4	100			4
Boron				2000		2000	
Cadmium			5				5
		<u>Hardness</u>					
	<u>< 125</u>	<u>125—200</u>	<u>> 200</u>				
chronic:							
CWF	1.1	1.4	1.8				
Lakes	9.1	9.1	9.1				
GWWF	9.1	11.8	15.5				
LWWF	11.8	16.4	20				
acute:							
CWF	3.7	5.9	8.1				
Lakes & GWWF	31	49	68				
LWWF	43	68	94				
Chromium				100	100		100
chronic:							
Lakes	11 $\mu\text{g/l}$						
CWF, GWWF	42						
LWWF	190						
acute:							
Lakes	16 $\mu\text{g/l}$						
CWF & GWWF	62						
LWWF	280						
Cobalt					1000		1000
Copper				1300	500		1300
		<u>Hardness</u>					
	<u>< 125</u>	<u>125—200</u>	<u>> 200</u>				
chronic:							
Lakes, CWF, GWWF	19 $\mu\text{g/l}$	28	36				
LWWF	29	41	53				
acute:							
Lakes, CWF, GWWF	29	43	56				
LWWF	44	64	84				
Iron	1000			300			300
Lead				15			15
		<u>Hardness</u>					
	<u>< 125</u>	<u>125—200</u>	<u>> 200</u>				
chronic:							
all waters	9	16	23				
acute:							
all waters	63	104	150				

CWF = Cold-water fishery
 GWWF = General warm-water fishery
 LWWF = Limited warm-water fishery

- I = Protection of Aquatic Life
- II = Human Health Protection—Fish Consumption
- III = Drinking Water Supply
- IV = Irrigation
- V = Livestock, Wildlife Watering
- VI = Whole-Body-Contact Recreation
- VII = Groundwater

Pollutant (µg/l)	I	II	III	IV	V	VI	VII
Manganese			50				50
Mercury			2				2
chronic:							
all waters	0.5						
acute:							
all waters	2.4						
Nickel			100				100
	<u>< 125</u>	<u>Hardness</u>	<u>> 200</u>				
		125—200					
chronic:							
Lakes	160	220	280				
CWF, GWWF	360	500	650				
LWWF	425	600	770				
acute:							
Lakes	1400	2000	2500				
CWF, GWWF	3200	4600	5800				
LWWF	3800	5400	6900				
Selenium			50				50
Silver			50				50
	<u>< 125</u>	<u>Hardness</u>	<u>> 200</u>				
		125—200					
acute:							
all waters	3.5	7	11				
Thallium			6.3				2
Zinc			5000				5000
	<u>< 125</u>	<u>Hardness</u>	<u>> 200</u>				
		125—200					
chronic:							
CWF	172	236	305				
Lakes	103	147	187				
GWWF	241	340	433				
LWWF	1050	1483	1893				
acute:							
CWF	185	264	337				
Lakes	112	161	205				
GWWF	264	371	479				
LWWF	1154	1623	2073				

CWF = Cold-water fishery
 GWWF = General warm-water fishery
 LWWF = Limited warm-water fishery



- I = Protection of Aquatic Life
 II = Human Health Protection—Fish Consumption
 III = Drinking Water Supply
 IV = Irrigation
 V = Livestock, Wildlife Watering
 VI = Whole-Body-Contact Recreation
 VII = Groundwater

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Organics							
Acrolein		780	320				320
Bis-2-chloroisopropyl ether		4360	1400				1400
2, chlorophenol		400	.1				.1
2,4-dichlorophenol	7	790	93				93
2,4-dinitrophenol		14,000	70				70
2,4-dimethylphenol		2300	540				540
2,4,5-trichlorophenol		9800	2600				2600
2,4,6-trichlorophenol		7	2				2
2-methyl-4,6-dinitrophenol		765	13				13
Ethylbenzene	320		700				700
Hexachlorocyclopentadiene	.5		50				50
Isophorone		2600	36				36
Nitrobenzene		1900	17				17
Phenol	100		100				300
Dichloropropene		1700	87				87
Para(1,4)-dichlorobenzene		2600	75				75
Other Dichlorobenzenes		2600	600				600
1,2,4-trichlorobenzene		940	70				70
1,2,4,5-tetrachlorobenzene		2.9	38				38
pentachlorobenzene		85	74				74
1,1,1-trichloroethane			200				200
1,1,2-trichloroethane		42	5				5
2,4-dinitrotoluene		9	.11				.11
1,2-diphenylhydrazine		.54	.04				.04
di (2-ethylhexyl) adipate			400				400
n-nitrosodiphenylamine		16	5				5
n-nitrosopyrrolidene		93					
2-chloronaphthalene	4300						
n-nitrosodi-n-propylamine		1.4					
Pollutant ($\mu\text{g/l}$)							
Pesticides							
Demeton	.1						
Endosulfan							
chronic—	.056						
acute—	0.11						
Guthion	.01						
Malathion	.1						
Parathion	.04						
2,4-D			70				70
2,4,5-TP			50				50
Chlorpyrifos	.04						
Alachlor			2				2
Atrazine			3				3
Carbofuran			40				40
Dalapon			200				200
Dibromochloropropane			.2				.2
Dinoseb			7				7
Diquat			20				20
Endothall			100				100
Ethylene dibromide			.05				.05
Oxamyl (vydate)			200				200
Picloram			500				500
Simazine			4				4
Glyphosate			700				700

- I = Protection of Aquatic Life
 II = Human Health Protection—Fish Consumption
 III = Drinking Water Supply
 IV = Irrigation
 V = Livestock, Wildlife Watering
 VI = Whole-Body-Contact Recreation
 VII = Groundwater

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Persistent, Bioaccumulative, Man-Made Toxics (+)							
PCBs		.000045					.000045
DDT and metabolites		.002	.002				.002
Endrin		.0023	2				2
Endrin aldehyde		.0023	.75				.75
Aldrin		.000079	.00013				.00013
Dieldrin		.000076	.00014				.00014
Heptachlor	.0038	.0002	0.4				0.4
Heptachlor epoxide		.00011	0.2				0.2
Methoxychlor	.03		40				40
Mirex	.001						
Toxaphene		.000073	3				3
Lindane (gamma-BHC)		.062	.2				.2
Alpha,beta,delta-BHC		.0074	.0022				.0022
Chlordane		.00048	2				2
Benzidine		.00053	.00012				.00012
2,3,7,8-TCDD(dioxin)(ng/l)*		.000014	.03				.03
Pentachlorophenol**	3.2–pH 6.5	8	1				1
	5.3–pH 7.0						
	8.7–pH 7.5						
	14.0–pH 8.0						
	23.0–pH 8.5						

+ Many of these values are below current detection limits; analyses will be determined by the 17th edition of *Standard Methods* or the most current methods approved by the Environmental Protection Agency.

*Units for dioxin are nanograms/liter (ng/l); 1 $\mu\text{g/l}$ = 1000 ng/l.

**Toxic impurities may be present in technical-grade pentachlorophenol; monitoring and discharge control will assure that impurities are below toxic concentrations.



- I = Protection of Aquatic Life
- II = Human Health Protection—Fish Consumption
- III = Drinking Water Supply
- IV = Irrigation
- V = Livestock, Wildlife Watering
- VI = Whole-Body-Contact Recreation
- VII = Groundwater

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Persistent, Manmade							
Carcinogens(+) $\mu\text{g/l}$							
Acrylonitrile		.65	.058				.058
Hexachlorobenzene		.00074	1				1
Bis (2-chloroethyl) ether		1.4	.03				.03
Bis (chloromethyl) ether		.07	.00016				.00016
Hexachloroethane		8.7	1.9				1.9
3,3'-dichlorobenzidine		0.08	.04				.04
Hexachlorobutadiene		50	.45				.45
n-nitrosodimethylamine		8	.0007				.0007

(+) Some of these values are below current detection limits; analyses will be determined by the 17th edition of *Standard Methods* or the most current methods approved by the Environmental Protection Agency.

Pollutant (g/l)	I	II	III	IV	V	VI	VII
Volatile Organics							
Chlorobenzene		21,000	100				100
Carbon Tetrachloride		5	5				5
Trihalomethanes			100				100
Methyl Bromide		4000	48				48
Methyl Chloride		470	5				5
Methylene Chloride		1600	5				5
Bromoform		365					
Chlorodibromomethane		35					
Dichlorobromomethane		46					
Dichlorodifluoromethane		570,000					
Trichlorofluoromethane		860,000					
1,2-dichloroethane		99	5				5
1,1,2,2-tetrachloroethane		11	.17				.17
1,1-dichloroethylene		3.2	7				7
1,2-trans-dichloroethylene		140,000	100				100
1,2-cis-dichloroethylene			70				70
Trichloroethylene		80	5				5
Tetrachloroethylene		9	5				5
Benzene		71	5				5
Toluene		200,000	1000				1000
Xylenes (total)			10,000				10,000
Vinyl chloride		525	2				2
Styrene			100				100
1,2-dichloropropane		39	100				100

Pollutant (fibers/l)	I	II	III	IV	V	VI	VII
Asbestos			7,000,000				

- I = Protection of Aquatic Life
 II = Human Health Protection—Fish Consumption
 III = Drinking Water Supply
 IV = Irrigation
 V = Livestock, Wildlife Watering
 VI = Whole-Body-Contact Recreation
 VII = Groundwater

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Polynuclear Aromatic Hydrocarbons							
Anthracene		110,000	9600				9600
Fluoranthene		370	300				300
Fluorene		14,000	1300				1300
Pyrene		11,000	960				960
Benzo(a)pyrene		.049	0.2				0.2
other polynuclear aromatic hydrocarbons*		.049	.0044				.0044
Acenaphthene		2700	1200				1200

*This concentration is allowed for each of the following PAHs: benzo(a)anthracene, 3,4-benzofluoranthene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene and benzo(k)fluoranthene. Higher values may be allowed if natural background concentrations exceed these values.

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Phthalate Esters							
Bis(2-ethylhexyl) phthalate		5.9	6				6
Butylbenzyl phthalate		5200	3000				3000
Diethyl phthalate		120,000	23,000				23,000
Dimethyl phthalate		2,900,000	313,000				313,000
Di-n-butyl phthalate		12,000	2700				2700

Health Advisory Levels

Pollutant ($\mu\text{g/l}$)	I	II	III	IV	V	VI	VII
Ametryn			60				60
Baygon			3				3
Bentazon			20				20
Bis-2-chloroisopropyl ether			300				300
Bromacil			90				90
Bromochloromethane			90				90
Bromomethane			10				10
Butylate			350				350
Carbaryl			700				700
Carboxin			700				700
Chloramben			100				100
o-chlorotoluene			100				100
p-chlorotoluene			100				100
Chlorpyrifos			20				20
DCPA (dacthal)			4000				4000
Diazinon			0.6				0.6
Dicamba			200				200
Diisopropyl methylphosphonate			600				600
Dimethyl methylphosphonate			100				100
1,3-dinitrobenzene			1				1
Diphenamid			200				200
Diphenylamine			200				200
Disulfoton			0.3				0.3
1,4-dithiane			80				80
Diuron			10				10



- I = Protection of Aquatic Life
- II = Human Health Protection—Fish Consumption
- III = Drinking Water Supply
- IV = Irrigation
- V = Livestock, Wildlife Watering
- VI = Whole-Body-Contact Recreation
- VII = Groundwater

Health Advisory Levels (continued)

Pollutant (µg/l)	I	II	III	IV	V	VI	VII
Fenamiphos			2				2
Fluometron			90				90
Fluorotrichloromethane			2000				2000
Fonofos			10				10
Hexazinone			200				200
Malathion			200				200
Maleic hydrazide			4000				4000
MCPA			10				10
Methyl parathion			2				2
Metolachlor			70				70
Metribuzin			100				100
Naphthalene			20				20
Nitroguanidine			700				700
p-nitrophenol			60				60
Paraquat			30				30
Pronamide			50				50
Propachlor			90				90
Propazine			10				10
Propham			100				100
2,4,5-T			70				70
Tebuthiuron			500				500
Terbacil			90				90
Terbufos			0.9				0.9
1,1,1,2-Tetrachloroethane			70				70
1,2,3-trichloropropane			40				40
Trifluralin			5				5
Trinitroglycerol			5				5
Trinitrotoluene			2				2

Table B
Chronic Criteria for Total Ammonia: Cold-Water Fishery (mg/l)

Temp. °C	pH												
	6.6	6.8	7.0	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
4	2.4	2.4	2.4	2.4	2.4	2.4	2.1	1.5	0.9	0.6	0.4	0.2	0.2
6	2.3	2.3	2.3	2.3	2.3	2.3	2.0	1.4	0.9	0.6	0.4	0.2	0.2
8	2.3	2.3	2.3	2.3	2.3	2.3	2.0	1.4	0.9	0.6	0.4	0.2	0.2
10	2.2	2.2	2.2	2.2	2.2	2.3	1.9	1.4	0.9	0.6	0.4	0.2	0.2
12	2.2	2.2	2.2	2.2	2.2	2.2	1.9	1.3	0.9	0.6	0.4	0.2	0.2
14	2.2	2.2	2.2	2.2	2.2	2.2	1.9	1.3	0.9	0.6	0.4	0.2	0.2
16	2.8	2.8	2.8	2.8	2.8	2.8	2.4	1.7	1.1	0.7	0.5	0.3	0.2
18	2.4	2.4	2.4	2.4	2.4	2.5	2.1	1.5	1.0	0.6	0.4	0.3	0.2
20	2.1	2.1	2.1	2.1	2.1	2.1	1.8	1.3	0.8	0.6	0.4	0.2	0.2
22	1.8	1.8	1.8	1.8	1.8	1.8	1.6	1.1	0.7	0.5	0.3	0.2	0.2
24	1.6	1.6	1.6	1.6	1.6	1.6	1.4	1.0	0.6	0.4	0.3	0.2	0.1
26	1.4	1.4	1.4	1.4	1.4	1.4	1.2	0.9	0.6	0.4	0.3	0.2	0.1
28	1.2	1.2	1.2	1.2	1.2	1.2	1.1	0.8	0.5	0.3	0.2	0.2	0.1
30	1.0	1.0	1.0	1.0	1.1	1.1	0.9	0.7	0.4	0.3	0.2	0.1	0.1

NOTE: Values in this table are total ammonia concentration (HN₃). Typical analytical methods result in determinations of ammonia nitrogen and thus must be multiplied by 1.2 prior to comparison with values in this table.

Acute Criteria for Total Ammonia: Cold-Water Fishery (mg/l)

Temp. °C	pH												
	6.6	6.8	7.0	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
4	32.1	29.7	26.6	22.8	18.6	14.4	10.7	7.5	4.8	3.0	2.0	1.3	0.8
6	31.3	29.0	26.0	22.3	18.2	14.1	10.4	7.4	4.7	3.0	1.9	1.3	0.8
8	30.7	28.4	25.4	21.8	17.8	13.8	10.2	7.2	4.6	3.0	1.9	1.2	0.8
10	30.1	27.8	24.9	21.4	17.5	13.6	10.0	7.1	4.5	2.9	1.9	1.2	0.8
12	29.5	27.4	24.5	21.0	17.2	13.3	9.9	7.0	4.5	2.9	1.9	1.2	0.8
14	29.1	27.0	24.2	20.7	16.9	13.2	9.7	6.9	4.4	2.9	1.9	1.2	0.8
16	28.7	26.6	23.8	20.5	16.7	13.0	9.6	6.9	4.4	2.9	1.9	1.3	0.9
18	28.4	26.3	23.6	20.3	16.6	12.9	9.6	6.8	4.4	2.9	1.9	1.3	0.9
20	28.2	26.1	23.4	20.1	16.4	12.8	9.5	6.8	4.4	2.9	1.9	1.3	0.9
22	24.4	22.6	20.2	17.4	14.2	11.1	8.3	5.9	3.8	2.5	1.7	1.2	0.8
24	21.1	19.6	17.6	15.1	12.4	9.6	7.2	5.2	3.4	2.2	1.5	1.0	0.8
26	18.3	17.0	15.2	13.1	10.8	8.4	6.3	4.5	2.9	2.0	1.3	0.9	0.7
28	16.0	14.8	13.3	11.4	9.4	7.3	5.5	4.0	2.6	1.7	1.2	0.8	0.6
30	13.9	12.9	11.6	10.0	8.2	6.4	4.8	3.5	2.3	1.5	1.1	0.8	0.6

Chronic Criteria for Total Ammonia: Limited Warm-Water Fishery (mg/l)

Temp. °C	pH												
	6.6	6.8	7.0	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
4	3.9	3.9	3.9	3.9	3.9	3.9	3.4	2.4	1.5	1.0	0.6	0.4	0.3
6	3.8	3.8	3.8	3.8	3.8	3.9	3.3	2.3	1.5	0.9	0.6	0.4	0.3
8	3.8	3.8	3.8	3.8	3.8	3.8	3.2	2.3	1.5	0.9	0.6	0.4	0.3
10	3.7	3.7	3.7	3.7	3.7	3.7	3.2	2.3	1.4	0.9	0.6	0.4	0.3
12	3.6	3.6	3.6	3.6	3.6	3.6	3.1	2.2	1.4	0.9	0.6	0.4	0.3
14	3.6	3.6	3.6	3.6	3.6	3.6	3.1	2.2	1.4	0.9	0.6	0.4	0.3
16	3.5	3.5	3.5	3.5	3.5	3.6	3.0	2.2	1.4	0.9	0.6	0.4	0.3
18	3.5	3.5	3.5	3.5	3.5	3.5	3.0	2.2	1.4	0.9	0.6	0.4	0.3
20	3.4	3.4	3.5	3.5	3.5	3.5	3.0	2.1	1.4	0.9	0.6	0.4	0.3
22	3.0	3.0	3.0	3.0	3.0	3.0	2.6	1.9	1.2	0.8	0.5	0.4	0.3
24	2.6	2.6	2.6	2.6	2.6	2.6	2.3	1.6	1.1	0.7	0.5	0.3	0.2
26	2.2	2.2	2.3	2.3	2.3	2.3	2.0	1.4	0.9	0.6	0.4	0.3	0.2
28	2.0	2.0	2.0	2.0	2.0	2.0	1.7	1.3	0.8	0.5	0.4	2.7	0.2
30	1.7	1.7	1.7	1.7	1.7	1.8	1.5	1.1	0.7	0.5	0.3	0.2	0.2

Acute Criteria for Total Ammonia: Limited Warm-Water Fishery (mg/l)

Temp. °C	pH												
	6.6	6.8	7.0	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
4	81.2	75.2	67.3	57.7	47.1	36.5	27.0	19.1	12.1	7.7	5.0	3.2	2.1
6	79.2	73.4	65.7	56.4	46.0	35.7	26.4	18.7	11.9	7.6	4.9	3.2	2.1
8	77.5	71.8	64.3	55.2	45.1	34.9	25.8	18.3	11.7	7.5	4.8	3.1	2.1
10	76.0	70.4	63.1	54.1	44.2	34.3	25.4	18.0	11.5	7.4	4.8	3.1	2.1
12	74.7	69.2	62.0	53.2	43.5	33.7	25.0	17.7	11.3	7.3	4.7	3.1	2.1
14	73.6	68.2	61.1	52.4	42.9	33.3	24.6	17.5	11.2	7.2	4.7	3.1	2.1
16	72.6	67.3	60.3	51.8	42.3	32.9	24.4	17.4	11.2	7.0	4.7	3.2	2.2
18	71.8	66.6	59.7	51.2	41.9	32.6	24.2	17.3	11.1	7.2	4.8	3.2	2.2
20	71.2	66.0	59.1	50.8	41.6	32.4	24.0	17.2	11.1	7.2	4.8	3.3	2.3
22	70.7	65.6	58.8	50.5	41.4	32.2	24.0	17.2	11.1	7.3	4.9	3.4	2.4
24	70.4	65.3	58.5	50.3	41.2	32.1	23.9	17.2	11.2	7.4	5.0	3.5	2.5
26	65.5	60.7	54.5	46.9	38.4	30.0	22.4	16.1	10.5	7.0	4.8	3.3	2.5
28	57.0	52.9	47.4	40.8	33.5	26.2	19.6	14.1	9.3	6.2	4.3	3.0	2.3
30	49.7	46.1	41.4	35.6	29.3	22.9	17.2	12.4	8.2	5.5	3.8	2.8	2.1

Chronic Criteria for Total Ammonia: General Warm-Water Fishery (mg/l)

Temp. °C	pH												
	6.6	6.8	7.0	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
4	2.5	2.5	2.5	2.5	2.5	2.5	2.1	1.5	0.9	0.6	0.4	0.3	0.2
6	2.4	2.4	2.4	2.4	2.4	2.4	2.1	1.5	0.9	0.6	0.4	0.2	0.2
8	2.3	2.3	2.3	2.3	2.3	2.4	2.0	1.4	0.9	0.6	0.4	0.2	0.2
10	2.3	2.3	2.3	2.3	2.3	2.3	2.0	1.4	0.9	0.6	0.4	0.2	0.2
12	2.3	2.3	2.3	2.3	2.3	2.3	2.0	1.4	0.9	0.6	0.4	0.2	0.2
14	2.2	2.2	2.2	2.2	2.2	2.2	2.0	1.4	0.9	0.6	0.4	0.2	0.2
16	2.2	2.2	2.2	2.2	2.2	2.2	1.9	1.4	0.9	0.6	0.4	0.2	0.2
18	2.2	2.2	2.2	2.2	2.2	2.2	1.9	1.3	0.9	0.6	0.4	0.3	0.2
20	2.1	2.2	2.2	2.2	2.2	2.2	1.9	1.3	0.9	0.6	0.4	0.3	0.2
22	1.9	1.9	1.9	1.9	1.9	1.9	1.6	1.2	0.8	0.5	0.3	0.2	0.2
24	1.6	1.6	1.6	1.6	1.6	1.6	1.4	1.0	0.7	0.4	0.3	0.2	0.1
26	1.4	1.4	1.4	1.4	1.4	1.4	1.2	0.9	0.6	0.4	0.3	0.2	0.1
28	1.2	1.2	1.2	1.2	1.2	1.2	1.1	0.8	0.5	0.3	0.2	0.2	0.1
30	1.1	1.1	1.1	1.1	1.1	1.1	0.9	0.7	0.5	0.3	0.2	0.2	0.1

Acute Criteria for Total Ammonia: General Warm-Water Fishery (mg/l)

Temp. °C	pH												
	6.6	6.8	7.0	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0
4	50.6	46.9	42.0	36.0	29.4	22.8	16.8	11.9	7.6	4.8	3.1	2.0	1.3
6	49.4	45.8	41.0	35.2	28.7	22.3	16.4	11.6	7.4	4.7	3.0	2.0	1.3
8	48.3	44.8	40.1	34.4	28.1	21.8	16.1	11.4	7.3	4.7	3.0	2.0	1.3
10	47.4	44.0	39.3	33.7	27.6	21.4	15.8	11.2	7.2	4.6	3.0	2.0	1.3
12	46.6	43.2	38.7	33.2	27.1	26.0	15.6	11.1	7.1	4.6	3.0	2.0	1.3
14	45.9	42.5	38.1	32.7	26.7	20.8	15.4	10.9	7.0	4.5	3.0	2.0	1.3
16	45.3	42.0	37.6	32.3	26.4	20.5	15.2	10.8	7.0	4.5	3.0	2.0	1.4
18	44.8	41.5	37.2	32.0	26.1	20.3	15.1	10.8	7.0	4.5	3.0	2.0	1.4
20	44.4	41.2	36.9	31.7	25.9	20.2	15.0	10.7	6.9	4.5	3.0	2.0	1.4
22	44.1	40.9	36.6	31.5	25.8	20.1	14.9	10.7	6.9	4.6	3.0	2.1	1.5
24	43.9	40.7	36.5	31.4	25.7	20.0	14.9	10.7	7.0	4.6	3.1	2.2	1.6
26	40.8	37.9	34.0	29.0	24.0	18.7	14.0	10.0	6.6	4.4	3.0	2.1	1.5
28	35.5	33.0	29.6	25.5	20.9	16.3	12.2	8.8	5.8	3.9	2.7	1.9	1.4
30	31.0	28.7	25.8	22.2	18.3	14.3	10.7	7.8	5.1	3.4	2.4	1.7	1.3

Table C
Streams Designated for Cold-Water Sport Fishery

Waterbody	Miles	From	To	County(ies)
Barren Fork	2	Mouth	20,31N,4W	Shannon
Bee Creek	1	Mouth	Hwy. 65	Taney
Bender Creek	0.7	Mouth	10,31N,9W	Texas
Bennett Springs Creek	2	Mouth	Bennett Springs	Laclede
Blue Springs Creek	4	Mouth	2,39N,3W	Crawford
Bryant Creek	1	3,23N,12W	34,24N,12W	Ozark
Bryant Creek	6	19,27N,14W	8,27N,15W	Douglas
Buffalo Creek	10	State line	5,23N,33W	McDonald
Bull Creek	5	Mouth	34,24N,21W	Taney
Capps Creek	4	Mouth	17,25N,28W	Newton-Barry
Cedar Creek	1	21,26N,32W	28,26N,32W	Newton
Center Creek	3	24,27N,29W	17,27N,28W	Lawrence
Chesapeake Creek	3	Mouth	29,28N,25W	Lawrence
Crane Creek	15	8,25N,23W	24,26N,25W	Stone-Lawrence
Current River	19	24,31N,6W	Montauk Spring	Shannon-Dent
Dogwood Creek	2.3	Mouth	State line	Stone
Dry Creek	4	Mouth	14,37N,3W	Crawford
Eleven Point River	33.5	State line	36,25N,4W	Oregon
Flat Creek	3	9,23N,27W	21,23N,27W	Barry
Goose Creek	4	Mouth	10,28N,25W	Lawrence
Greer Spring Branch	1	Mouth	36,25N,4W	Oregon
Hickory Creek	4.5	13,25N,31W	28,25N,31W	Newton
Hobbs Hollow	2.7	Mouth	State line	Stone
Horse Creek	2.2	Mouth	23,35N,8W	Dent
Hunter Creek	5	22,26N,15W	20,26N,14W	Douglas
Hurricane Creek	1.5	Mouth	30,24N,12W	Ozark
Hurricane Creek	3.2	Mouth	22,25N,3W	Oregon
Indian Creek	1.4	Mouth	17,21N,23W	Stone
Johnson Creek	3	Mouth	36,29N,26W	Lawrence
Joyce Creek	1	17,24N,28W	16,24N,28W	Barry
L. Flat Creek	3.5	Mouth	25,25N,27W	Barry
L. Piney Creek	15	25,37N,9W	4,35N,8W	Phelps
L. Piney Creek	19	25,37N,9W	31,37N,08W	Phelps
L. Sinking Creek	2.2	Mouth	33,32N,4W	Dent
Lyman Creek	1	Mouth	30,40N,3W	Crawford
Maramec Spring Branch	1	Mouth	1,37N,6W	Phelps
Meramec River	10	22,38N,5W	Hwy. 8	Crawford
Mill Creek	1.5	Mouth	9,36N,18W	Dallas
Mill Creek	5	29,37N,9W	Yelton Spring	Phelps
Mill Creek	1.5	Mouth	11,40N,8W	Maries
N. Fork White River	13.5	3,22N,12W	28,24N,11W	Ozark
Niangua River	6	11,35N,18W	Bennett Sp. Creek	Dallas
Roaring River	7	Mouth	34,22N,27W	Barry
Roark Creek	3	Mouth	36,23N,22W	Taney
Roubidoux Creek	4	Mouth	25,36N,12W	Pulaski
S. Indian Creek	3.4	30,24N,30W	1,23N,30W	Newton-McDonald
Schafer Spring Creek	2	Mouth	20,32N,6W	Dent
Shoal Creek	1	Mouth	18,41N,17W	Morgan
Shoal Creek	7	09,25N,29W	16,22N,21W	Newton
Spring Branch	1	Mouth	18,41N,17W	Morgan
Spring Creek	6.5	Mouth	31,35N,9W	Phelps
Spring Creek	2.5	Mouth	4,41N,2W	Franklin
Spring Creek	5.5	Mouth	12,26N,24W	Stone
Spring Creek	3	Mouth	5,24N,13W	Douglas-Ozark
Spring Creek	2.5	Mouth	26,25N,11W	Douglas
Spring Creek	5	Mouth	14,23N,11W	Ozark
Spring Creek	4	Mouth	30,25N,4W	Oregon
Spring River	11.2	13,27N,27W	20,26N,26W	Lawrence
Stone Mill Spring Branch	0.2	Mouth	Spring	Pulaski
Taneycomo Lake	1730 ac.	8,23N,20W	— — —	Taney
Terrell Creek	2	Mouth	2,27N,23W	Christian
Tory Creek	2.5	Mouth	27,26N,22W	Stone-Christian
Turkey Creek	2	Mouth	16,22N,21W	Taney
Turkey Creek	1	Mouth	17,23N,15W	Ozark
Turnback Creek	14	35,30N,26W	24,28N,25W	Dade-Lawrence
Warm Fork Spring River	3	6,22N,5W	30,23N,5W	Oregon
Whittenburg Creek	2.5	Mouth	Hwy. 8	Crawford
Williams Creek	1	Mouth	28,28N,27W	Lawrence
Woods Fork Bull Creek	1	15,25N,21W	15,25N,21W	Christian
Yadkin Creek	3	Mouth	9,37N,4W	Crawford
Yankee Branch	1	Mouth	10,36N,4W	Crawford



Table D
Outstanding National Resource Waters

Stream	Location
Current River	Headwaters to Northern Ripley Co. Line
Jacks Fork River	Headwaters to Mouth
Eleven Point River	Headwaters to Hwy. 142

Table E
Outstanding State Resource Waters

Waterbody	Miles/Acres	Location	County(ies)
Baker Branch	4 mi.	Taberville Prairie	St. Clair
Bass Creek	1 mi.	in Three Creek Conservation Area	Boone
Big Buffalo Creek	1.5 mi.	Big Buffalo Creek Conservation Area	Benton-Morgan
Big Creek	5.3 mi.	Sam A. Baker State Park	Wayne
Big Sugar Creek	7 mi.	Cuivre River State Park	Lincoln
Big Lake Marsh	150 ac.	Big Lake State Park	Holt
Blue Springs Creek	4 mi.	Blue Spring Creek Conservation Area	Crawford
	(1.5 mi. adjacent to owned lands)		
Boone Femme Creek	2 mi.	Three Creeks Conservation Area	Boone
Brush Creek	0.7 mi.	Bonanza Conservation Area	Caldwell
Bryant Creek	1.5 mi.	Bryant Creek Natural Area in Rippee Conservation Area	Ozark/Douglas
Cathedral Cave Branch	5 mi.	Onondaga Cave State Park	Crawford
Chariton River	9.8 mi.	Rebels Cove Conservation Area	Putnam-Schuyler
Chloe Lowry Marsh	40 ac.	Chloe Lowry Marsh Conservation Area	Mercer
Coakley Hollow	1.5 mi.	Lake of the Ozarks State Park	Camden
Coonville Creek	2 mi.	St. Francois State Park	St. Francois
Courtois Creek	12 mi.	Mouth to Hwy. 8	Crawford
Crabapple Creek	1.0 mi.	Bonanza Conservation Area	Caldwell
Devils Ice Box Cave Branch	1.5 mi.	Rock Bridge State Park	Boone
East Fork Black River	3 mi.	Johnson's Shut-Ins State Park	Reynolds
First Nicholson Creek (East Drywood Creek)	2 mi.	Prairie State Park	Barton
Gan's Creek	3 mi.	Rock Bridge State Park	Boone
Huzzah Creek	6 mi.	Mouth to Hwy. 8	Crawford
Indian Creek	17.5 mi.	Mark Twain National Forest	Douglas-Howell
Ketchum Hollow	1.5 mi.	Roaring River State Park	Barry
Little Piney Creek	25 mi.	Mouth to 21,35N,08W	Phelps
Little Black River	3 mi.	Mud Puppy Natural History Area S22,T24N,R3E to S25,T24N,R3E	Ripley
Log Creek	0.4 mi.	Bonanza Conservation Area	Caldwell
Meramec River	8 mi.	Adjacent to Meramac State Park	Crawford/Franklin
Meramec River	3 mi.	Adjacent to Onondaga and Huzzah State Forest	Crawford
Mill Creek	5 mi.	Mark Twain National Forest	Phelps
N. Fork White River	5.5 mi.	Mark Twain National Forest	Ozark
Noblett Creek	5 mi.	Above Noblett Lake, Mark Twain National Forest	Douglas-Howell
Onondaga Cave Branch	0.6 mi.	Onondaga Cave State Park	Crawford
Pickle Creek	3 mi.	Hawn State Park	Ste. Genevieve
S. Prong L. Black River	2 mi.	In Little Black Conservation Area	Ripley
Shoal Creek	0.5 mi.	Bonanza Conservation Area	Caldwell
Spring Creek	17 mi.	Mark Twain National Forest	Douglas
Spring Creek	6.5 mi.	Mark Twain National Forest	Phelps
Taum Sauk Creek	5.5 mi.	Johnson's Shut-Ins State Park Addition S23,T33N,R2E to S5,T33N,R3E	Reynolds-Iron
Turkey Creek	4.6 mi.	In Three Creeks Conservation Area	Boone
Van Meter Marsh	80 ac.	Van Meter State Park	Saline
Whetstone Creek	5.1 mi.	Whetsone Creek Conservation Area	Callaway

Table F
Metropolitan No-Discharge Streams

St. Louis Area	
Stream	Location
Gravois Creek	Entire length
Creve Coeur Creek	Creve Coeur Lake and stream above lake
Fee Fee Creek	Entire length
Coldwater Creek	Entire length
Dardenne Creek	Route DD—I-70 Highway—St. Charles County
Belleau Creek	Headwaters—0.1 mi. west of east edge of S22, T47N, R3E
Fishpot Creek	Entire length
Grand Glaize Creek	Entire length
Kansas City Area	
Stream	Location
Indian Creek	Kansas state line to confluence with Blue River
Blue River	Kansas state line to 59th Street, Kansas City
Blue River (except combined sewer overflow from Brush Creek)	59th Street to Guinotte Dam
Little Blue River	Entire length
Springfield Area	
Stream	Location
Pearson Creek	Entire length

Table G—Lake Classifications and Use Designations

NOTE: Fishing, swimming and livestock watering may not be allowed in some lakes by the local management authorities. The use designations refer only to the protection of water quality for those potential uses.

WATERBODY	CLASS	ACRES	LOCATION	COUNTY(IES)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Adrian Lake	L1	26	3,41N,31W	Bates	X	X				X	
Agate Lake	L3	167	13,60N,6W	Lewis	X	X		X	X		
Aggregation Lake	L3	40	31,42N,02E	Franklin	X	X			X		
Amarugia Highlands Lake	L3	55	10/11,43N,32W	Cass	X	X			X		
Anderson Lake	L3	20	36,28N,11E	Stoddard	X	X					
Annette Lake	L3	65	1,44N,33W	Cass	X	X			X		
Anthones Mill Lake	L3	110	19,39N,01W	Washington	X	X			X		
Antimi Lake	L3	3	NENE,3,48N,12W	Boone	X	X					
Apollo Lake	L3	22	21,36N,05E	St. Francois	X	X			X		
Appleton City Lake	L3	36	12,39N,29W	Bates	X	X					
Archie Lake	L1	3.5	SESE,28,43N,31W	Cass	X	X					X
Armstrong Lake	L1	12	28,52N,16W	Howard	X	X					X
Arrow Rock Lake	L3	5	36,50N,19W	Saline	X	X			X		
Arrowhead, Lake	L3	150	18,54N,30W	Clinton	X	X		X	X		
Arrowhead, Lake	L3	25	5,41N,2E	Franklin	X	X		X	X		
Athens State Park Lake	L3	8	30,67N,7W	Clark	X	X		X	X		
Atkinson Lake	L3	355	NW SE6,37N,28W	St. Clair	X	X		X	X		
Atlanta Lake	L3	14	SE SW29,59N,14W	Macon	X	X					
Austin Community Lake	L3	22	30,29N,11W	Texas	X	X		X	X		
Baja Lake Assoc. Lake	L3	30	05,39N,01E	Washington	X	X			X		
Baring Country Club Lake	L1	81	SE SE26,63N,12W	Knox	X	X		X	X		X
Bass Lake	L3	40	13,47N,8W	Callaway	X	X		X	X		
Bean Lake	L3	420	12,13,14,54N,37W	Platte	X	X			X		
Bear Creek Watershed Lake	L3	28	31,64N,9W	Clark	X	X			X		
Beaver Lake	L3	11	22,25N,4E	Butler	X	X		X			
Bee Tree Lake	L3	9	3,42N,6E	St. Louis	X	X			X		
Belcher Branch Lake	L3	55	08/17,55N,34W	Buchanan	X	X			X		
Belle City Lake	L3	3	20,41N,7W	Maries	X	X					
Ben Branch Lake	L3	44	15/14,44N,08W	Osage	X	X			X		
Bethany Lake #1	L1	18	2,63N,28W	Harrison	X	X					X
Bethany Lake #2	L1	50	27,64N,28W	Harrison	X	X					X
Bethany Reservoir	L3	78	SE27,64N,28W	Harrison	X	X		X	X		
Bevier Lake	L3	20	S SE,14,57N,15W	Macon	X	X					
Big Buffalo Wildlife Area L	L3	5	12,41N,20W	Benton	X	X					
Big Lake	L3	625	18&19,30,61N,39W	Holt	X	X		X	X		
Big Oak Tree S.P. Lake	L3	22	14,23N,16E	Mississippi	X	X					
Bilby Ranch Lake	L3	110	13/24,64N,38W	Nodaway	X	X			X		
Binder Lake	L3	127	SW SE36,45N,13W	Cole	X	X			X		
Birds Blue Hole	L3	8	29,27N,18E	Mississippi	X	X					
Blind Pony Lake	L3	195	NW SE18,49N,22W	Saline	X	X			X		
Bloodland Lake (Ft. Wood)	L3	45	4,34N,11W	Pulaski	X	X			X		
Blue Lake	L3	10	09,37N,08W	Phelps	X	X			X		
Blue Mountain Camp	L1	14	NW SE,9,33N,5E	Madison	X	X					X
Blue Springs Lake	L3	720	03/04,48N,31W	Jackson	X	X		X	X		
Bluestem Lake	L3	15	22,47N,31W	Jackson	X	X			X		
Bocomo Lake	L3	140	NW NE10,49N,13W	Boone	X	X			X		
Bodarc Lake	L3	15	23,47N,31W	Jackson	X	X			X		
Bonne Ava Lake	L3	6	25,38N,4E	St. Francois	X	X					
Bonne Terre City Lake	L3	10	14,37N,4E	St. Francois	X	X					
Bowling Green Lake	L1	41	W NW29,53N,2W	Pike	X	X			X		X

LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health/Fish Consumption
 CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
 BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Bowling Green Lake (Old)	L1	7	NE NE30,53N,2W	Pike	X	X				X	
Bray Lake	L3	162	NE NW35,37N,8W	Phelps	X	X			X		
Breckenridge Lake	L1	80	NE SW3,57N,26W	Caldwell	X	X			X	X	
Briarwood, Lake	L3	103	SW NE33,40N,4E	Jefferson	X	X		X	X		
Brookfield Lake	L1	120	SE SE33,58N,19W	Linn	X	X				X	
Browning Lake	L3	120	10,11,12,57N,36W	Buchanan	X	X			X		
Bucklin Lake	L1	17	11,57N,18W	Linn	X	X				X	
Buffalo Bill Lake	L3	45	28,57N,31W	Dekalb	X	X			X		
Bull Shoals Lake	L2	9000	21,22N,15N,16W	Ozark	X	X	X	X	X		
Burlington Lake	L3	40	27,57N,30W	Clinton	X	X					
Busch W.A. #35	L3	51	NE NE30,46N,3E	St. Charles	X	X					
Busch W.A.—Kraut Run Lake	L3	182	NW NE23,46N,2E	St. Charles	X	X					
Bushwacker Lake	L3	159	27,34N,32W	Vernon	X	X			X		
Butler Lake	L1	67	NW NE14,40N,32W	Bates	X	X				X	
Butterfly Lake	L3	85	NW NE34,36N,7E	Ste. Genevieve	X	X					
Callaway Lake	L3	160	1,45N,1E,6,45N,2E	St. Charles	X	X		X	X		
Cameron Lake #1	L1	25	SW SW10,57N,30W	Dekalb	X	X			X	X	
Cameron Lake #2	L1	35	NW NW10,57N,30W	Dekalb	X	X			X	X	
Cameron Lake #3	L1	96	SE NE9,57N,30W	Dekalb	X	X			X	X	
Cameron Lake #4 (Grindtone Reservoir)	L1	180	05/08,57N,30W	Dekalb	X	X				X	
Camp Irondale Lake	L3	10	13,36N,01E	Washington	X	X			X		
Camp Solidarity Lake	L3	12	24,43N,02E	Franklin	X	X			X		
Carroll Reservoir	L3	65	SE NW7,52N,23W	Carroll	X	X			X		
Catclaw Lake	L3	42	14,47N,31W	Jackson	X	X			X		
Cedar Hill Lakes	L3	36	35,42N,3E	Jefferson	X	X		X	X		
Cedar Lake	L3	45	22,37N,5E	St. Francois	X	X		X	X		
Cedar Lake	L3	16	35,48N,13W	Boone	X	X		X	X		
Champetra, Lake	L3	60	NW13,45N,12W	Boone	X	X		X	X		
Charity Lake	L3	17	32,66N,41W-1,65N,41W	Atchison	X	X			X		
Clarence Lake #1	L1	20	15,57N,12W	Shelby	X	X			X	X	
Clarence Lake #2	L1	31	15,57N,12W	Shelby	X	X			X	X	
Clearwater Lake	L2	1650	NW NE6,28N,3E	Wayne-Reynolds	X	X		X	X		
Cleveland Reservoir	L1	8	29,45N,33W	Cass	X	X				X	
Clever Dell Lake	L3	12	13,45N,22W	Pettis	X	X			X		
Cole County Park Lake	L3	7	17,44N,12W	Cole	X	X					
Cole Lake	L3	38	SE10,38N,4E	Jefferson	X	X		X	X		
Conner O. Fewell Lake	L3	10	32/29,43N,25W	Henry	X	X			X		
Contrary, Lake	L3	193	26,27,35,57N,36W	Buchanan	X	X		X	X		
Cooley Lake	L3	300	SE2,51N,30W	Clay	X	X					
Cool Valley Lake	L3	35	09,40N,02E	Franklin	X	X			X		
Coot Lake	L3	22	22,47N,31W	Jackson	X	X			X		
Corner Blue Hole Lake (34)	L3	9	25,25N,17E	Mississippi	X	X					
Cosmo-Bethel Lake	L3	6	NW,36,48N,13W	Boone	X	X					
Cottontail Lake	L3	27	14,47N,31W	Jackson	X	X			X		
Council Bluff Lake	L3	440	23,35N,1E	Iron	X	X		X	X		
Crane Lake	L3	50	W33,32N,4E	Iron	X	X			X		
Creighton Lake	L1	14	NW SE,14,43N,29W	Cass	X	X				X	
Crescent Lake	L3	10	02,42N,01W	Franklin	X	X			X		
Creve Couer Lake	L3	300	20,46N,5E	St. Louis	X	X			X		
Crooked Creek Lake	L3	3	7,36N,4W	Crawford	X	X					
Crowder St. Park Lake	L3	18	12,61N,25W	Grundy	X	X		X			
Crystal Lake	L3	122	NW SW32,53N,29W	Ray	X	X		X	X		X
Cut-off Lake	L3	80	1,12,57N,36W	Buchanan	X	X					
Cut-off Lake	L3	674	26,27,34,35,53N,19W	Chariton	X	X					
Dearborn Reservoir	L1	7	31,55N,34W	Buchanan	X	X			X	X	

LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and
Human Health/Fish Consumption
CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Deer Ridge Community Lake	L3	48	18,62N,8W	Lewis	X	X			X		
Dexter City Lake	L3	11	21,25N,10E	Stoddard	X	X					
Downing Lake	L1	18	SW NE17,66N,13W	Schuyler	X	X				X	
Drexel Lake #1	L1	28	32,43N,33W	Bates	X	X				X	
Drexel Lake #2	L1	51	SW NE6,42N,33W	Bates	X	X				X	
Duck Creek	L3	1773	SW SW31,28N,9E	Wayne	X	X			X		
E A Pape Lake (Concordia)	L1	245	20,48N,24W	Lafayette	X	X			X	X	
Eagleville Lake	L1	40	33,66N,27W	Harrison	X	X	X		X	X	
Edina Lake	L1	11	7,62N,11W	Knox	X	X			X	X	
Edina Reservoir	L1	51	12,62N,11W	Knox	X	X			X	X	
Ella Ewing Community Lake	L3	15	21,64N,10W	Scotland	X	X	X				
Elsie Lake	L3	20	30,37N,2E	Washington	X	X	X	X			
Ethel Lake	L3	23	NE NW36,59N,17W	Macon	X	X					
Farmington City Lake	L3	8	SUR 2969,35N,5E	St. Francois	X	X					
Fawn Lake	L3	50	13,43N,02W	Franklin	X	X			X		
Fayette Lake #1	L3	10	NE NW15,50N,16W	Howard	X	X					
Fayette Lake #2	L3	60	NW NW4,50N,16W	Howard	X	X					
Fayette Lake #3 (Rogers)	L1	185	NW NW10,50N,16W	Howard	X	X				X	
Fellows Lake	L1	820	NW NE22,30N,21W	Greene	X	X	X	X	X	X	
Finger Lakes	L3	50	SW30,50N,12W	Boone	X	X	X				
Flight Lake	L3	100	26,36N,32W	Vernon	X	X					
Forest Lake	L1	573	SE SW14,62N,16W	Adair	X	X	X			X	
Forest, Lake	L3	90	36,38N,7E	Ste. Genevieve	X	X					
Fort Westside Lake	L3	27	2,39N,4W	Crawford	X	X	X	X			
Fountain Grove Lakes	L3	—	35,57N,22W	Linn	X	X					
Fourche Lake	L3	49	22,23N,1W	Ripley	X	X	X	X			
Fox Valley Lake	L3	108	27,66N,8W	Clark	X	X			X		
Foxboro Lake	L3	25	14,42N,04W	Franklin	X	X			X		
Fredricktown City Lake	L1	158	SE SE6,33N,7E	Madison	X	X				X	
Freeman Lake	L1	13	SW SW18,44N,32W	Cass	X	X				X	
Frontier Lake	L3	62	NW NW35,30N,4E	Wayne	X	X			X		
Garden City Lake	L1	22	31,44N,29W	Cass	X	X				X	
Garden City New Lake	L1	46	NW,18,43N,29W	Cass	X	X				X	
Gerald City Lake	L3	5	12,42N,4W	Franklin	X	X					
Girardeau, Lake	L3	162	SW SW9,30N,11E	Cape Girardeau	X	X			X		
Glaus Lake	L3	30	17,27N,11E	Stoddard	X	X					
Glover Spring Lake	L3	80	13,47N,9W	Callaway	X	X					
Golden Eagle Lake	L3	141	SE SW16,48N,4W	Montgomery	X	X					
Goose Creek Lake	L3	62	NW NW26,38N,6E	St. Francois	X	X	X	X			
Gopher Lake	L3	42	23,47N,31W	Jackson	X	X			X		
Gower Lake	L3	14	3,55N,33W	Clinton	X	X					
Green City Lake	L1	57	SE NE16,63N,18W	Sullivan	X	X				X	
Green City Lake (Old)	L1	60	SE18,63N,18W	Sullivan	X	X	X			X	
HS Truman Lake	L2	55,600	7,40N,23W	Benton	X	X	X	X	X	X	
Hamilton Lake	L1	80	SW SW15,57N,28W	Caldwell	X	X			X	X	
Harmony Mission Lake	L3	96	15,38N,32W	Bates	X	X			X		
Harrison County Lake	L1	280	17/30,65N,28W	Harrison	X	X				X	
Harrisonville City Lake	L1	20	34,45N,31W	Cass	X	X			X	X	
Harrisonville, Lake	L1	385	SW SW26,46N,31W	Cass	X	X			X	X	
Hazel Creek Lake	L1	151	SW SW31,64N,15W	Adair	X	X				X	
Hazel Hill Lake	L3	71	28,47N,26W	Johnson	X	X			X		
Hematite (Bismarck) Lake	L3	210	SW NE19,35N,4E	St. Francois	X	X			X		
Henke Lake	L3	70	SE SE20,46N,9W	Callaway	X	X					
Henry Sever Lake	L3	158	NE NE14,60N,10W	Knox	X	X	X	X			
Hermit Hollow Lake	L3	10	29,44N,02E	Franklin	X	X			X		

LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and
 Human Health/Fish Consumption
 CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
 BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Herring Lake	L3	50	NW SW17,46N,9W	Callaway	X	X					
Higbee Lake	L1	15	SE SW9,52N,14W	Randolph	X	X				X	
Higginsville N. Lake	L3	40	NW SW9,49N,25W	Lafayette	X	X			X		
Higginsville S. Lake	L1	150	SW NE09,49N,25W	Lafayette	X	X			X	X	
HiPoint Lake	L3	3	24,39N,1E	Washington	X	X					
Holden Lake	L3	11	7,45N,27W	Johnson	X	X					
Holden Lake	L3	11	12,45N,28W	Johnson	X	X			X		
Holden Lake (New)	L1	380	29,46N,28W	Johnson	X	X			X	X	
Holiday Acres Lake	L3	250	SE SW17,55N,14W	Randolph	X	X					
Holiday Shores Lake	L3	47	12,36N,3E	Washington	X	X		X	X		
Horseshoe Lake	L3	80	15,56N,36W	Buchanan	X	X					
Hough Park Lake	L3	7	19,44N,11W	Cole	X	X					
Houston Lake	L3	22	NW 33,51N,33W	Platte	X	X		X	X		
Howell Mill Lake	L3	35	17,36N,1E	Washington	X	X		X	X		
Hunnewell Lake	L3	228	NW SW25,57N,9W	Shelby	X	X			X		
Hurdland Sever Lake	L3	16	36,62N,13W	Knox	X	X		X	X		
Indian Creek Lake	L3	192	15/27,59N,25W	Livingston	X	X			X		
Indian Hills Lake	L3	326	22,15,23,39N,5W	Crawford	X	X		X	X		
Innsbrook Lake	L3	51	NW SE6,46N,1W	Warren	X	X					
Iron Mtn Lake	L3	114	SE SW32,35N,4E	St. Francois	X	X			X		
Ironton Shepard Mountain Lake	L1	21	1,33N,3E	Iron	X	X			X	X	
Izaak Walton Lake	L3	7	32,36N,31W	Vernon	X	X			X		
Jackass Bend	L3	200	32,28,21-19,51N,29W	Ray-Jackson	X	X			X		X
Jackrabbit Lake	L3	31	15,47N,31W	Jackson	X	X			X		
Jacomo Lake	L3	970	NE NW11,48N,31W	Jackson	X	X		X	X		
Jamesport City Reservoir	L1	24	22,60N,26W	Daviess	X	X				X	
Jamesport Community Lake	L1	30	NE20,60N,26W	Daviess	X	X		X	X	X	
Jasper Lake	L3	35	13,60N,6W	Lewis	X	X		X	X		
Junge's Lake	L3	40	10,41N,21W	Benton	X	X		X	X		
Kahrs Boger Lake	L3	5	15,44N,20W	Pettis	X	X			X		
KC Angler's Club Lake	L3	25	SE18,46N,30W	Cass	X	X			X		
KC Southern Lake	L3	28	5,43N,33W	Cass	X	X			X		
Kellogg City Lake	L3	25	34,29N,31W	Jasper	X	X		X	X		
Killarney, Lake	L3	105	NW NW1,33N,4E	Iron	X	X		X	X		
King City Lake	L1	12	SW NE28,61N,32W	Gentry	X	X				X	
King City Lake	L1	34	28,61N,32W	Gentry	X	X				X	
King City Lake (South)	L1	32	SW SW34,61N,32W	Gentry	X	X				X	
King Lake	L3	231	12-13,60N,31W	Dekalb	X	X			X	X	
Kiwanis Lake	L3	4	SW23,51N,9W	Audrain	X	X					
Knob Noster St. Park Lakes	L3	24	29/30,46N,24W	Johnson	X	X					
L. Prairie Comm. Lake	L3	100	SE SE21,38N,7W	Phelps	X	X			X		
La Plata Lake (New)	L1	81	NW 14,60N,14W	Macon	X	X				X	
La Plata Lake (Old)	L1	19	9,60N,14W	Macon	X	X				X	
Labelle Lake #1	L1	17	16,61N,9W	Lewis	X	X			X	X	
Labelle Lake #2	L1	112	NW NE16,61N,9W	Lewis	X	X			X	X	
Lacawana, Lake	L3	10	13,38N,5E	St. Francois	X	X			X		
Lahweena, Lake	L3	60	24,47N,8W	Callaway	X	X		X	X		
Lake Fond du Lac	L3	33	SUR 3011,43N,5E	Jefferson	X	X		X	X		
Lake Lorraine	L3	70	1,12,41N,4E	Jefferson	X	X		X	X		
Lake of the Woods	L3	3	NE,2,48N,12W	Boone	X	X					
Lakeview Lake	L3	25	SW35,51N,9W	Audrain	X	X					
Lakewood Lake	L3	107	NE NE7,48N,31W	Jackson	X	X		X	X		
Lamar City Lake	L1	180	SW NW32,32N,30W	Barton	X	X				X	
Lamine C.A. Lakes	L3	17	2-11-22-27,46N,19W	Cooper	X	X			X		
Lancaster City Lake (New)	L1	56	23,66N,15W	Schuyler	X	X				X	

LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and
Human Health/Fish Consumption
CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Lancaster Lake (Old)	L1	10	SW NE14,66N,15W	Schuyler	X	X				X	
Lawson City Lake	L1	25	31,54N,29W	Ray	X	X		X	X	X	
Leisure Lake	L3	50	NE SE5,61N,25W	Grundy	X	X		X			
Leisure Lake	L3	60	33,48N,8W	Callaway	X	X		X	X		
Lewis County #1 Lake (Ewing)	L1	43	6,60N,7W	Lewis	X	X			X	X	
Lewis Lake	L3	10	10,26N,11E	Stoddard	X	X					
Lewistown Lake	L1	29	NW SW8,61N,8W	Lewis	X	X			X	X	
Liberty Park Lake	L3	2	05,45N,21W	Pettis	X	X					
Limpp Lake	L3	30	29,61N,32W	Gentry	X	X			X		
Lincoln Lake-Cuivre River S.P.	L3	88	SW SE8,49N,1E	Lincoln	X	X		X	X		
Linneus Lake	L1	15	NE SW36,59N,21W	Linn	X	X			X		
Lions Lake	L3	10	16,44N,01W	Franklin	X	X			X		
Lions Lake	L3	5	26,46N,26W	Johnson	X	X			X		
Little Compton Lake	L3	40	29/32,55N, 21W	Carroll	X	X			X		
Little Dixie Lake	L3	205	SW SE26,48N,11W	Callaway	X	X			X		
Loggers Lake	L3	25	10,15,31N,3W	Shannon	X	X		X	X		
Lone Jack Lake	L3	35	14,47N,30W	Jackson	X	X			X		
Lone Tree Lake	L3	22	15,46N,6W	Montgomery	X	X			X		
Long Branch Lake	L2	2430	NW18,57N,14W	Macon	X	X		X	X	X	
Long Lake	L3	10	3,25N,12E	Stoddard	X	X					
Longview Lake	L2	930	20,47N,32W	Jackson	X	X		X	X		
Lost Valley Lake	L3	50	SE NE17,43N,4W	Gasconade	X	X		X	X		
Lotawana, Lake	L3	600	SE SE29,48N,30W	Jackson	X	X		X	X		
Lower Taum Sauk Lake	L3	200	33,33N,2E	Reynolds	X	X			X		
Lucky Clover Lake	L3	35	20,38N,4W	Crawford	X	X		X	X		
Luna Lake	L3	17	SE 34,45N,31W	Cass	X	X			X		
Mac Lake (Ziske)	L3	30	17,34N,07W	Dent	X	X			X		
Macon Lake	L3	200	SE NW17,57N,14W	Macon	X	X				X	
Malta Bend Comm. Lake	L3	5	25,51N,23W	Saline	X	X			X		
Manito Lake	L3	77	8,9,44N,17W	Moniteau	X	X			X		
Maple Leaf Lake	L3	140	04,48N,26W	Lafayette	X	X			X		
Marais Temps Clair	L3	500	19,48N,6E	St. Charles	X	X					
Marceline City Lake (New)	L1	200	SW SE14,56N,19W	Chariton	X	X				X	
Marceline Reservoir	L1	81	NW SW 28,57N,18W	Linn	X	X				X	
Marie, Lake	L3	60	NE NW 36,66N,24W	Mercer	X	X		X			
Mark Twain Lake	L2	18,600	26,55N,7W	Ralls	X	X		X	X	X	
Marshall Habilitation Center Lake	L3	12	11,50N,21W	Saline	X	X			X		
Martin Lakes	L3	30	11,26N,11E	Stoddard	X	X					
Maysville Lake	L1	12	NW NE3,58N,31W	Dekalb	X	X			X	X	
Maysville Lake	L1	27	SE SE33,59N,31W	Dekalb	X	X			X	X	
Maysville Lake #3	L1	53	NE 4,58N,13W	Dekalb	X	X				X	
McCormick Lake	L3	11	8,9,25N,4W	Oregon	X	X		X	X		
McDaniel Lake	L1	300	NE SE26,30N,22W	Greene	X	X				X	
McGinness, Lake	L3	50	NW20,55N,30W	Clinton	X	X					
McKay Park Lake	L3	6	13,44N,12W	Cole	X	X					
Melody Lake	L3	35	15,42N,3W	Franklin	X	X		X	X		
Memphis Lake #1	L1	39	NE NE14,65N,12W	Scotland	X	X				X	
Memphis Lake #2	L1	250	15,65N,12W	Scotland	X	X				X	
Mercer Lake	L1	21	NE SW30,66N,23W	Mercer	X	X				X	
Middle Fork Water Comp.	L1	170	NW SW6,63N,31W	Gentry	X	X			X	X	
Milan Lake Elmwood	L1	235	NE NE35,63N,20W	Sullivan	X	X				X	
Milan Lake (New)	L1	15	SE SE,2,62N,20W	Sullivan	X	X				X	
Milan Lake (Old)	L1	13	SE SE2,62N,20W	Sullivan	X	X				X	
Mineral Lake	L3	20	01,42N,03W	Franklin	X	X			X		
Mingo Lakes	L3	1045	30,27N,8E	Stoddard	X	X					

LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health/Fish Consumption
 CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
 BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Moberly Park Lake	L3	35	SE NE3,53N,14W	Randolph	X	X					
Moberly Rothwell Lake	L3	25	3,53N,14W	Randolph	X	X					
Monroe City Lake	L1	94	SW,NE,34,56N,7W	Ralls	X	X		X	X	X	
Monroe City Lake A	L3	17	NW NW13,56N,8W	Monroe	X	X					
Monroe City Lake B	L1	55	30,56N,7W	Monroe	X	X			X	X	
Montonese Lake	L3	45	27,43N,4E	Jefferson	X	X		X	X		
Montrose Lake	L3	1568	NE NW33,41N,27W	Henry	X	X					X
Mozingo Lake	L1	1000	19,65N,34W	Nodaway	X	X				X	
Mud Lake	L3	100	16,18,20,56N,36W	Buchanan	X	X					
Nehai Tonkayea Lake	L3	149	NW NE11,55N,18W	Chariton	X	X		X			
Nell Lake	L3	31	15,47N,31W	Jackson	X	X			X		
New Cambria Lake	L3	7	SW NE7,57N,16W	Macon	X	X					
Niangua Lake	L3	360	35,37N,18W	Camden	X	X		X	X		
Nims Lake	L3	253	SW SW24,34N,6E	Madison	X	X		X			
Noblett Lake	L3	26	25,26N,11W	Douglas	X	X		X			
Nodaway Lake	L3	73	SW NE20,65N,35W	Nodaway	X	X			X		
Norfolk Lake	L2	1000	21N,12W	Ozark	X	X		X	X		
North Lake	L3	51	NW NE28,45N,31W	Cass	X	X			X		
North Sever Lake	L3	20	20,63N,13W	Knox	X	X			X		
Northwoods, Lake	L3	120	SE NE33,43N,5W	Gasconade	X	X		X			
O'Brian Lake	L3	50	NW NW19,47N,1E	St. Charles	X	X					
Oaks, Lake of the	L3	53	SE SW7,63N,6W	Clark	X	X		X	X		
Odessa Lake	L1	90	NW NE15,48N,28W	Lafayette	X	X			X	X	
Odessa Lake (Old)	L3	19	NW NW14,48N,28W	Lafayette	X	X					
Old Plattsburg Lake	L1	20	13,55N,32W	Clinton	X	X				X	
Opossum Hollow Lake	L3	70	SW NE29,39N,3W	Crawford	X	X		X	X		
Oscie Ora Acres	L3	50	SE NW10,28N,33W	Jasper	X	X					
Otter Slough	L3	250	17,24N,9E	Stoddard	X	X					
Ozarks, Lake of the	L2	59,520	SE SE19,40N,15W	Camden	X	X		X	X		
Paho, Lake	L3	273	NE SE25,65N,25W	Mercer	X	X					
Painted Rock Lake	L3	4	11,42N,11W	Osage	X	X					
Palmer Lake	L3	93	22,36N,1E	Washington	X	X		X	X		
Panther Creek C-2 Lake	L3	20	32,65N,27W	Harrison	X	X					
Parker Lake #1	L3	20	NE SW32,35N,9E	Perry	X	X		X			
Parker Lake #2	L3	80	NE SW32,35N,9E	Perry	X	X		X			
Parole Lake	L3	35	7,36N,1E	Washington	X	X		X	X		
Peabody Wildlife Area Lake	L3	36	4/9,38N,32W	Bates	X	X			X		
Peaceful Valley Lake	L3	170	NE NE25,42N,6W	Gasconade	X	X		X			
Peculiar Lake	L3	25	SE SW22,45N,32W	Cass	X	X					
Penn's Pond Lake	L3	12	06,34N,11W	Pulaski	X	X			X		
Perry County Community Lake	L3	103	SW NE22,35N,10E	Perry	X	X					
Perry Lake #1	L3	18	NW NW34,54N,7W	Ralls	X	X					
Perry Lake #2	L3	7	NW34,54N,7W	Ralls	X	X					
Perry C.A. Lakes	L3	4	2,47N,24W	Johnson	X	X			X		
Pershing St. Park Lake	L3	12	11,57N,21W	Linn	X	X		X			
Pike Lake	L3	20	2,59N,25W	Livingston	X	X		X	X		
Pinewoods Lake	L3	30	07,26N,03E	Carter	X	X			X		
Pinnacle Lake	L3	130	SE NE24,47N,5W	Montgomery	X	X		X			
Plattsburg 6 Mi. Lane Lk.	L3	57	SW SE11,55N,32W	Clinton	X	X					X
Pleasant Hill Lake	L1	115	SW SE1,46N,31W	Cass	X	X			X	X	
Plover Lake	L3	15	15,47N,31W	Jackson	X	X			X		
Poague Wildlife Area Lake	L3	77	19,42N,26W	Henry	X	X			X		
Pomme de Terre Lake	L2	7820	SW NE2,36N,22W	Hickory	X	X		X			
Pony Express Lake	L3	240	NE35,58N,31W	Dekalb	X	X		X	X		
Port Hudson Lake	L3	55	16,43N,03W	Franklin	X	X			X		

LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and
Human Health/Fish Consumption
CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Port Perry Lake	L3	200	NE SE8,34N,9E	Perry	X	X					
Potosi Lake Village	L3	40	27,37N,3E	Washington	X	X		X	X		
Prairie Lee Lake	L3	150	NE NW27,48N,31W	Jackson	X	X		X	X		
Prairie Home C.A. Lakes	L3	25	25,46N,15W	Cooper/ Moniteau	X	X					X
Primrose Lake	L3	100	23,38,04E	St. Francois	X	X			X		
Proctor Park Lake	L3	6	34,45N,15W	Moniteau	X	X			X		
Purko Lake	L3	25	SW SE7,34N,10E	Perry	X	X					
Radio Springs Lake	L3	8	08,35N,31W	Vernon	X	X			X		
Railroad Lake	L3	20	SW30,SE25,51N,9W,8W	Audrain	X	X					
Raintree Lake	L3	300	6,46N,31W	Cass	X	X		X	X		
Raintree Lake	L3	126	30,41N,4E	Jefferson	X	X		X	X		
Ray County Community Lake	L3	25	13,52N,28W	Ray	X	X		X	X		
Rice Lake	L3	40	9,27N,11E	Stoddard	X	X					
Ridgeway (Rockhouse) Lake	L1	67	SW SE36,65N,27W	Harrison	X	X		X	X		X
Rinquelin Trail Community Lake	L3	30	NW29,39N,11W	Maries	X	X			X		
Ripley Co. Lake	L3	20	10,23N,1E	Ripley	X	X		X	X		
Riss Lake	L3	134	SW SW25,51N,33W	Platte	X	X			X		
Roach Lake	L3	2	25,57N,24W&30,57,23W	Livingston	X	X		X	X		
Roby Lake	L3	10	3,32N,11W	Texas	X	X		X	X		
Rocky Fork Lake	L3	53	NW SE31,50N,12W	Boone	X	X					
Rocky Hollow Lake	L3	20	SE33,53N,30W	Clay	X	X			X		
Salisbury City Lake (Pine Ridge Lake)	L3	25	15,53N,17W	Chariton	X	X			X		
Savannah City Reservoir	L1	17	7,59N,35W	Andrew	X	X		X	X		X
Sayersbrook Lake	L3	70	NE SE28,38N,1E	Washington	X	X					
Schell-Osage W.A.—Levee 3	L3	461	SE NE6,37N,28W	St. Clair	X	X		X	X		
Scioto Lake	L3	3	29,38N,6W	Phelps	X	X					
Schuman Park Lake	L3	5	2,37N,8W	Phelps	X	X					
Schuyler Co. PWSD #1 Lake	L1	29	SE SE4,64N,15W	Schuyler	X	X					X
Scrivner Lake	L3	8	18,43N,13W	Cole	X	X					
Sears Community Lake	L3	19	18,63N,19W	Sullivan	X	X		X	X		
Seetal Lake	L3	45	SE NW1,45N,5W	Gasconade	X	X					
Sequoia Park Lake	L3	3	09,28N,21W	Greene	X	X					
Serene, Lake	L3	59	NW NE3,42N,2E	Franklin	X	X		X	X		
Settles Ford C.A. Lakes	L3	110	9-10,42N,29W	Bates	X	X			X		
Seven Springs Lake	L3	35	23-24,36N,6W	Phelps	X	X		X	X		
Shawnee Lake (Turner)	L3	17	17,34N,7W	Dent	X	X			X		
Shelbina Lake	L1	45	NE SW20,57N,10W	Shelby	X	X			X		X
Shelbyville Lake	L3	32	SW SE19,58N,10W	Shelby	X	X			X		
Sherwood, Lake	L3	120	SW SE11,45N,1W	Warren	X	X		X			
Silver Lake	L3	59	SW SW16,46N,32W	Cass	X	X			X		
Silver Lake—Levee 3	L3	2464	6,55N,20W	Chariton	X	X					
Sims Valley Community Lake	L3	38	17,20,27N,8W	Howell	X	X		X	X		
Smithville City Lake	L1	8	26,53N,33W	Clay	X	X					X
Smithville Lake	L2	7190	E SW13,53N,33W	Clay	X	X		X	X		X
Snow Hollow Lake	L3	38	26/27,34N,03E	Iron	X	X			X		
South Pool—Levee 3	L3	1151	35,56N,21W	Chariton	X	X					
Spencer Lake	L3	8	NW19,66N,14W	Schuyler	X	X					
Spring Fork Lake	L1	178	NE SW21,44N,21W	Pettis	X	X			X		X
Spring Lake	L3	100	NW SW20,61N,16W	Adair	X	X		X			
Springfield, Lake	L3	360	19,28N,21W	Greene	X	X			X		X

LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and
 Human Health/Fish Consumption
 CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
 BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Squaw Creek—Main Pool	L3	615	36,61N,39W	Holt	X	X					
St. Clair #1 Lake	L3	54	SW SE2,41N,1W	Franklin	X	X		X	X		
St. Joe Park Lakes	L3	70	20,21,36N,5E	St. Francois	X	X		X	X		
St. Louis, Lake	L3	525	NE SW26,47N,2E	St. Charles	X	X		X			
Ste. Louise, Lake	L3	87	SW SW27,47N,2E	St. Charles	X	X		X			
Sterling Price Community Lake	L3	35	17,53N,17W	Chariton	X	X		X	X		
Stockton Lake	L2	23,680	NE NE15,34N,26W	Cedar	X	X		X		X	
Stokes Lake #1 (Arrowhead Lakes)	L3	60	SW SE18,23N,8W	Howell	X	X	X	X			
Stokes Lake #2 (Arrowhead Lakes)	L3	80	18,23N,08W	Howell	X	X	X		X		
Strobel Lake	L3	50	1,27N,9E	Stoddard	X	X					
Sugar Creek Lake	L1	346	NE SW16,54N,14W	Randolph	X	X					X
Sugar Lake	L3	317	27,28,33,55N,37W	Buchanan	X	X		X	X		
Sullivan City Lake	L3	5	17,40N,2W	Crawford	X	X					
Summerset Lake	L3	75	NE SW15,39N,4E	Jefferson	X	X		X	X		
Sunfish Lake (Spanish L Pk)	L3	34	47N,7E	St. Louis	X	X			X		
Sunnen Lake	L3	198	SW SE4,37N,1E	Washington	X	X		X			
Sunrise Lakes	L3	46	36,39N,4E	Jefferson	X	X		X	X		
Sunset Lake	L3	60	NW SE33,39N,7E	Ste. Genevieve	X	X					
Sunshine Lake	L3	500	19,29,32,51N,27W	Ray	X	X		X	X		X
Swan Lake—Levee 5	L3	1425	10,55N,21W	Chariton	X	X					
Swiss Lake Development Lake	L3	40	21-28,44N,05W	Gasconade	X	X			X		
Table Rock Lake	L2	43,100	SW NW22,22N,22W	Stone	X	X		X	X		
Taneycomo, Lake	L2	1730	SW NE8,23N,20W	Taney	X	X	X	X	X	X	
Tapawingo, Lake	L3	76	NE NE34,49N,31W	Jackson	X	X		X	X		
Tarsney Lake	L3	17	SE SE22,48N,30W	Jackson	X	X		X	X		
Tea Lake	L3	25	08,41N,04W	Gasconade	X	X			X		
Teal Lake	L3	76	NE SW36,51N,9W	Audrain	X	X			X		
Tebo Freshwater Lake	L3	300	SW SW25,43N,25W	Henry	X	X					
Ten Mile Pond	L3	70	7,4,3,24N,16E	Mississippi	X	X					
Terre Du Lac Lakes	L3	190	18,19,37N,4E	St. Francois	X	X		X	X		
Thomas Hill Reservoir	L2	4400	NE SE24,55N,16W	Randolph	X	X		X		X	X
Thunderbird, Lake	L3	45	6,41N,1E	Franklin	X	X		X	X		
Timberline Lake	L3	13	32,37N,1W	Washington	X	X		X	X		
Timberline Lakes	L3	119	23,24,38N,4E	St. Francois	X	X		X	X		
Timberridge, Lake	L3	50	20,43N,6W	Gasconade	X	X		X	X		
Tishomingo, Lake	L3	115	NE SE5,41N,4E	Jefferson	X	X		X	X		
Tobacco Hills, Lake	L3	17	NW,11,53N,35W	Platte	X	X			X		
Tom Sawyer Lake (Mk. Twain SP)	L3	5	9,54N,8W	Monroe	X	X		X			
Torino Lake	L3	10	20,42N,02E	Franklin	X	X			X		
Trenton Lower Lake	L3	103	NE SE15,61N,24W	Grundy	X	X					
Trenton Upper Lake	L3	68	NE SE15,61N,24W	Grundy	X	X					
Twin Borrow Pits	L3	18	13,19N,13E	Pemiscot	X	X					
Twin Lake	L3	70	NW NW31,66N,23W	Mercer	X	X					
Twin Lake	L3	18	SW SW,22,48N,13W	Boone	X	X			X		
Tywappity Community Lake	L3	55	SW SE8,29N,13E	Scott	X	X		X			
Union City Lake	L3	5	27,43N,1W	Franklin	X	X					
Unionville Lake (Thunderhead, Lake)	L1	1015	NE NE15,66N,19W	Putnam	X	X		X	X	X	
Unionville (New) Lake	L3	70	27,66N,19W	Putnam	X	X					
Unionville (Old) Lake	L1	15	34,66N,19W	Putnam	X	X		X	X	X	
Unity Village Lake #1	L1	15	25,48N,32W	Jackson	X	X			X	X	

LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health/Fish Consumption
 CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
 BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



WATERBODY	CLASS	ACRES	LOCATION	COUNTY(S)	LWW	AQL	CDF	WBC	BTG	DWS	IND
Unity Village Lake #2	L1	23	24,48N,32W	Jackson	X	X			X	X	
Upper Big Lake	L3	110	25,27N,16E	Mississippi	X	X					
Valle Lake	L3	100	31,39N,5E	Jefferson	X	X		X	X		
Van Meter St. Park Lake	L3	8	24,52N,22W	Saline	X	X		X	X		
Vandalia Community Lake	L3	44	SE35,52N,6W	Audrain	X	X					
Vandalia Lake	L1	37	NE NE12,53N,5W	Pike	X	X			X	X	
Viking, Lake	L1	550	9,59N,28W	Daviess	X	X		X	X	X	
Wahoo Lake	L3	25	14,38N,04E	St. Francois	X	X			X		
Wakonda Lake	L3	78	NW NE13,60N,6W	Lewis	X	X		X	X		
Wallace SP Lake	L3	6	NE,24,56N,30W	Clinton	X	X		X	X		
Walt Disney Lake	L3	18	5,57N,18W	Linn	X	X		X			
Wanda Lee, Lake	L3	220	2,37N,7E	Ste. Genevieve	X	X		X			
Wapappello, Lake	L2	8200	SE NE3,26N,3E	Wayne	X	X		X	X		
Watkins Mill Lake	L3	126	NW 22,53N,30W	Clay	X	X		X	X		
Waukomis Lake	L3	82	NE NW17,51N,33W	Platte	X	X		X	X		
Wauwanoka, Lake	L3	86	SE NW1,40N,4E	Jefferson	X	X		X	X		
Weatherby Lake	L3	194	SW SE15,51N,34W	Platte	X	X		X	X		
Wellsville Lake	L1	10	33,50N,6W	Montgomery	X	X					X
Wellsville Quarry	L1	1.3	NE SE,4,49N,6W	Montgomery	X	X					X
Whetstone Creek W.A. Lake	L3	26	8,48N,7W	Callaway	X	X			X		
Whispering Valley Lakes	L3	30	2,43N,3W	Franklin	X	X		X	X		
White Area Lake (Lake Whiteside)	L3	28	SW SUR 1686,51N,1W	Lincoln	X	X			X		
Wildwood Lake	L3	17	NE9,48N,32W	Jackson	X	X					
Willow Lake	L3	29	27-34,34N,32W	Vernon	X	X			X		
Willowwood Lake	L3	100	35,48N,5E	St. Charles	X	X					
Windsor City Lake	L3	20	06,43N,23W	Pettis	X	X					
Winnebago, Lake	L3	350	NE NW9,46N,31W	Cass	X	X		X	X		
Wolf Bayou	L3	35	4,19N,13E	Pemiscot	X	X					
Worth County Lake	L3	20	29,32,65N,32W	Worth	X	X			X		
Wyaconda Lake	L1	8	NW NW33,65N,9W	Clark	X	X			X	X	

LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and
 Human Health/Fish Consumption
 CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation
 BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
AB Cr.	C	3.0	Mouth	32,37N,18W	Dallas	Camden		x	x						
Ackerman Ditch	C	13.0	Mouth	24,24N,6E	Butler		x	x	x						
Agee Cr.	C	4.5	Mouth	24,61N,34W	Andrew			x	x						
Alder Br.	C	3.5	2,34N,26W	5,34N,25W	Cedar			x	x						
Alder Cr.	C	10.0	Mouth	21,35N,28W	Cedar			x	x						
Allen Br.	P	1.5	Mouth	22,37N,1E	Washington			x	x						
Allen Br.	C	2.6	Mouth	05,35N,05E	St. Francois			x	x						
Allen Br.	C	1.5	22,37N,1E	34,37N,1E	Washington			x	x						
Alley Br.	P	1.0	Mouth	25,29N,5W	Shannon			x	x						
Alley Br.	C	2.0	25,29N,5W	22,29N,5W	Shannon			x	x						
Trib. to Alley Br.	C	1.0	Mouth	22,29N,5W	Shannon			x	x						
Allie Cr.	C	3.0	Mouth	1,33N,10E	Cape Girardeau	Bollinger		x	x						
Anderson Br.	C	1.0	Mouth	31,45N,20W	Pettis			x	x						
Anderson Cr.	C	1.9	Mouth	31,33N,09W	Texas			x	x						
Andrew Br.	C	1.0	Mouth	Sur 3062,37N,6E	St. Francois			x	x						
Anthony Br.	P	0.5	Mouth	6,22N,5W	Oregon			x	x						
Antire Cr.	P	1.5	Mouth	33,44N,4E	St. Louis			x	x						
Apple Cr.	P	44.0	Mouth	16,34N,10E	Perry			x	x			x	x	x	
Apple Cr.	C	1.5	16,34N,10E	Hwy. 51	Perry			x	x						
Trib. to Apple Cr.	C	3.0	Mouth	Hwy. 51	Perry			x	x						
Trib. to Apple Cr.	C	0.5	Mouth	16,34N,10E	Perry			x	x						
Arapahoe Cr.	C	8.0	Mouth	11,61N,36W	Andrew			x	x						
Archer Cr.	P	1.5	Mouth	14,41N,20W	Benton			x	x						
Arnault Br.	P	2.0	Mouth	10,38N,2E	Washington			x	x						
Arnault Br.	C	1.0	10,38N,2E	15,38N,2E	Washington			x	x						
Arnold Cr.	C	1.5	Mouth	24,40N,1E	Washington			x	x						
Arthur Cr.	P	4.5	Mouth	14,31N,9W	Texas			x	x						
Arthur Cr.	C	2.5	14,31N,9W	26,31N,9W	Texas			x	x						
Ash Ditch	P	6.0	Mouth	13,25N,14E	New Madrid			x	x						
Ash Ditch	C	8.0	13,25N,14E	5,26N,15E	New Madrid	Mississippi		x	x						
Ash Slough Ditch	P	17.0	Mouth	35,26N,13E	New Madrid		x	x	x				x		
Asher Cr.	P	7.0	Mouth	4,30N,23W	Greene			x	x						
Asher Cr.	C	4.0	4,30N,23W	14,30N,23W	Greene			x	x						
Asher Cr.	P	1.0	Mouth	1,26N,7E	Wayne			x	x						
Asher Cr.	C	1.0	1,26N,7E	2,26N,7E	Wayne			x	x						
Asher Hollow Cr.	C	3.6	Mouth	24,37N,06W	Crawford	Phelps		x	x						
Ashley Br.	P	0.5	Mouth	30,39N,1W	Washington			x	x						
Ashley Br.	C	2.0	30,39N,1W	32,39N,1W	Washington			x	x						
Ashley Cr.	P	2.5	Mouth	35,32N,7W	Dent			x	x						
Ashly Br.	C	0.5	Mouth	27,38N,1E	Washington			x	x						
Aslinger Cr.	P	1.0	Mouth	16,32N,8E	Madison			x	x						
Aslinger Cr.	C	1.0	16,32N,8E	County Line	Madison			x	x						
Atwell Cr.	P	1.0	Mouth	2,38N,12W	Miller			x	x						
Atwell Cr.	C	2.0	2,38N,12W	11,38N,12W	Miller			x	x						
Trib. to Atwell Cr.	C	3.0	Mouth	05,38N,11W	Miller	Maries		x	x						
Trib. to Unnamed trib to Atwell Cr.	C	0.6	Mouth	07,38N,11W	Maries			x	x						
Auxvasse Cr.	P	7.5	Mouth	8,46N,8W	Callaway			x	x					x	
Auxvasse Cr.	C	30.0	8,46N,8W	22,49N,10W	Callaway			x	x						
Bachelor Cr.	C	6.0	Mouth	19,49N,7W	Callaway			x	x						
Bachelor Cr.	C	1.0	Mouth	8,42N,1W	Franklin			x	x						
Back Cr.	C	3.0	Mouth	11,35N,6E	St. Francois			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Bagby Br.	C	1.5	Mouth	1,52N,16W	Randolph			x	x						
Bailey Br.	P	1.5	Mouth	31,36N,1W	Washington			x	x						
Baileys Cr.	P	14.0	Mouth	5,44N,7W	Gasconade	Osage		x	x						
Baileys Cr.	C	4.0	5,44N,7W	20,44N,7W	Osage			x	x						
Trib. to Baileys Cr.	C	0.5	Mouth	27,45N,7W	Osage			x	x						
Trib. to Baileys Cr.	C	0.8	Mouth	06,45N,06W	Gasconade			x	x						
Trib. to Baileys Cr.	P	0.8	Mouth	32,45N,07W	Osage			x	x						
Baker Br.	C	2.0	Mouth	35,38N,28W	St. Clair			x	x						
Baker Cr.	C	3.5	32,29N,15W	12,28N,16W	Wright			x	x						
Bald Ridge Cr.	C	10.0	Mouth	13,33N,11W	Pulaski	Texas		x	x				x		
Baltimore Cr.	C	2.0	Mouth	33,33N,9E	Bollinger			x	x						
Bank Br.	C	5.0	Mouth	35,37N,17W	Camden			x	x	x					
Bannister Hollow	C	4.0	Mouth	36,38N,19W	Camden			x	x						
Barber Cr.	C	7.5	Mouth	Hwy. 136	Sullivan	Putnam		x	x						
Barbers Cr.	C	3.0	Mouth	8,25N,19W	Christian			x	x						
Barkers Cr.	C	13.0	Mouth	09,43N,23W	Henry	Benton		x	x						
Trib. to Barkers Cr.	C	1.0	Mouth	15,42N,24W	Henry			x	x						
Barn Hollow	C	8.0	Mouth	18,27N,7W	Texas	Howell		x	x						
Trib. to Barn Hollow	C	1.0	Mouth	4,27N,7W	Texas	Howell		x	x						
Barnes Cr.	C	1.0	Mouth	34,29N,7E	Wayne			x	x						
Barnes Cr.	C	1.0	Mouth	4,33N,6E	Madison			x	x						
Barney Cr.	C	4.0	Mouth	Hwy. 32	Dent			x	x						
Barnitz Prong	P	3.0	Mouth	21,34N,7W	Dent			x	x						
Barren Cr.	C	3.0	Mouth	3,33N,24W	Polk			x	x						
Barren Cr.	C	4.0	State Line	8,21N,11W	Ozark			x	x						
Barren Fk.	P	6.0	Mouth	30,39N,13W	Miller			x	x	x				x	
Barren Fk.	C	2.0	30,39N,13W	5,38N,13W	Miller			x	x					x	
Trib. to Barren Fork	C	1.5	Mouth	36,44N,05W	Gasconade			x	x						
Trib. to Barren Fk.	C	1.0	Mouth	31,39N,13W	Miller			x	x						
Barren Fk.	C	4.0	Mouth	5,43N,4W	Franklin	Gasconade		x	x						
Barren Fk.	C	7.0	Mouth	10,23N,14W	Ozark			x	x						
Barren Fk.	P	2.0	Mouth	20,31N,4W	Shannon			x	x		x				
Barren Fk.	P	7.0	20,31N,4W	32,32N,4W	Shannon	Dent		x	x						
Barren Fk.	C	3.0	32,32N,4W	28,32N,4W	Dent			x	x						
Barren Hollow	C	0.5	Mouth	16,33N,5E	Madison			x	x						
Barrett Hollow	C	1.5	Mouth	1,22N,15W	Ozark			x	x						
Bartlett Cr.	C	7.5	Mouth	9,49N,17W	Howard			x	x						
Basin Fk.	C	12.7	Mouth	17,44N,23W	Pettis			x	x						
Trib. to Basin Fk.	C	2.3	Mouth	23,44N,23W	Pettis			x	x						
Trib. to Basin Fk.	C	2.4	Mouth	36,45N,23W	Pettis			x	x						
Bass Cr.	C	4.0	Mouth	Hwy. 63	Boone			x	x				x		
Bates Cr.	P	2.0	Mouth	16,37N,2E	Washington			x	x						
Bates Cr.	C	2.0	16,37N,2E	28,37N,2E	Washington			x	x						
Trib to Bates Cr.	C	1.0	Mouth	16,37N,02E	Washington			x	x						
Batts Cr.	C	6.5	Mouth	19,52N,16W	Chariton	Howard		x	x						
Bauer Br.	C	2.5	Mouth	29,42N,21W	Benton			x	x						
Trib. to Bauer Br.	C	1.5	Mouth	28,43N,21W	Benton			x	x						
Bay De Charles	P1	7.0	Mouth	14,58N,5W	Marion			x	x				x	x	
Trib. to Bay de Charles	P1	2.5	Mouth	6,57N,4W	Marion			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Bay de Charles	C	3.0	6,57N,4W	24,58N,5W	Marion			x	x						
Baynham Br.	P	4.0	Mouth	17,26N,31W	Newton			x	x						
Bear Br.	C	7.0	Mouth	Hwy. 54	Audrain			x	x						
Bear Cr.	C	6.0	Mouth	9,32N,8W	Dent	Texas		x	x						
Bear Br.	C	2.0	Mouth	19,44N,15W	Moniteau			x	x						
Bear Br.	C	1.5	Mouth	17,31N,10E	Bollinger			x	x						
Bear Br.	C	3.0	Mouth	1,24N,16W	Ozark			x	x						
Bear Br.	C	2.0	Mouth	29,31N,3E	Reynolds	Iron		x	x						
Bear Camp Cr.	C	4.5	Mouth	31,26N,1E	Carter			x	x						
Bear Claw Spring	P	0.2	Mouth	33,30N,08W	Texas			x	x						
Bear Cr.	P	1.3	Mouth	34,43N,04E	Jefferson			x	x						
Bear Cr.	P	2.5	Mouth	33,57N,4W	Marion			x	x						
Bear Cr.	C	6.0	33,57N,4W	29,57N,5W	Marion			x	x						
Bear Cr.	C	16.0	Mouth	33,65N,10W	Clark	Scotland		x	x						
Bear Cr.	C	33.0	Mouth	8,61N,14W	Shelby	Adair	x	x	x						
Bear Cr.	C	15.0	Mouth	4,48N,4W	Lincoln	Montgomery		x	x						
Bear Cr.	C	9.8	Mouth	15,54N,36W	Platte			x	x						
Bear Cr.	C	4.0	Mouth	29,52N,19W	Saline			x	x						
Bear Cr.	C	8.0	Mouth	8,59N,19W	Linn			x	x						
Bear Cr.	C	8.0	Mouth	32,46N,25W	Johnson			x	x						
Bear Cr.	C	6.0	Mouth	31,49N,12W	Boone			x	x						
Bear Cr.	C	1.0	Mouth	31,40N,14W	Miller			x	x						
Bear Cr.	C	2.0	Mouth	31,43N,9W	Osage			x	x						
Bear Cr.	P	1.5	Mouth	15,38N,24W	St. Clair			x	x			x	x		
Bear Cr.	C	3.5	15,38N,24W	35,38N,24W	St. Clair			x	x					x	
Bear Cr.	C	7.0	Mouth	17,40N,27W	Henry			x	x						
Bear Cr.	C	10.0	Mouth	2,44N,28W	Johnson			x	x						
Bear Cr.	C	5.0	Mouth	5,33N,28W	Cedar			x	x						
Bear Cr.	P	27.0	Mouth	20,33N,23W	Cedar	Polk		x	x						
Bear Cr.	C	11.5	Mouth	22,35N,15W	Pulaski	Laclede		x	x						
Bear Cr.	C	2.0	Mouth	25,29N,10W	Texas			x	x						
Bear Cr.	P	2.5	Mouth	36,47N,5W	Montgomery			x	x						
Bear Cr.	C	3.0	36,47N,5W	20,47N,4W	Montgomery	Warren		x	x						
Bear Cr.	C	3.0	Mouth	8,37N,4E	St. Francois			x	x						
Bear Cr.	P	24.0	Mouth	25,30N,6E	Bollinger	Wayne		x	x					x	
Bear Cr.	P	4.0	Mouth	18,24N,21W	Taney			x	x				x	x	
Bear Cr.	C	6.0	18,24N,21W	36,25N,22W	Taney	Christian		x	x				x	x	
Beaver Br.	P	2.0	Mouth	36,23N,33W	McDonald			x	x						
Beaver Br.	P	1.5	19,23N,32W	17,23N,32W	McDonald			x	x						
Beaver Br.	C	3.0	36,23N,33W	19,23N,32W	McDonald			x	x						
Beaver Cr.	P	22.0	Mouth	29,30N,12W	Wright	Texas		x	x	x					
Trib. to Beaver Cr.	C	1.0	Mouth	25,29N,12W	Texas			x	x						
Beaver Cr.	C	4.0	29,30N,12W	4,29N,12W	Wright			x	x					x	
Beaver Cr.	P	5.0	4,29N,12W	26,29N,12W	Wright	Texas		x	x						
Beaver Cr.	C	4.0	Mouth	33,37N,8W	Phelps			x	x					x	
Beaver Cr.	C	1.0	Mouth	14,40N,2W	Crawford			x	x						
Beaver Cr.	P	44.5	Mouth	23,27N,17W	Taney	Douglas	x	x	x	x			x	x	
Trib. to Beaver Cr.	C	1.0	Mouth	23,24N,18W	Taney			x	x						
Beaver Cr.	C	2.0	23,27N,17W	10,27N,17W	Douglas			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Beaver Dam Cr.	C	5.0	Mouth	02,46N,23W	Pettis			x	x						
Beaver Dam Cr.	C	5.0	Mouth	Hwy. 54	Audrain			x	x						
Beaver Dam Cr.	P	8.0	Mouth	9,24N,4E	Butler	Ripley	x	x	x				x		
Beaver Dam Cr.	C	2.0	9,24N,4E	5,24N,4E	Ripley			x	x						
Beaver Dam Cr.	C	5.0	Mouth	02,46N,23W	Pettis			x	x						
Trib. to Beaver Dam Cr.	C	0.7	Mouth	25,47N,23W	Pettis			x	x						
Trib. to Beaver Dam Cr.	C	0.8	Mouth	24,47N,23W	Pettis			x	x						
Becky Cobb Cr.	C	4.0	Mouth	29,23N,13W	Ozark			x	x						
Bee Br.	C	6.0	Mouth	10,55N,17W	Chariton			x	x						
Bee Br.	C	4.3	Mouth	06,47N,23W	Pettis			x	x						
Bee Br.	C	5.8	Mouth	20,37N,30W	Vernon			x	x						
Bee Br.	C	0.2	Mouth	32,46N,23W	Pettis	Johnson		x	x						
Bee Cr.	C	4.5	Mouth	7,53N,10W	Monroe			x	x						
Bee Cr.	C	21.0	Mouth	11,55N,35W	Platte	Buchanan		x	x						
Trib. to Bee Cr.	C	2.0	Mouth	3,54N,35W	Platte			x	x						
Bee Cr.	C	1.6	Mouth	17,23N,21W	Taney			x	x			x			
Bee Cr.	C	3.5	Mouth	5,21N,20W	Taney			x	x					x	
Bee Fk.	C	8.5	Mouth	30,32N,1W	Reynolds			x	x	x				x	
Beef Br.	P	2.5	Mouth	11,26N,33W	Newton			x	x						
Beehive Hollow	C	2.0	Mouth	33,26N,4E	Butler			x	x						
Bee Rock Hollow	C	1.4	Mouth	03,31N,07W	Texas			x	x						
Bee Run	C	2.1	Mouth	24,38N,04E	St. Francois			x	x						
Beecham Br.	C	0.9	Mouth	01,36N,29W	Vernon			x	x						
Beeler Br.	P	1.5	Mouth	7,28N,10W	Texas			x	x						
Beeler Br.	C	1.0	7,28N,10W	18,28N,10W	Texas			x	x						
Trib. to Beeler Br.	C	1.0	Mouth	20,28N,10W	Texas			x	x						
Beeman Br.	P	1.0	14,26N,34W	13,26N,34W	McDonald			x	x						
Belew Cr.	P	6.6	Mouth	28,41N,04E	Jefferson			x	x						
Bell Cr.	C	6.0	Mouth	9,37N,12W	Pulaski			x	x						
Bell Fountain Ditch	P	18.0	29,16N,9E	12,16N,11E	Dunklin	Pemiscot		x	x						
Bell Pond Hollow	C	1.5	Mouth	32,24N,11W	Ozark			x	x						
Belleau Cr.	C	4.5	Mouth	6,47N,4E	St. Charles			x	x						
Ben Br.	C	1.0	Mouth	22,44N,8W	Osage			x	x						
Bender Cr.	P	3.0	Mouth	13,31N,9W	Texas			x	x						
Bender Cr.	C	3.0	13,31N,9W	8,31N,8W	Texas			x	x						
Bennett Cr.	C	2.0	Mouth	30,30N,6E	Wayne			x	x						
Bennett Hollow	C	2.0	Mouth	13,23N,15W	Ozark			x	x						
Bennett Springs Cr.	P	2.0	Mouth	Bennett Springs	Laclede			x	x		x				
Bennetts Bayou	P	6.0	State Line	30,22N,10W	Ozark	Howell		x	x						
Bennetts Bayou	C	2.0	30,22N,10W	16,22N,10W	Howell			x	x						
Bennetts R.	C	4.0	State Line	24,22N,10W	Howell			x	x						
Benton Br.	P	0.5	Mouth	11,34N,19W	Dallas			x	x						
Benton Br.	C	1.0	11,34N,19W	11,34N,19W	Dallas			x	x						
Benton Cr.	P	6.0	Mouth	29,36N,5W	Crawford			x	x					x	
Benton Cr.	C	2.0	29,36N,5W	31,36N,5W	Crawford			x	x						
Trib. to Benton Cr.	P	0.5	Mouth	5,36N,5W	Crawford			x	x						
Big Barren Cr.	C	19.0	Mouth	32,26N,2W	Ripley	Carter		x	x	x				x	
Big Berger Cr.	P	10.0	Mouth	26,45N,4W	Franklin			x	x						
Big Berger Cr.	C	7.5	26,45N,4W	17,44N,4W	Franklin	Gasconade		x	x						
Trib. to Big Berger Cr.	C	1.0	Mouth	35,45N,4W	Franklin			x	x						
Big Blue Br.	P	1.0	Mouth	12,31N,9E	Bollinger			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Big Blue Br.	C	1.5	12,31N,9E	6,31N,10E	Bollinger			x	x						
Big Bottom Cr.	C	5.0	Mouth	13,37N,7E	Ste. Genevieve			x	x						
Big Br.	C	2.0	Mouth	22,46N,11W	Callaway			x	x						
Big Br.	C	0.5	Mouth	22,43N,04W	Franklin			x	x						
Trib. to Big Br.	C	0.8	Mouth	14,44N,04W	Franklin			x	x						
Big Branch	C	3.2	Mouth	23,44N,04W	Franklin			x	x						
Big Brushy Cr.	P	8.0	Mouth	9,27N,3E	Wayne	Carter		x	x				x		
Big Brushy Cr.	C	7.0	9,27N,3E	4,27N,2E	Carter			x	x						
Big Buffalo Cr.	P	4.4	Mouth	12,41N,20W	Benton	Morgan		x	x	x					
Big Buffalo Cr.	C	4.1	12,41N,20W	28,41N,19W	Morgan			x	x	x					
Trib. to Big Buffalo Cove	C	0.8	Mouth	35,41N,20W	Benton			x	x						
Trib. to Big Buffalo Cr	C	0.2	Mouth	12,41N,20W	Benton			x	x						
Big Cane Cr.	C	2.0	State Line	26,22N,5E	Butler		x	x	x						
Big Cr.	P	10.0	Mouth	25,48N,1W	Lincoln			x	x			x	x		
Big Cr.	C	10.0	25,48N,1W	8,47N,2W	Lincoln	Warren		x	x						
Big Cr.	P	22.0	Mouth	9,63N,28W	Daviess	Harrison		x	x						x
Big Cr.	P	24.0	Mouth	9,54N,23W	Carroll			x	x						
Big Cr.	C	1.5	9,54N,23W	8,54N,23W	Carroll			x	x						
Big Cr.	P	61.3	Mouth	Hwy. 150	Henry	Jackson		x	x						
Big Cr.	P	7.0	Mouth	21,31N,7E	Wayne	Madison		x	x			x			
Big Cr.	C	4.3	Hwy. 150	20,47N,31W	Jackson			x	x						
Big Cr.	C	3.0	Mouth	16,42N,3W	Franklin			x	x						
Big Cr.	C	3.0	21,31N,7E	9,31N,7E	Madison			x	x						
Big Cr.	C	5.0	Mouth	25,23N,17W	Taney			x	x			x			
Big Cr.	P	18.0	Mouth	5,31N,2W	Shannon			x	x			x			
Big Cr.	C	27.0	Mouth	5,29N,8W	Shannon	Texas		x	x	x					
Trib. to Big Cr.	C	3.8	Mouth	Lake Harrisonville	Cass			x	x						
Trib. to Big Cr.	C	3.0	Mouth	4,29N,8W	Texas			x	x						
Trib. to Big Cr.	C	2.0	Mouth	2,29N,8W	Texas			x	x						
Big Cr.	P	32.0	Mouth	23,33N,3E	Wayne	Iron		x	x	x		x	x		
Big Cr.	C	0.5	23,33N,3E	23,33N,3E	Iron			x	x						
Trib. to Big Cr.	C	1.0	Mouth	24,31N,3E	Iron			x	x						
Trib. to Big Cr.	C	1.0	Mouth	35,32N,3E	Iron			x	x						
Big Cr. Cutoff	C	1.5	Mouth	1,30N,3E	Iron			x	x						
Big Deer Cr.	C	4.0	Mouth	27,42N,31W	Bates			x	x						
Big George Br.	C	2.0	Mouth	18,32N,28W	Barton	Dade		x	x						
Big Gulch	C	1.5	Mouth	8,27N,11W	Douglas			x	x						
Big Hollow Cr.	C	2.0	Mouth	17,32N,10E	Bollinger			x	x						
Big Hollow	C	3.2	Mouth	23,22N,21W	Taney			x	x						
Big Hunting Slough	C	12.0	Mouth	24,23N,6E	Butler			x	x						
Big Lake Bayou	C	13.0	Mouth	25,27N,15E	Mississippi			x	x						
Trib. to Big Lake Bayou	C	3.5	Mouth	19,27N,16E	Mississippi			x	x						
Big Lake Cr.	P	5.5	Mouth	19,28N,5E	Wayne			x	x						
Big Lake Cr.	C	6.0	19,28N,5E	36,29N,4E	Wayne			x	x						
Big Lead Cr.	C	5.0	27,50N,2W	18,50N,2W	Lincoln			x	x						
Big Muddy Cr.	P	8.0	Mouth	33,60N,27W	Daviess			x	x						
Big Muddy Cr.	C	11.0	33,60N,27W	9,61N,27W	Daviess			x	x						
Big Muddy Cr.	P	9.0	Mouth	11,64N,30W	Gentry			x	x						
Big Muddy Cr.	C	8.0	11,64N,30W	3,65N,29W	Gentry	Harrison		x	x						
Big No Cr.	C	4.0	14,62N,23W	26,63N,23W	Grundy			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Big Otter Cr.	C	2.0	Mouth	31,40N,25W	Henry			x	x						
Trib. to Big Otter Cr.	C	1.0	Mouth	32,40N,25W	Henry			x	x						
Big Paddy Cr.	C	4.0	Mouth	32,33N,10W	Texas			x	x						
Big Piney R.	P	99.0	Mouth	16,29N,10W	Pulaski	Texas	x	x	x	x		x	x	x	
Big Piney R.	P	8.0	16,29N,10W	12,28N,11W	Texas			x	x			x	x	x	
Big R.	P	53.0	Mouth	Sur 3166,40N,3E	Jefferson		x	x	x	x		x	x		x
Big R.	P	68.0	Sur 3166,40N,3E	12,35N,1E	Jefferson	Washington		x	x			x			x
Big R.	C	2.5	12,35N,1E	Council Bluff Lk. D.	Washington	Iron		x	x						
Big R.	C	2.0	27,35N,1E	33,35N,1E	Iron			x	x						
Trib. to Big R.	C	0.8	Mouth	21,37N,05E	St. Francois			x	x						
Trib. to Big R.	C	1.0	Mouth	26,39N,3E	Washington			x	x						
Trib. to Big R.	C	1.0	Mouth	2,36N,3E	Washington			x	x						
Big River Cr.	C	0.7	Mouth	09,40N,05W	Gasconade			x	x						
Big Rock Cr.	P	3.0	Mouth	8,65N,30W	Worth			x	x						
Big Rock Cr.	C	3.0	8,65N,30W	36,66N,30W	Worth			x	x						
Big Sugar Cr.	P	31.0	34,22N,32W	27,21N,29W	McDonald	Barry	x	x	x	x		x	x		
Big Sugar Cr.	C	4.0	27,21N,28W	20,21N,28W	Barry			x	x						
Big Tavern Cr.	C	3.0	Mouth	23,46N,7W	Callaway			x	x						
Big Tavern Cr.	P	2.0	Mouth	12,44N,2E	Franklin			x	x						
Big Turkey Cr.	C	14.0	Mouth	5,38N,21W	Benton			x	x						
Bigelow's Cr.	C	5.0	Mouth	15,44N,1E	St. Charles			x	x						
Billies Cr.	C	5.5	Mouth	36,29N,25W	Lawrence			x	x						
Trib. to Billies Cr.	C	1.5	Mouth	10,29N,25W	Lawrence			x	x						
Billy Cr.	C	5.0	Mouth	6,62N,16W	Adair			x	x						
Billy's Br.	P	2.0	Mouth	06,37N,01W	Crawford	Washington		x	x						
Billy's Br.	C	8.0	31,58N,13W	19,59N,13W	Macon			x	x						
Billy's Br.	C	1.6	06,37N,01W	05,37N,01W	Washington			x	x						
Birch Cr.	C	4.5	Mouth	6,42N,1E	Franklin			x	x						
Bird Br.	C	1.0	Mouth	14,41N,22W	Benton			x	x						
Trib. to Bird Br.	C	0.6	Mouth	14,41N,22W	Benton			x	x						
Birkhead Br.	C	2.0	Mouth	16,49N,2E	Lincoln			x	x						
Bitterroot Cr.	C	2.5	Mouth	30,37N,33W	Vernon			x	x						
Black Cr.	C	7.9	Mouth	35,43N,32W	Cass			x	x						
Black Cr.	P	19.0	Mouth	Hwy. 15	Shelby			x	x						
Black Cr.	C	15.0	Hwy. 15	14,59N,12W	Shelby			x	x						
Black Jack Cr.	C	4.0	Mouth	16,47N,25W	Johnson			x	x						
Black R.	P	45.0	State Line	16,25N,6E	Butler	Wayne	x	x	x	x		x	x	x	
Black R.	P	35.0	16,25N,6E	Clearwater Dam	Butler		x	x	x	x		x	x	x	
Black R.	P	26.0	7,29N,3E	17,32N,2E	Reynolds		x	x	x	x		x	x		x
Trib. to Black R.	C	1.5	Mouth	11,30N,2E	Reynolds			x	x						
Trib. to Black R.	C	1.0	Mouth	36,26N,5E	Butler			x	x						
Ditch to Black R.	P	11.0	Mouth	3,23N,7E	Butler		x	x	x						
Ditch to Black R.	C	11.0	3,23N,7E	9,25N,7E	Butler		x	x	x						
Ditch to Black R.	C	12.0	34,24N,7E	35,26N,7E	Butler			x	x						
Black R. Ditch	P	10.0	State Line	32,23N,7E	Butler		x	x	x						
Blackberry Cr.	C	6.5	Mouth	28,30N,33W	Jasper			x	x						
Blackbird Cr.	P	6.0	Mouth	2,64N,17W	Adair	Putnam		x	x			x			
Blackwater R.	P	76.0	Mouth	12,46N,27W	Cooper	Johnson	x	x	x			x	x	x	
Trib. to Blackwater R.	C	0.5	Mouth	21,48N,23W	Pettis			x	x						
Trib. to Blackwater R.	C	1.7	Mouth	29,48N,23W	Pettis			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Blackwater R.	C	0.7	Mouth	19,48N,22W	Saline	Pettis		x	x						
Trib. to Blackwater R.	C	1.1	Mouth	24,48N,22W	Saline	Pettis		x	x						
Blair Cr.	P	8.0	Mouth	31,30N,2W	Shannon			x	x						
Blair Cr.	C	4.0	31,30N,2W	18,30N,2W	Shannon			x	x						
Blair Hollow	C	1.0	Mouth	1,22N,12W	Ozark			x	x						
Blay Cr.	C	2.0	Mouth	36,37N,3E	St. Francois	Washington		x	x						
Block Br.	P	0.3	Mouth	18,41N,04W	Gasconade			x	x						
Block Br.	C	1.6	18,41N,04W	12,41N,05W	Gasconade			x	x						
Bloom Cr.	C	3.5	Mouth	36,36N,7E	Ste. Genevieve			x	x						
Blue Cr.	C	1.5	Mouth	31,46N,8W	Callaway			x	x						
Blue Cr.	P	2.0	Mouth	Hwy. 87	Howard			x	x						
Blue Cr.	C	1.0	Hwy. 87	4,50N,17W	Howard			x	x						
Blue Cr.	P	1.0	Mouth	6,33N,9E	Bollinger			x	x						
Blue Cr.	C	1.0	6,33N,9E	7,33N,9E	Bollinger			x	x						
Blue Ditch	P	6.0	Mouth	14,27N,14E	Scott		x	x	x				x		
Blue Ditch	C	5.0	14,27N,14E	29,28N,14E	Scott		x	x	x				x		
Blue R.	P	4.0	Mouth	Guinotte Dam	Jackson			x	x						x
Blue R.	P	9.0	Guinotte Dam	59th St.	Jackson			x	x				x		x
Blue R.	P	9.0	59th St.	Bannister Rd.	Jackson			x	x			x	x		
Blue R.	C	11.0	Bannister Rd	State Line	Jackson			x	x				x		
Blue Shawnee Cr.	P	2.0	8,33N,13E	17,33N,13E	Cape Girardeau			x	x						
Blue Shawnee Cr.	C	2.0	17,33N,13E	29,33N,13E	Cape Girardeau			x	x						
Tr. to Blue Shawnee Cr.	C	1.5	Mouth	21,33N,13E	Cape Girardeau			x	x						
Blue Spring Cr.	P	1.5	1,40N,16W	35,41N,16W	Miller			x	x						
Blue Spring Cr.	C	0.5	35,41N,16W	26,41N,16W	Miller			x	x						
Blue Spring Slough	C	10.0	26,24N,7E	2,25N,7E	Butler			x	x						
Blue Springs Cr.	P	4.0	Mouth	2,39N,3W	Crawford			x	x		x	x			
Blue Springs Cr.	C	1.0	2,39N,3W	3,39N,3W	Crawford			x	x						
Bluewater Cr.	C	1.5	Mouth	11,26N,6E	Butler			x	x						
Blythes Cr.	P	6.5	Mouth	Bus. Hwy. 54	Moniteau	Miller		x	x						
Bobs Cr.	P1	4.5	Mouth	Hwy. 79	Lincoln			x	x						
Bobs Cr.	P	1.5	Hwy. 79	34,49N,2E	Lincoln			x	x						
Bobs Cr.	C	12.5	34,49N,2E	27,50N,1E	Lincoln			x	x						
Boeuf Cr.	P	28.0	Mouth	15,43N,4W	Franklin		x	x	x			x			
Boeuf Cr.	C	7.0	15,43N,4W	5,42N,4W	Gasconade			x	x						
Trib. to Boeuf Cr.	C	1.0	Mouth	21,44N,3W	Franklin			x	x						
Trib. to Boeuf Cr.	C	1.5	Mouth	17,44N,3W	Franklin			x	x						
Trib. to Boeuf Cr.	C	1.0	Mouth	17,44N,2W	Franklin			x	x						
Trib. to Boeuf Cr.	C	1.5	Mouth	35,45N,3W	Franklin			x	x						
Trib. to Boeuf Cr.	C	0.2	Mouth	12,43N,04W	Franklin			x	x						
Trib. to Boeuf Cr.	C	1.5	Mouth	30,43N,4W	Gasconade			x	x						
Trib. to Boeuf Cr.	C	1.3	Mouth	08,42N,04W	Gasconade			x	x						
Boiling Spring	P	0.1	Mouth	24,32N,10W	Texas			x	x						
Boiling Spr. Hollow	C	1.5	Mouth	3,36N,1W	Washington			x	x						
Bois Brule Cr.	P	1.5	Mouth	20,42N,12W	Cole			x	x						
Bois Brule Cr.	C	9.0	20,42N,12W	20,42N,13W	Cole			x	x						
Trib. to Bois Brule Cr.	C	0.5	Mouth	15,42N,13W	Cole			x	x						
Trib. to Bois Brule Cr.	C	0.5	Mouth	24,42N,13W	Cole			x	x						
Bois Brule Ditch	P	4.0	Mouth	16,36N,11E	Perry			x	x						
Trib. to Bois Brule Ditch	P	2.0	Mouth	4,36N,11E	Perry			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Trib. to Bois Brule Ditch	C	1.0	4,36N,11E	Sur 147,37N,11E	Perry			x	x						
Tr. to Bois Brule Ditch	C	1.0	Mouth	Sur 1870,36N,11E	Perry			x	x						
Bollinger Br.	C	4.0	Mouth	15,24N,12W	Ozark			x	x						
Bollinger Cr.	C	2.0	5,39N,18W	7,39N,18W	Camden			x	x						
Bones Br.	C	5.5	Mouth	29,41N,31W	Bates			x	x						
Bonhomme Cr.	C	2.0	Mouth	1 Mi. above Hwy. 70	St. Louis			x	x						
Bonne Femme Cr.	P	7.0	Mouth	20,47N,12W	Boone			x	x			x			
Bonne Femme Cr.	C	6.0	20,47N,12W	2,47N,12W	Boone			x	x						
Bonne Femme Cr.	P	20.0	Mouth	36,51N,16W	Howard			x	x						
Bonne Femme Cr.	C	11.0	36,51N,16W	22,52N,15W	Howard			x	x						
Boone Cr.	P	3.0	Mouth	16,32N,9W	Texas			x	x						
Boone Cr.	C	3.0	16,32N,9W	15,32N,9W	Texas			x	x						
Boone Cr.	P	3.0	Mouth	29,41N,3W	Franklin			x	x						
Boone Cr.	C	8.0	29,41N,3W	15,40N,3W	Franklin			x	x						
Trib. to Boone Cr.	C	0.3	Mouth	15,40N,03W	Crawford			x	x						
Boones Branch Cr.	C	2.5	Mouth	5,49N,17W	Howard			x	x						
Bounds Cr.	C	2.0	Mouth	30,29N,6E	Wayne			x	x						
Bourbeuse R.	P	132.0	Mouth	4,39N,6W	Franklin	Phelps	x	x	x	x		x	x	x	
Bourbeuse R.	C	9.0	4,39N,6W	12,38N,7W	Phelps			x	x	x					
Trib. to Bourbeuse R.	C	1.8	14,40N,06W	Hwy. B	Gasconade			x	x						
Trib. to Bourbeuse R.	P	0.2	Mouth	14,40N,06W	Gasconade			x	x						
Bourne Cr.	P	1.9	Mouth	04,42N,04E	Jefferson			x	x						
Bradley Cr.	C	1.5	Mouth	6,45N,26W	Johnson			x	x						
Brashear Hollow	C	0.5	Mouth	33,39N,15W	Camden			x	x						
Brawley Cr.	C	3.0	Mouth	26,45N,26W	Johnson			x	x						
Bray Hollow	C	1.0	Mouth	27,23N,15W	Ozark			x	x						
Brazeau Cr.	P	9.0	Mouth	17,34N,13E	Perry			x	x						
Trib. to Brazeau Cr.	C	1.0	7,34N,13E	12,34N,12E	Perry			x	x						
Trib. to Brazeau Cr.	P	2.0	Mouth	7,34N,13E	Perry			x	x						
Brazil Cr.	P	13.0	Mouth	27,38N,1W	Crawford	Washington		x	x			x			
Brazil Cr.	C	1.5	27,38N,1W	26,38N,1W	Washington			x	x						
Brewer Lake	P	3.5	8,26N,18E	26,27N,17E	Mississippi			x	x						
Brewer Lake Ditch	C	4.5	5,26N,18E	20,26N,18E	Mississippi			x	x						
Brewers Cr.	P	2.5	Mouth	29,34N,5E	Madison			x	x						
Brewers Cr.	C	1.0	29,34N,5E	19,34N,5E	Madison			x	x						
Trib. to Brewers Cr.	C	0.5	Mouth	19,34N,5E	Madison			x	x						
Briar Cr.	C	6.0	Mouth	13,23N,1E	Ripley			x	x						
Brickley Hollow	C	0.8	Mouth	35,41N,21W	Benton			x	x						
Bridge Cr.	C	7.0	Mouth	7,65N,13W	Scotland	Schuyler		x	x						
Bridge Cr.	C	13.0	Mouth	13,63N,12W	Lewis	Knox		x	x						
Bridge Cr.	C	1.5	Mouth	36,55N,23W	Carroll			x	x						
Bridges Cr.	C	5.0	Mouth	17,22N,11W	Ozark			x	x						
Bright Hollow	C	2.0	Mouth	32,25N,20W	Taney	Christian		x	x						
Brixey Cr.	C	2.5	Mouth	17,24N,13W	Ozark			x	x						
Broadus Br.	C	1.5	Mouth	15,37N,18W	Camden			x	x						
Brock Cr.	P	3.5	Mouth	3,35N,1E	Washington			x	x						
Brock Cr.	C	1.5	3,35N,1E	4,35N,1E	Washington			x	x						
Trib. to Brock Cr.	C	1.0	Mouth	35,36N,1E	Washington			x	x						
Browning Hollow	C	1.0	Mouth	20,26N,26W	Lawrence			x	x						
Browns Br.	C	3.0	Mouth	6,43N,1E	Franklin			x	x						
Trib. to Browns Br.	C	3.0	Mouth	13,43N,1W	Franklin			x	x						
Brush Cr.	C	4.0	Mouth	35,65N,14W	Schuyler			x	x						
Brush Cr.	C	5.0	Mouth	14,56N,10W	Monroe			x	x						
Brush Cr.	C	4.0	Mouth	2,53N,9W	Monroe			x	x						
Brush Cr.	C	7.0	Mouth	10,49N,4W	Montgomery			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Brush Cr.	P	1.6	Mouth	17,43N,10W	Osage			x	x						
Brush Cr.	C	8.0	Mouth	8,51N,34W	Platte			x	x						
Brush Cr.	C	5.4	Mouth	36,50N,27W	Lafayette			x	x						
Brush Cr.	C	4.5	Mouth	26,66N,25W	Mercer			x	x						
Brush Cr.	C	5.0	Mouth	8,65N,26W	Harrison			x	x						
Brush Cr.	C	22.5	Mouth	2,59N,17W	Chariton	Macon		x	x						
Brush Cr.	P	0.5	Mouth	27,43N,14W	Cole			x	x						
Brush Cr.	C	5.0	27,43N,14W	16,42N,14W	Cole	Miller		x	x						
Trib. to Brush Cr.	C	1.0	Mouth	34,43N,14W	Cole			x	x						
Brush Cr.	C	2.0	Mouth	32,40N,17W	Camden			x	x						
Brush Cr.	C	1.5	Mouth	27,38N,25W	St. Clair	Polk		x	x						
Brush Cr.	C	9.2	Mouth	30,43N,22W	Benton			x	x						
Trib. to Brush Cr.	C	1.6	Mouth	15,42N,23W	Benton			x	x						
Brush Cr.	P	3.2	Mouth	19,42N,23W	Henry	Benton		x	x						
Brush Cr.	P	13.2	Mouth	16,35N,24W	St. Clair	Polk		x	x	x			x		
Brush Cr.	C	2.0	16,35N,24W	28,35N,24W	Polk			x	x						
Brush Cr.	P	4.5	Mouth	27,33N,16W	Laclede			x	x						
Brush Cr.	C	2.0	27,33N,16W	32,33N,16W	Laclede			x	x						
Brush Cr.	C	1.1	16,35N,24W	15,35N,24W	St. Clair	Polk		x	x						
Brush Cr.	P	2.5	Mouth	18,42N,8W	Osage			x	x						
Brush Cr.	C	2.0	18,42N,8W	14,42N,9W	Osage			x	x						
Trib. to Brush Cr.	C	1.5	Mouth	19,42N,8W	Osage			x	x						
Trib. to Brush Cr.	C	2.0	Mouth	24,42N,9W	Osage			x	x						
Brush Cr.	P	1.0	Mouth	3,40N,1W	Franklin			x	x						
Brush Cr.	C	2.0	3,40N,1W	10,40N,1W	Franklin			x	x						
Brush Cr.	C	2.0	Mouth	11,43N,2E	Franklin			x	x						
Brush Cr.	C	1.5	Mouth	26,41N,6W	Gasconade			x	x						
Brush Cr.	P	14.5	Mouth	Indian Lake Dam	Gasconade	Crawford		x	x					x	
Brush Cr.	C	2.0	23,39N,5W	27,39N,5W	Crawford			x	x						
Trib. to Brush Cr.	C	0.2	Mouth	28,36N,25W	St. Clair			x	x						
Trib. to Brush Cr.	C	1.2	Mouth	30,36N,25W	St. Clair			x	x						
Trib. to Brush Cr.	C	0.1	Mouth	26,39N,05W	Crawford			x	x						
Trib. to Brush Cr.	C	1.0	Mouth	34,40N,5W	Crawford			x	x						
Trib. to Brush Cr.	C	1.0	Mouth	30,40N,4W	Crawford			x	x						
Brushy Cr.	P	7.0	Mouth	11,25N,13W	Ozark	Douglas		x	x						
Brush Cr.	C	1.5	11,25N,13W	1,25N,13W	Douglas			x	x						
Brush Cr.	C	1.0	Mouth	34,31N,4E	Iron			x	x						
Brush Cr.	C	2.0	Mouth	13,28N,8E	Wayne	Bollinger		x	x						
Brush Fk.	C	1.1	Mouth	23,45N,06W	Gasconade			x	x						
Brushy Br.	C	1.0	Mouth	1,42N,6W	Gasconade			x	x						
Brushy Br.	C	1.5	Mouth	11,49N,7W	Callaway			x	x						
Brushy Cr.	C	3.0	Mouth	Sur 1708,51N,1W	Lincoln			x	x						
Brushy Cr.	C	11.0	Mouth	State Line	Nodaway	Worth		x	x						
Brushy Cr.	C	7.0	Mouth	18,54N,29W	Caldwell	Ray		x	x						
Brushy Cr.	C	2.0	Mouth	1,52N,32W	Clay			x	x						
Brushy Cr.	C	5.0	Mouth	30,60N,26W	Daviess			x	x						
Brushy Cr.	C	5.0	Mouth	8,57N,29W	Caldwell			x	x						
Brushy Cr.	C	5.0	Mouth	7,46N,11W	Boone			x	x						
Brushy Cr.	P	0.8	Mouth	05,40N,20W	Benton			x	x						
Brushy Cr.	P	3.0	Mouth	Hwy. 63	Texas			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Brushy Cr.	C	4.0	Hwy. 63	14,30N,09W	Texas			x	x						
Brushy Cr.	C	2.5	Mouth	7,35N,9E	Ste. Genevieve			x	x						
Brushy Cr.	C	6.0	Mouth	Hwy. 125	Taney			x	x						
Brushy Cr.	P	3.0	Mouth	17,30N,3W	Shannon			x	x						
Brushy Cr.	C	1.0	17,30N,3W	16,30N,3W	Shannon			x	x						
Brushy Cr.	C	1.5	Mouth	27,46N,23W	Pettis			x	x						
Brushy Cr.	C	0.5	5W32,46N,21W	SE6,46N,21W	Pettis			x	x						
Brushy Cr.	C	4.0	Mouth	25,33N,1W	Reynolds			x	x						
Brushy Cr.	P	3.0	Mouth	28,27N,4E	Wayne			x	x					x	
Brushy Cr.	C	1.5	28,27N,4E	30,27N,4E	Wayne			x	x					x	
Brushy Cr.	P	3.0	Mouth	SW32,46N,21W	Pettis			x	x						
Brushy Fk.	C	4.0	Mouth	21,40W,2E	Lincoln			x	x						
Brushy Fk.	C	5.0	Mouth	12,39N,14W	Miller			x	x	x				x	
Brushy Fk.	C	1.0	Mouth	12,38N,1W	Washington			x	x						
Brushy Hollow	C	1.0	Mouth	25,23N,15W	Ozark			x	x						
Brushy Hollow Br.	P	1.5	Mouth	Sur 430,37N,2E	Washington			x	x						
Bryant Cr.	P	13.5	5,22N,12W	3,23N,12W	Ozark	Douglas		x	x	x				x	x
Bryant Cr.	P	1.0	3,23N,12W	34,24N,12W	Ozark			x	x			x		x	x
Bryant Cr.	P	43.0	34,24N,12W	17,27N,15W	Ozark	Douglas		x	x	x				x	x
Trib. to Bryant Cr.	C	1.5	Mouth	14,24N,13W	Ozark			x	x						
Bryants Cr.	C	13.5	Mouth	33,51N,1E	Pike	Lincoln		x	x						
Trib. to Bryants Cr.	C	3.0	Mouth	17,51N,1E	Lincoln			x	x						
Trib. to Bryants Cr.	C	1.0	Mouth	20,51N,1E	Lincoln			x	x						
Buchler Cr.	P	1.4	Mouth	14,42N,09W	Osage			x	x						
Buck Br.	C	6.0	Mouth	18,29N,31W	Jasper			x	x						
Buck Cr.	C	1.0	Mouth	14,40N,5E	Jefferson			x	x						
Buck Cr.	P	4.0	Mouth	24,33N,9E	Bollinger			x	x						
Buck Cr.	C	1.0	24,33N,9E	14,33N,9E	Bollinger			x	x						
Buck Elk Br.	C	1.0	Mouth	11,41N,8W	Osage			x	x						
Buck Elk Cr.	P	1.5	Mouth	9,41N,8W	Osage			x	x						
Buck Elk Cr.	C	1.0	9,41N,8W	10,41N,8W	Osage			x	x						
Buck Lick Cr.	C	5.0	Mouth	30,44N,2W	Franklin			x	x						
Trib. to Buck Lick Cr.	C	1.5	Mouth	24,44N,3W	Franklin			x	x						
Trib. to Buck Lick Cr.	C	1.0	Mouth	29,44N,2W	Franklin			x	x						
Buckeye Cr.	P	3.0	Mouth	Hwy. 61	Cape Girardeau			x	x						
Buckeye Cr.	C	2.0	Hwy 61	26,33N,12E	Cape Girardeau			x	x						
Buffalo Cr.	P	2.0	Mouth	5,53N,1W	Pike			x	x						
Buffalo Cr.	C	4.0	5,53N,1W	18,53N,1W	Pike			x	x						
Buffalo Cr.	P	5.0	Mouth	20,24N,1E	Ripley		x	x	x						
Buffalo Cr.	P	10.0	State Line	5,23N,33W	McDonald		x	x	x	x	x			x	x
Buffalo Cr.	P	5.5	5,23N,33W	14,24N,33W	Newton		x	x	x	x				x	x
Buffalo Cr.	C	1.5	14,24N,33W	12,24N,33W	Newton			x	x						
Buffalo Cr.	C	2.1	Mouth	28,48N,22W	Saline	Pettis		x	x						
Buffalo Ditch	P	18.0	State Line	11,18N,9E	Dunklin			x	x						
Buffalo Ditch	C	3.0	11,18N,9E	36,19N,9E	Dunklin			x	x						
Bull Cr.	P	5.0	Mouth	34,24N,21W	Taney		x	x	x			x		x	x
Bull Cr.	P	17.5	34,24N,21W	33,26N,20W	Taney	Christian	x	x	x	x				x	x
Bull Cr.	C	3.0	33,26N,20W	22,26N,20W	Christian			x	x					x	
Bullskin Cr.	P	3.0	Mouth	26,24N,32W	McDonald	Newton	x	x	x						
Buncomb Br.	C	1.2	Mouth	26,48N,23W	Pettis			x	x						
Burgher Br.	C	2.0	Mouth	7,37N,7W	Phelps			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Burkhart Br.	C	3.5	Mouth	12,31N,12W	Texas			x	x						
Burney Br.	C	4.5	Mouth	21,31N,24W	Dade	Greene		x	x						
Burr Oak Cr.	C	2.0	Mouth	33,54N,25W	Carroll			x	x						
Burr Oak Cr.	C	6.5	Mouth	19,49N,31W	Jackson			x	x						
Burris Fk.	P	11.5	Mouth	10,43N,16W	Moniteau			x	x			x	x		
Burris Fk.	C	8.0	10,43N,16W	25,43N,17W	Moniteau	Morgan		x	x						
Trib. to Burris Fk.	C	0.5	Mouth	3,43N,16W	Moniteau			x	x						
Trib. to Burris Fk.	C	0.5	Mouth	34,44N,16W	Moniteau			x	x						
Burton Br.	C	2.0	Mouth	13,31N,10W	Texas			x	x						
Busch Cr.	C	2.0	Mouth	34,44N,1W	Franklin			x	x						
Trib. to Busch Cr.	C	1.5	Mouth	35,44N,1W	Franklin			x	x						
Trib. to Busch Cr.	C	2.0	Mouth	34,44N,1W	Franklin			x	x						
Butcher Br.	P	1.6	Mouth	12,40N,04E	Jefferson			x	x						
Butcher Cr.	C	1.0	Mouth	16,48N,1E	Lincoln			x	x						
Trib. to Butcher Cr.	C	1.0	Mouth	22,48N,1E	Lincoln			x	x						
Butler Cr.	P	3.5	Mouth	State Line	McDonald		x	x	x	x			x		
Butter Cr.	C	4.0	State Line	17,21N,27W	Barry			x	x						
Bynum Cr.	C	4.5	Mouth	16,49N,9W	Callaway			x	x						
Byrd Cr.	P	12.0	Mouth	Sur 325,32N,12E	Cape Girardeau			x	x						
Byrd Cr.	C	1.5	Sur 325,32,12E	4,32N,12E	Cape Girardeau			x	x						
Trib. to Byrd Cr.	C	1.0	Mouth	Sur 2236,32N,12E	Cape Girardeau			x	x						
Cabanne Course	C	1.5	Mouth	3,37N,4E	St. Francois			x	x						
Cache R. Ditch	C	7.0	State Line	36,23N,7E	Butler		x	x	x						
Cadet Cr.	P	1.0	Mouth	34,44N,10W	Osage			x	x						
Cadet Cr.	C	1.0	34,44N,10W	34,43N,10W	Osage			x	x						
Cadet Cr.	P	2.0	Mouth	27,38N,3E	Washington			x	x						
Cahoochie Cr.	C	4.0	Mouth	9,36N,20W	Dallas			x	x						
Calico Cr.	P	2.5	Mouth	36,40N,02E	Jefferson	Washington		x	x				x		
Calico Cr.	C	1.5	36,40N,02E	2,39N,2E	Washington			x	x						
California Br.	C	2.5	Mouth	17,40N,1E	Franklin	Washington		x	x						
Callahan Cr.	C	11.5	Mouth	23,50N,14W	Boone			x	x						
Callaway Fk.	C	6.0	Mouth	1,45N,1E	St. Charles			x	x						
Calton Cr.	C	5.0	Mouth	16,25N,26W	Barry			x	x						
Calumet Cr.	P	1.5	Mouth	18,53N,1E	Pike			x	x						
Calumet Cr.	C	4.0	18,53N,1E	26,53N,1W	Pike			x	x						
Calvey Cr.	P	3.0	Mouth	4,42N,2E	Franklin			x	x						
Calvey Cr.	C	4.0	4,42N,2E	13,42N,2E	Franklin			x	x						
Camp Br.	C	4.0	Mouth	27,48N,3W	Warren			x	x						
Camp Br.	C	13.0	Mouth	28,45N,30W	Johnson	Cass		x	x						
Camp Br.	C	6.0	Mouth	20,39N,29W	Bates			x	x						
Camp Br.	C	3.5	Mouth	35,29N,10W	Texas			x	x						
Camp Br.	C	4.3	Smithvle Lk	36,54N,32W	Clay			x	x						
Camp Br.	C	8.2	Mouth	24,45N,23W	Pettis			x	x						
Trib. to Camp Br.	C	0.7	Mouth	23,45N,22W	Pettis			x	x						
Trib. to Camp Br.	C	0.8	Mouth	24,45N,22W	Pettis			x	x						
Trib. to Camp Br.	C	0.3	Mouth	29,45N,22W	Pettis			x	x						
Camp Cr.	P	5.0	Mouth	26,49N,3W	Lincoln	Warren		x	x						
Camp Cr.	C	5.0	26,49N,3W	16,48N,3W	Warren			x	x						
Camp Cr.	C	3.5	Mouth	27,45N,22W	Pettis			x	x						
Camp Cr.	C	5.0	Mouth	24,50N,20W	Saline			x	x						
Camp Cr.	C	3.0	Mouth	23,38N,9W	Phelps			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Camp Cr.	C	1.0	Mouth	16,25N,21W	Christian			x	x						
Camp Cr.	P	5.5	Mouth	34,30N,4E	Wayne			x	x						
Camp Cr.	C	1.0	34,30N,4E	33,30N,4E	Wayne			x	x						
Camp Cr.	C	0.5	29,36N,06E	Hwy. EE	St. Francois			x	x						
Trib. to Camp Cr.	C	1.1	Mouth	Hwy. EE	St. Francois			x	x						
Campbell Br.	C	2.0	Mouth	7,48N,2E	Lincoln			x	x						
Campbell Cr.	C	3.0	Mouth	18,61N,30W	Gentry			x	x						
Campbell Cr.	C	5.5	Mouth	24,56N,23W	Livingston			x	x						
Cane Cr.	P	8.0	Mouth	Sur 3146,32N,12E	Cape Girardeau			x	x						
Cane Cr.	C	4.0	Sur 3146,32N,12E	Hwy. 55	Cape Girardeau			x	x						
Trib. to Cane Cr.	P	1.5	Mouth	Sur 2138,32N,12E	Cape Girardeau			x	x						
Cane Cr.	P	7.0	Mouth	6,29N,10E	Bollinger			x	x						
Cane Cr.	C	3.0	6,29N,10E	27,30N,9E	Bollinger			x	x						
Cane Cr.	C	3.0	Mouth	28,23N,18W	Taney			x	x	x					
Cane Cr.	C	6.0	26,22N,5E	36,23N,5E	Butler		x	x	x						
Cane Cr.	P	23.0	36,23N,5E	5,25N,5E	Butler		x	x	x	x		x	x		
Cane Cr.	C	15.0	5,25N,5E	15,26N,3E	Butler	Carter		x	x	x		x			
Trib. to Cane Cr.	C	1.0	Mouth	35,26N,4E	Butler			x	x						
Trib. to Cane Cr.	C	1.0	Mouth	10,26N,4E	Butler			x	x						
Trib. to Cane Cr.	C	1.0	Mouth	8,26N,4E	Butler			x	x						
Cane Cr. Ditch	P	7.0	State Line	36,23N,5E	Butler		x	x	x					x	
Caney Cr.	C	4.0	Mouth	12,24N,17W	Taney			x	x			x			
Caney Cr.	C	7.0	Mouth	5,23N,13W	Ozark			x	x						
Caney Cr.	C	11.5	9,28N,12E	36,29N,13E	Scott			x	x						
Cannon Br.	P	0.3	Mouth	17,36N,25W	St. Clair			x	x						
Cansy Fk.	P	5.0	Mouth	3,32N,11E	Cape Girardeau			x	x						
Cansy Fk.	C	4.0	3,32N,11E	28,33N,11E	Cape Girardeau			x	x						
Cantrell Cr.	P	7.0	Mouth	28,30N,16W	Webster			x	x						
Cantrell Cr.	C	6.0	28,30N,16W	32,30N,16W	Webster			x	x						
Cape Cr.	P	1.0	Mouth	22,33N,8E	Madison			x	x						
Cape Cr.	C	0.5	22,33N,8E	22,33N,8E	Madison			x	x						
Cape La Croix Cr.	P	8.5	Mouth	23,31N,13E	Cape Girardeau			x	x						
Cape La Croix Cr.	C	1.0	23,31N,13E	11,31N,13E	Cape Girardeau			x	x						
Capps Cr.	P	4.0	Mouth	17,25N,28W	Newton	Barry	x	x	x		x	x	x		
Trib. to Capps Cr.	P	1.0	Mouth	14,25N,29W	Newton			x	x						
Captain Cr.	C	1.0	Mouth	24,32N,5E	Madison			x	x						
Carney Cr.	C	4.0	Mouth	3,24N,25W	Barry			x	x						
Carroll Cr.	C	9.4	Mouth	04,53N,30W	Clay			x	x						
Carter Cr.	C	1.0	Mouth	5,39N,2W	Crawford			x	x						
Carter Cr.	C	5.5	Mouth	4,27N,1E	Carter			x	x						
Carver Br.	P	2.0	Mouth	13,26N,32W	Newton			x	x				x		
Carver Cr.	C	3.0	Mouth	33,43N,21W	Benton			x	x						
Carver Cr.	P	1.0	Mouth	28,32N,3E	Iron			x	x						
Carver Cr.	C	3.0	28,32N,3E	16,32N,3E	Iron			x	x						
Casmer Br.	C	1.5	Mouth	12,48N,2W	Lincoln			x	x						
Cason Br.	C	2.5	Mouth	21,45N,10W	Callaway			x	x						
Castile Cr.	C	32.0	Mouth	24,58N,32W	Buchanan	DeKalb		x	x				x	x	
Trib. to Castile Cr.	C	1.0	Mouth	3,56N,32W	Clinton			x	x						
Casto Cr.	C	3.5	Mouth	14,27N,16W	Douglas			x	x						
Castor R.	P	45.5	Mouth	31,28N,10E	Stoddard			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Castor R.	C	10.5	31,28N,10E	12,28N,9E	Stoddard	Bollinger		x	x						
Castor R.	P	6.5	12,28N,9E	29,29N,9E	Bollinger		x	x	x			x	x		
Castor R.	P	59.5	29,29N,9E	19,34N,8E	Bollinger	Madison		x	x	x		x	x		
Castor R.	C	2.0	19,34N,8E	7,34N,8E	Madison	St. Francois		x	x						
Trib. to Castor R.	P	1.5	Mouth	5,28N,9E	Bollinger			x	x						
Trib. to Castor R.	C	0.5	5,28N,9E	Hwy. 51	Bollinger			x	x						
Trib. to Castor R.	P	3.0	Mouth	23,34N,7E	Madison			x	x						
Trib. to Castor R.	C	1.0	Mouth	25,34N,7E	Madison			x	x						
Trib. to Castor R.	C	1.5	Mouth	16,28N,10E	Bollinger	Stoddard		x	x						
Castor R. Div. Chan.	P	13.0	4,29N,11E	12,28N,9E	Cape Girardeau	Bollinger		x	x			x	x	x	
Castro Valley	C	4.0	Mouth	1,29N,6W	Shannon			x	x						
Cat Hollow	C	2.0	Mouth	33,35N,18W	Dallas			x	x						
Cathcart Hollow	C	1.6	Mouth	20,31N,09W	Texas			x	x						
Cato Slough	P	1.5	Mouth	2,27N,9E	Stoddard			x	x						
Cato Slough	C	4.0	2,27N,9E	15,28N,9E	Bollinger		x	x	x						
Cave Br.	C	2.0	30,36N,26W	13,36N,26W	Cedar			x	x						
Cave Cr.	C	3.0	Mouth	14,34N,18W	Dallas			x	x						
Cave Spring Br.	C	1.0	16,28N,29W	21,28N,29W	Jasper			x	x						
Cave Fk. Cr.	C	3.0	Mouth	10,24N,1W	Ripley			x	x						
Cave Spring Cr.	C	1.0	Mouth	5,43N,33W	Cass			x	x						
Cave Spring Hollow	C	1.5	Mouth	12,29N,2E	Reynolds			x	x						
Cedar Bottom Cr.	P	3.5	Mouth	32,33N,6E	Madison			x	x						
Cedar Bottom Cr.	C	3.0	32,33N,6E	10,32N,6E	Madison			x	x						
Cedar Br.	P	3.0	Mouth	16,31N,10E	Bollinger			x	x						
Cedar Br.	C	2.0	16,31N,10E	8,31N,10E	Bollinger			x	x						
Cedar Cr.	P	14.0	Mouth	21,46N,11W	Callaway			x	x					x	
Cedar Cr.	C	33.0	21,46N,11W	3,49N,11W	Callaway			x	x						
Trib. to Cedar Cr.	C	0.5	Mouth	32,46N,11W	Callaway			x	x						
Trib. to Cedar Cr.	C	1.5	Mouth	14,49N,11W	Callaway			x	x						
Cedar Cr.	P	8.0	Mouth	Hwy. 100	Osage			x	x					x	
Cedar Cr.	C	4.5	Hwy. 100	3,43N,8W	Osage			x	x						
Cedar Cr.	C	4.9	Mouth	34,40N,08W	Maries			x	x						
Cedar Cr.	C	5.1	Mouth	12,47N,32W	Jackson			x	x						
Cedar Cr.	C	3.0	Mouth	26,46N,21W	Pettis			x	x						
Cedar Cr.	P	27.0	Mouth	20,34N,27W	Cedar		x	x	x			x	x		
Cedar Cr.	C	16.5	20,34N,27W	10,32N,28W	Cedar	Dade		x	x						
Cedar Cr.	C	2.0	Mouth	15,42N,6W	Gasconade			x	x						
Cedar Cr.	P	10.0	Mouth	Hwy. 32	Washington	Iron		x	x			x			
Cedar Cr.	C	2.0	Hwy. 32	32,35N,2E	Iron			x	x						
Trib. to Cedar Cr.	C	1.0	Mouth	3,34N,2E	Iron			x	x						
Cedar Cr.	C	1.0	2,22N,19W	6,22N,18W	Taney			x	x						
Cedar Cr.	P	6.5	Mouth	11,30N,6E	Wayne			x	x						
Cedar Cr.	P	2.5	Mouth	28,26N,32W	Newton			x	x						
Cedar Fk.	P	4.0	Mouth	9,35N,9E	Perry			x	x						
Cedar Fk.	C	1.0	9,35N,9E	16,35N,9E	Perry			x	x						
Cedar Fk.	C	9.0	Mouth	18,43N,3W	Franklin			x	x						
Center Cr.	P	26.0	14,28N,34W	34,28N,31W	Jasper		x	x	x	x		x	x		x
Center Cr.	P	22.0	34,28N,31W	23,27N,29W	Jasper	Newton	x	x	x			x	x		x
Center Cr.	P	3.0	23,27N,29W	17,27N,28W	Newton	Lawrence	x	x	x		x	x	x		x
Center Cr.	P	4.0	17,27N,29W	26,27N,28W	Lawrence			x	x			x			
Trib. to Center Cr.	C	1.0	Mouth	21,27N,29W	Newton			x	x						
Chaney Br.	C	3.0	Mouth	6,32N,28W	Barton	Dade		x	x						
Chapel Cr.	C	2.0	Mouth	Sur 2149,33N,6E	Madison			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Chapman Br.	C	1.5	Mouth	33,64N,32W	Gentry			x	x						
Chariton R.	P	110.0	Mouth	State Line	Chariton	Putnam	x	x	x			x	x		
Old Chan. Chariton R.	C	7.5	24,65N,16W	34,66N,16W	Putnam	Schuyler		x	x						
Old Chan. Chariton R.	C	2.0	Mouth	32,56N,16W	Chariton			x	x						
Old Chan. Chariton R.	P	14.5	Mouth	9,52N,18W	Chariton			x	x						
Old Chan. Chariton R.	C	11.0	9,52N,18W	29,53N,18W	Chariton			x	x						
Trib. to Chariton R.	C	1.5	Mouth	33,66N,16W	Putnam			x	x						
Charleton Hollow	P	0.5	5,23N,33W	4,23N,33W	McDonald			x	x						
Charrette Cr.	P	10.5	Mouth	14,45N,2W	Warren			x	x					x	
Charrette Cr.	P	6.0	14,45N,2W	24,46N,2W	Warren			x	x					x	
Charrette Cr.	C	5.0	24,46N,2W	9,46N,1W	Warren			x	x						
Cheese Cr.	C	5.6	Mouth	09,43N,21W	Pettis	Benton		x	x						
Cherry Valley Cr.	C	3.0	Mouth	10,37N,3W	Crawford			x	x						
Trib. to Cherry Valley Cr.	C	1.2	Mouth	Hwy.BB	Crawford			x	x						
Chesapeake Cr.	P	3.0	Mouth	29,28N,25W	Lawrence			x	x		x				
Cicero Cr.	P	1.0	Mouth	9,38N,1W	Washington			x	x						
Cinque Hommes Cr.	P	20.0	Mouth	Hwy. 51	Perry			x	x						
Cinque Hommes Cr.	C	2.0	Hwy. 51	36,35N,10E	Perry			x	x						
Clabber Cr.	C	3.0	Mouth	14,45N,9W	Callaway			x	x						
Clammer Br.	C	1.0	Mouth	8,38N,27W	St. Clair			x	x						
Clark Br.	C	8.0	Mouth	29,56N,18W	Chariton			x	x						
Clark Cr.	P	4.5	Mouth	12,29N,14W	Wright			x	x						
Clark Cr.	C	2.0	12,29N,14W	3,28N,14W	Wright			x	x						
Clark Cr.	P	10.0	Mouth	20,29N,4E	Wayne			x	x		x				
Clark Cr.	C	1.5	20,29N,4E	29,29N,4E	Wayne			x	x						
Clark Fk.	C	7.0	Mouth	15,47N,16W	Cooper			x	x						
Trib. to Clark Fk.	C	0.5	Mouth	15,47N,16W	Cooper			x	x						
Clark Fk.	P	1.0	Mouth	15,43N,13W	Cole			x	x						
Clark Fk.	C	6.0	15,43N,13W	34,43N,13W	Cole			x	x						
Clayton Br.	P	2.0	Mouth	20,34N,1E	Iron			x	x						
Clayton Br.	C	1.0	20,34N,1E	18,34N,1E	Iron			x	x						
Clayton Hollow	C	1.0	Mouth	3,24N,18W	Taney			x	x						
Clear Cr.	C	3.0	Mouth	10,57N,5W	Marion			x	x						
Clear Cr.	C	5.0	Mouth	27,56N,10W	Monroe			x	x						
Clear Cr.	C	12.0	Mouth	State Line	Nodaway			x	x						
Clear Cr.	P	4.0	Mouth	Hwy. 92	Clay			x	x						
Clear Cr.	C	13.5	Hwy. 92	09,54N,31W	Clinton			x	x						
Trib. to Clear Cr.	C	2.0	Mouth	15,54N,31W	Clinton			x	x						
Clear Cr.	C	6.0	Mouth	25,59N,26W	Daviess			x	x						
Clear Cr.	C	5.5	Mouth	22,47N,19W	Cooper			x	x						
Clear Cr.	C	4.3	Mouth	27,42N,23W	Benton			x	x						
Trib. to Clear Cr.	C	0.6	Mouth	28,42N,23W	Benton			x	x						
Clear Cr.	C	4.0	Mouth	11,44N,30W	Cass			x	x						
Clear Cr.	P	15.5	7,37N,27W	10,35N,29W	St. Clair	Vernon		x	x					x	
Clear Cr.	C	15.0	10,35N,29W	16,34N,30W	Vernon			x	x						
Trib. to Clear Cr.	C	1.5	Mouth	05,34N,30W	Vernon			x	x						
Trib. to Clear Cr.	C	1.3	Mouth	32,34W,30W	Vernon			x	x						
Clear Cr.	P	15.0	Mouth	4,29N,23W	Greene			x	x						
Clear Cr.	C	4.0	Mouth	5,47N,5W	Montgomery			x	x						
Clear Cr.	C	2.5	Mouth	36,49N,6W	Montgomery			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW— Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life
and Human Health—Fish Consumption

CLF— Cool Water Fishery
CDF— Cold Water Fishery
WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Clear Cr.	C	2.0	Mouth	16,37N,1W	Washington			x	x						
Clear Cr.	C	2.0	Mouth	16,39N,6W	Phelps			x	x						
Clear Cr.	C	5.0	Mouth	17,39N,2E	Washington			x	x						
Clear Cr.	P	4.0	Mouth	19,36N,2E	Washington			x	x						
Clear Cr.	C	2.0	19,36N,2E	13,36N,1E	Washington			x	x						
Trib. to Clear Cr.	C	1.0	Mouth	21,36N,2E	Washington			x	x						
Trib. to Clear Cr.	C	1.6	Mouth	26,39N,06W	Phelps			x	x						
Trib. to Clear Cr.	C	0.4	Mouth	14,44N,25W	Johnson			x	x						
Clear Cr.	P	9.0	Mouth	28,26N,28W	Newton	Lawrence		x	x						
Clear Cr.	C	2.0	28,26N,28W	36,26N,28W	Lawrence	Barry		x	x						
Clear Fk.	P	24.5	Mouth	35,45N,25W	Johnson			x	x						
Clear Fk.	C	9.4	35,45N,25W	18,44N,24	Johnson			x	x						
Clear Fk.	C	1.5	Mouth	32,42N,6W	Gasconade			x	x						
Trib. to Clear Fk.	C	1.6	Mouth	04,44N,25W	Johnson			x	x						
Trib. to Clear Fk.	C	0.8	Mouth	15,44N,25W	Johnson			x	x						
Clear Spring	P	0.1	Mouth	19,28N,08W	Texas			x	x						
Cliffy Br.	C	2.0	Mouth	36,44N,15W	Moniteau			x	x						
Clifton Cr.	C	5.0	Mouth	10,45N,11W	Callaway			x	x						
Clifty Cr.	C	11.0	Mouth	16,27N,12W	Douglas			x	x						
Clifty Hollow Cr.	C	2.9	Mouth	11,38N,10W	Maries			x	x						
Clubb Cr.	P	3.0	Mouth	2,29N,9E	Bollinger		x	x	x						
Clubb Cr.	C	2.5	2,29N,9E	33,30N,9E	Bollinger			x	x						
Coakley Hollow	C	1.0	Mouth	9,38N,15W	Camden			x	x						
Coal Cr.	C	2.0	Mouth	1,65N,26W	Harrison			x	x						
Coal Cr.	P	3.0	Mouth	35,42N,26W	Henry			x	x						
Coates Br.	P	3.0	Mouth	36,32N,24W	Polk			x	x						
Coatney Cr.	P	2.0	Mouth	15,36N,19W	Dallas			x	x						
Cobb Cr.	P	1.5	Mouth	21,33N,14W	Laclede			x	x						
Cobb Cr.	C	1.5	21,33N,14W	32,33N,14W	Laclede			x	x						
Coffman Hollow	C	1.0	Mouth	14,37N,1W	Washington			x	x						
Coldwater Cr.	C	3.0	34,44N,31N	8,43N,33W	Cass			x	x						
Coldwater Cr.	C	5.5	Mouth	Hwy. 67	St. Louis			x	x						
Coldwater Cr.	P	4.5	Mouth	27,35N,8E	Ste. Genevieve			x	x						x
Coldwater Cr.	C	0.5	27,35N,8E	33,35N,8E	Ste. Genevieve			x	x						
Cole Camp Cr.	P	16.4	Mouth	08,42N,21W	Benton			x	x		x				
Cole Camp Cr.	C	4.3	08,42N,21W	27,43N,21W	Benton			x	x						
Cole Cr.	C	5.0	Mouth	Hwy. 70	St. Charles			x	x						
Cole Cr.	C	2.0	Mouth	17,51N,14W	Howard			x	x						
Cole Cr.	C	1.5	Mouth	4,45N,5W	Gasconade			x	x						
Collier Cr.	C	2.5	Mouth	18,45N,8W	Callaway			x	x						
Collier Cr.	C	1.5	Mouth	10,30N,5E	Wayne			x	x						
Compton Br.	C	1.0	Mouth	16,36N,1E	Washington			x	x						
Comstock Cr.	P	1.0	Mouth	34,34N,33W	Vernon			x	x						
Comstock Cr.	C	5.0	34,34N,33W	8,33N,32W	Barton			x	x						
Conn Cr.	C	2.0	20,37N,14W	22,37N,14W	Camden			x	x						
Connor Cr.	C	5.0	Mouth	32,47N,11W	Boone			x	x						
Conrad Cr.	P	3.5	Mouth	5,33N,9E	Bollinger			x	x						
Conrad Cr.	C	1.5	5,33N,9E	1,33N,8E	Bollinger			x	x						
Contrary Cr.	C	10.0	Mouth	30,56N,35W	Buchanan			x	x						
Contrary Cr.	P	1.5	Mouth	13,43N,7W	Osage			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Contrary Cr.	C	3.5	13,43N,7W	9,43N,7W	Osage			x	x						
Cook Hollow	C	2.0	Mouth	35,25N,21W	Christian			x	x						
Coon Cr.	C	9.0	Mouth	8,53N,13W	Monroe	Randolph		x	x						
Trib. to Coon Cr.	C	1.0	Mouth	32,54N,13W	Randolph			x	x						
Coon Cr.	C	13.0	Mouth	10,50N,6W	Montgomery			x	x						
Coon Cr.	C	9.0	Mouth	Hwy. 47	Lincoln			x	x						
Coon Cr.	C	3.0	Mouth	24,51N,14W	Boone			x	x						
Coon Cr.	P	1.5	Mouth	22,30N,14W	Wright			x	x						
Coon Cr.	C	0.5	22,30N,14W	17,30N,14W	Wright			x	x						
Coon Cr.	C	5.4	Mouth	24,22N,21W	Taney			x	x						
Coon Cr.	C	7.0	Mouth	14,30N,30W	Barton	Jasper		x	x						
Coon Cr.	C	8.0	Mouth	5,29N,28W	Dade	Lawrence		x	x						
Coon Cr.	C	4.9	Mouth	16,45N,22W	Pettis			x	x						
Trib to Coon Cr.	C	0.5	Mouth	11,45N,22W	Pettis			x	x						
Trib to Coon Cr.	C	1.4	Mouth	12,45N,22W	Pettis			x	x						
Coon Hollow	C	3.0	Mouth	14,28N,07W	Texas			x	x						
Cooney Cr.	C	0.8	Mouth	11,40N,20W	Benton			x	x						
Coonville Cr.	C	1.0	Mouth	25,38N,4E	St. Francois			x	x						
Cooper Cr.	P	0.4	Mouth	07,22N,21W	Taney			x	x						
Cooper Cr.	C	1.6	06,22N,21W	07,22N,21W	Taney			x	x						
Coopers Cr.	C	6.5	Mouth	6,39N,26W	Henry	St. Clair		x	x						
Trib. to Coopers Cr.	C	2.0	Mouth	4,39N,26W	St. Clair			x	x						
Coppedge Cr.	C	1.0	Mouth	35,39N,7W	Maries			x	x						
Corn Cr.	C	1.1	Mouth	36,36N,09W	Phelps			x	x						
Cotter Cr.	C	1.5	Mouth	23,40N,4E	Jefferson			x	x						
Cotton Wood Cr.	C	3.0	Mouth	3,54N,18W	Chariton			x	x						
Cottonwood Cr.	C	3.0	Mouth	7,50N,25W	Lafayette			x	x						
Cottonwood Cr.	C	2.0	Mouth	2,55N,25W	Livingston	Carroll		x	x						
Cottonwood Cr.	C	3.5	Mouth	5,56N,27W	Caldwell			x	x						
Cottonwood Cr.	C	1.7	Mouth	28,36N,33W	Vernon			x	x						
Courtois Cr.	P	30.0	Mouth	17,35N,1W	Crawford	Washington		x	x	x			x	x	
Courtois Cr.	C	1.5	17,35N,1W	21,35N,1W	Washington	Iron		x	x	x					
Trib. to Courtois Cr.	C	1.0	Mouth	31,37N,1W	Washington			x	x						
Cow Br.	C	5.0	Mouth	29,65N,40W	Atchison			x	x						
Cow Cr.	C	2.5	Mouth	26,47N,8W	Callaway			x	x						
Cow Cr.	C	1.0	Mouth	25,51N,21W	Saline			x	x						
Cowskin Cr.	P	5.0	Mouth	33,27N,16W	Douglas			x	x						
Cowskin Cr.	C	3.0	Hwy. 14	21,27N,16W	Douglas			x	x						
Cox Br.	C	2.2	Mouth	Hwy.V	Phelps			x	x						
Crabapple Cr.	C	1.5	Mouth	2,53N,26W	Ray			x	x						
Crabapple Cr.	C	3.5	Mouth	4,55N,27W	Caldwell			x	x						
Crabtree Br.	P	1.5	Mouth	13,34N,25W	Cedar			x	x						
Crabtree Br.	C	1.0	13,34N,25W	Hwy. 32	Cedar			x	x						
Cracked Neck Cr.	P	1.0	4,29N,26W	6,29N,26W	Lawrence			x	x						
Crane Cr.	P	6.9	Mouth	04,36N,21W	Hickory			x	x						
Crane Cr.	C	3.4	04,36N,21W	12,36N,21W	Hickory			x	x						
Trib. to Crane Cr.	C	0.4	Mouth	01,36N,21W	Hickory			x	x						
Trib. to Crane Cr.	C	0.2	Mouth	01,36N,21W	Hickory			x	x						
Trib. to Crane Cr.	C	0.1	Mouth	32,37N,21W	Hickory			x	x						
Trib. to Crane Cr.	C	0.7	Mouth	29,37N,21W	Hickory			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Crane Cr.	C	1.2	Mouth	34,37N,21W	Hickory			x	x						
Trib. to Crane Cr.	C	0.9	Mouth	14,36N,21W	Hickory			x	x						
Trib. to Crane Cr.	C	0.6	Mouth	14,36N,21W	Hickory			x	x						
Crane Cr.	P	4.5	Mouth	8,25N,23W	Stone			x	x			x	x		
Crane Cr.	P	13.5	8,25N,23W	Lawrence Co. Line	Stone			x	x		x	x	x		
Crane Pond Cr.	P	9.0	Mouth	33,32N,4E	Wayne	Iron		x	x						
Crane Pond Cr.	C	1.0	33,32N,4E	32,32N,4E	Iron			x	x						
Craven Ditch	C	11.0	Mouth	16,24N,6E	Butler		x	x	x						
Crawford Cr.	C	5.0	Mouth	32,46N,29W	Cass			x	x						
Creve Coeur Cr.	P	3.0	Mouth	Creve Coeur Lake	St. Louis			x	x						
Creve Coeur Cr.	C	2.0	Creve Coeur Lake	1 Mi. S. of Hwy 340	St. Louis			x	x						
Crider Cr.	P	5.0	Mouth	30,42N,6W	Gasconade			x	x						
Crider Cr.	C	4.0	30,42N,6W	36,42N,7W	Gasconade	Osage		x	x						
Trib. to Crider Cr.	C	0.9	Mouth	Hwy. NN	Osage			x	x						
Crooked Br.	C	1.0	Mouth	22,24N,11W	Ozark			x	x						
Crooked Cr.	C	22.0	Mouth	1,56N,12W	Monroe	Shelby		x	x						
Crooked Cr.	P	1.5	Mouth	10,48N,1E	Lincoln			x	x						
Crooked Cr.	C	7.0	10,48N,1E	11,48N,1W	Lincoln			x	x						
Crooked Cr.	C	3.5	Mouth	15,50N,5W	Montgomery			x	x						
Crooked Cr.	C	2.5	Mouth	12,59N,33W	Dekalb			x	x						
Crooked Cr.	C	3.0	Mouth	12,60N,34W	Andrew			x	x						
Crooked Cr.	C	2.0	Mouth	30,59N,23W	Livingston			x	x						
Crooked Cr.	P	18.0	Mouth	36,35N,4W	Crawford	Dent		x	x	x			x		
Trib. to Crooked Cr.	C	1.0	Mouth	31,37N,4W	Crawford			x	x						
Crooked Cr.	C	1.0	36,35N,4W	6,34N,3W	Dent			x	x						
Crooked Cr.	C	3.1	Mouth	31,45N,30W	Case			x	x						
Crooked Cr.	C	5.3	Mouth	06,44N,23W	Johnson	Pettis		x	x						
Crooked Cr.	P	3.5	Mouth	33,35N,2W	Crawford			x	x	x			x		
Crooked Cr.	P	39.0	Mouth	17,32N,9E	Cape Girardeau	Bollinger	x	x	x				x	x	
Crooked Cr.	C	1.0	17,32N,9E	8,32N,9E	Bollinger			x	x						
Trib. to Crooked Cr.	P	1.0	Mouth	Lake Girardeau Dam	Cape Girardeau			x	x						
Trib. to Crooked Cr.	C	1.5	9,30N,11E	5,30N,11E	Cape Girardeau			x	x						
Trib. to Crooked Cr.	C	1.0	Mouth	32,30N,11E	Cape Girardeau			x	x						
Trib. to Crooked Cr.	C	1.0	Mouth	14,30N,10E	Bollinger			x	x						
Crooked R.	P	53.5	Mouth	3,54N,29W	Ray			x	x						
Crooked R.	C	6.5	3,54N,29W	25,55N,30W	Caldwell	Clinton		x	x						
Crossville Br.	C	2.0	26,33N,3W	28,33N,3W	Reynolds			x	x						
Crows Cr.	C	1.5	Mouth	3,39N,2W	Crawford			x	x						
Crows Fork Cr.	C	11.0	Mouth	35,48N,9W	Callaway			x	x						
Cub Cr.	P	6.0	Mouth	13,35N,1W	Washington			x	x						
Cub Cr.	C	1.0	13,35N,1W	18,35N,1E	Washington			x	x						
Cuivre R.	P1	9.0	Mouth	Hwy. 79	St. Charles			x	x						x
Cuivre R.	P	35.0	Hwy. 79	11,49N,1W	St. Charles	Lincoln		x	x				x	x	
Current R.	P	118.0	State Line	24,31N,6W	Ripley	Shannon	x	x	x	x			x	x	
Current R.	P	19.0	24,31N,6W	Montauk Spring	Shannon	Dent		x	x		x		x	x	
Cypress Cr.	C	13.0	Mouth	18,62N,27W	Daviess	Harrison		x	x						
Cypress Cr.	C	3.0	Mouth	24,23N,3E	Ripley			x	x						
Cypress Ditch #1	C	9.0	State Line	1,22N,4E	Ripley			x	x						
Cypress Ditch Lat.	P	8.0	Mouth	20,25N,9E	Stoddard			x	x						
Cypress Ditch Lat.	C	6.0	20,25N,9E	29,26N,9E	Stoddard			x	x						
Dan R.	C	2.5	32,23N,7E	20,23N,7E	Butler			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Dardenne Cr.	P1	7.0	Mouth	Sur 1704,47N,4E	St. Charles			x	x						x
Dardenne Cr.	P	15.0	Sur 1704,47N,4E	22,46N,2E	St. Charles			x	x						x
Dardenne Cr.	C	6.0	22,46N,2E	22,46N,1E	St. Charles			x	x						
Dark Cr.	C	8.0	Mouth	34,55N,15W	Randolph			x	x						
Darrow Br.	C	1.0	Mouth	1,44N,9W	Osage			x	x						
Davis Br.	C	4.0	Mouth	2,28N,18W	Webster			x	x						
Davis Cr.	C	5.0	Mouth	30,51N,9W	Audrain			x	x						
Davis Cr.	P	3.5	6,61N,38W	21,62N,38W	Holt			x	x						
Trib. to Davis Cr.	C	3.0	Mouth	3,61N,38W	Holt			x	x						
Davis Cr.	P	25.0	Mouth	8,48N,26W	Saline	Lafayette		x	x						
Davis Cr.	C	11.4	8,48N,27W	07,48N,26W	Lafayette			x	x						
Davis Cr.	C	2.5	Mouth	6,34N,22W	Polk			x	x						
Davis Cr.	P	1.0	Mouth	12,29N,20W	Greene			x	x						
Davis Cr.	C	3.0	12,29N,20W	2,29N,20W	Greene			x	x						
Trib. to Davis Cr.	C	1.0	Mouth	1,29N,20W	Greene			x	x						
Davis Cr.	C	4.0	Mouth	13,23N,10W	Howell			x	x						
Davis Cr. Ditch	C	6.5	Mouth	6,61N,38W	Holt			x	x						
Davis Hollow	C	3.5	Mouth	29,22N,26W	Barry			x	x						x
Davisville Hollow	C	2.0	Mouth	31,36N,2W	Crawford			x	x						
Day Hollow	C	1.0	Mouth	36,39N,1W	Washington			x	x						
Dead Oak Cr.	C	1.0	Mouth	2,55N,26W	Caldwell			x	x						
Deane Cr.	P	1.5	Mouth	17,38N,14W	Miller			x	x						x
Deane Cr.	C	2.0	20,38N,14W	29,38N,14W	Camden			x	x						
Deberry Cr.	C	0.5	Mouth	26,37N,14W	Camden			x	x						
Decker Br.	C	1.9	Mouth	35,36N,22W	Hickory			x	x						
Deepwater Cr.	C	8.0	Mouth	Montrose Lake Dam	Henry			x	x						
Deepwater Cr.	C	12.0	35,41N,28W	18,40N,29W	Henry	Bates		x	x						
Deer Cr.	P	0.5	Mouth	Hwy. 100	Osage			x	x						
Deer Cr.	C	4.0	Hwy. 100	34,45N,8W	Osage			x	x						
Trib. to Deer Cr.	C	1.9	33,45N,08W	04,44N,08W	Osage			x	x						
Trib. to Deer Cr.	P	1.0	Mouth	33,45N,08W	Osage			x	x						
Deer Cr.	P	11.7	Mouth	21,39N,20W	Benton			x	x						x
Deer Cr.	C	2.3	21,39N,20W	03,38N,20W	Benton	Hickory		x	x						
Trib. to Deer Cr.	P	0.3	Mouth	06,39N,20W	Benton			x	x						
Trib. to Deer Cr.	P	0.6	Mouth	28,40N,20W	Benton			x	x						
Deer Cr.	C	0.5	Mouth	12,41N,26W	Henry			x	x						
Deer Cr.	P	4.0	Mouth	4,32N,21W	Polk			x	x						
Dent Br.	C	1.0	Mouth	Sur 2374,36N,2E	Washington			x	x						
Des Moines R.	P	29.0	Mouth	State Line	Clark			x	x						x
Devils Den Hollow	C	1.0	Mouth	2,33N,4E	Iron			x	x						
Dew Pond Hollow	C	3.2	Mouth	15,30N,07W	Texas			x	x						
Dickerson Cr.	C	1.5	Mouth	Binder Lake Dam	Cole			x	x						
Dicks Cr.	C	7.0	Mouth	33,54N,33W	Platte			x	x						
Dicks Fk.	C	2.0	Mouth	28,32N,31W	Barton			x	x						
Dicky Cr.	C	0.5	Mouth	14,26N,15W	Douglas			x	x						
Dillard Cr.	P	1.5	Mouth	22,31N,11E	Cape Girardeau			x	x						
Dillard Cr.	C	1.0	22,31N,11E	16,31N,11E	Cape Girardeau			x	x						
Trib. to Dillard Cr.	C	1.5	Mouth	20,31N,11E	Cape Girardeau			x	x						
Dillon Cr.	C	4.0	Mouth	33,59N,35W	Andrew			x	x						
Dirt House Hollow	C	1.9	Mouth	28,29N,07W	Texas			x	x						
Ditch #1	C	10.0	Mouth	20,23N,9E	Dunklin			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Ditch to Ditch #1	C	1.0	Mouth	28,23N,9E	Dunklin				x	x					
Ditch #1	P	6.0	13,27N,8E	19,28N,9E	Stoddard	Bollinger			x	x					
Ditch #1	C	2.0	19,28N,9E	16,28N,9E	Bollinger				x	x					
Ditch #1	P	2.5	30,16N,10E	17,16N,10E	Dunklin				x	x					
Ditch #1	C	3.0	15,27N,13E	4,27N,13E	Scott				x	x					
Ditch #1	P	17.0	3,24N,13E	15,27N,13E	New Madrid	Scott			x	x					
Ditch #1	P	86.0	State Line	27,29N,12E	Dunklin	Scott	x		x	x				x	
Ditch #1	C	4.0	27,29N,12E	12,29N,12E	Scott		x		x	x				x	
Ditch to Ditch #1	P	6.0	Mouth	16,29N,12E	Scott	Cape Girardeau			x	x					
Ditch to Ditch #1	P	6.0	Mouth	33,30N,12E	Scott	Cape Girardeau			x	x					
Ditch to Ditch #1	C	4.5	Mouth	34,30N,12E	Scott	Cape Girardeau			x	x					
Ditch #1	P	6.0	Mouth	16,21N,9E	Dunklin				x	x					
Ditch #1	C	3.0	16,21N,9E	6,21N,9E	Dunklin				x	x					
Ditch #10	P	3.5	32,27N,8E	17,27N,8E	Stoddard	Wayne			x	x					
Ditch #10	C	2.5	17,27N,8E	4,27N,8E	Wayne				x	x					
Ditch #10	C	2.5	20,23N,15E	5,23N,15E	New Madrid				x	x					
Ditch #101	C	3.0	Mouth	19,28N,10E	Bollinger				x	x					
Ditch to Ditch #101	C	2.0	Mouth	13,28N,9E	Bollinger				x	x					
Ditch #104	C	12.5	Mouth	13,25N,13E	New Madrid				x	x					
Ditch #11	P	6.0	32,27N,8E	13,27N,8E	Stoddard				x	x					
Ditch #110	C	2.5	5,28N,11E	20,29N,11E	Stoddard	Cape Girardeau			x	x					
Ditch #17	C	7.0	Mouth	31,28N,11E	Stoddard				x	x					
Ditch #2	P	2.0	State Line	30,22N,4E	Ripley				x	x					
Ditch #2	C	8.0	30,22N,4E	2,22N,4E	Ripley				x	x					
Ditch to Ditch #2	P	1.5	Mouth	24,22N,3E	Ripley				x	x					
Ditch #2	P	4.5	Mouth	35,28N,8E	Stoddard	Wayne			x	x					
Ditch #2	C	4.0	23,17N,12E	36,18N,12E	Pemiscot				x	x					
Ditch #2	P	17.0	11,20N,10E	24,23N,10E	New Madrid				x	x					
Ditch #22	C	7.0	Mouth	11,23N,8E	Butler				x	x					
Ditch #23	C	6.0	Mouth	34,24N,8E	Butler				x	x					
Ditch #24	P	12.0	23,26N,12E	6,27N,12E	Stoddard				x	x					
Ditch #24	C	3.0	6,27N,12E	22,28N,11E	Stoddard				x	x					
Ditch #25	P	1.0	15,28N,11E	9,28N,11E	Stoddard				x	x					
Ditch #25	C	2.5	9,28N,11E	5,28N,11E	Stoddard				x	x					
Ditch #251	P	44.0	State Line	26,22N,12E	Dunklin	New Madrid			x	x				x	
Ditch #258	P	10.0	27,19N,10E	9,20N,11E	Dunklin	Pemiscot			x	x				x	
Ditch #258	C	5.0	9,20N,11E	25,21N,11E	New Madrid				x	x					
Ditch #259	P	26.0	State Line	31,20N,11E	Dunklin	Pemiscot			x	x				x	
Ditch #26	P	3.0	Mouth	33,29N,11E	Stoddard	Cape Girardeau			x	x					
Ditch #26	C	1.0	33,29N,11E	28,29N,11E	Cape Girardeau				x	x					
Ditch #27	P	4.5	15,28N,11E	22,29N,11E	Stoddard	Cape Girardeau			x	x					
Ditch #287	P	5.0	6,27N,11E	15,28N,11E	Stoddard				x	x					
Ditch #290	P	10.0	19,20N,11E	12,21N,11E	Dunklin	New Madrid			x	x					
Ditch #290	C	5.0	12,21N,11E	21,22N,12E	New Madrid				x	x					
Ditch #293	P	2.0	19,20N,11E	12,20N,10E	Pemiscot				x	x					
Ditch #3	P	2.0	4,18N,9E	28,19N,9E	Dunklin				x	x					
Ditch #3	C	0.5	28,19N,9E	27,19N,9E	Dunklin				x	x					
Ditch #3	C	1.5	14,27N,8E	11,27N,8E	Stoddard				x	x					
Ditch #3	P	7.5	6,16N,12E	4,17N,12E	Pemiscot				x	x					
Ditch to Ditch #3	P	2.0	Mouth	30,17N,12E	Pemiscot				x	x					

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Ditch #3	P	19.0	12,20N,10E	6,23N,11E	New Madrid	Stoddard		x	x						
Ditch #30	P	4.5	Mouth	1,27N,11E	Stoddard			x	x						
Ditch #33	P	11.0	Mouth	14,28N,11E	Stoddard			x	x						
Ditch #33	C	2.0	14,28N,11E	2,28N,11E	Stoddard			x	x						
Ditch #34	C	4.5	Mouth	25,29N,11E	Stoddard	Cape Girardeau		x	x						
Ditch #34	C	9.0	Mouth	24,28N,12E	Stoddard			x	x						
Ditch #35	C	9.0	Mouth	3,27N,12E	Stoddard			x	x						
Ditch #36	P	7.0	Mouth	21,19N,10E	Dunklin			x	x						
Ditch #36	C	2.0	21,19N,10E	9,19N,10E	Dunklin			x	x						
Ditch #4	C	1.5	22,27N,8E	11,27N,8E	Stoddard			x	x						
Ditch #4	C	3.0	4,17N,12E	20,18N,12E	Pemiscot			x	x						
Ditch #4	P	9.5	34,26N,13E	22,27N,13E	New Madrid	Scott		x	x						
Ditch #4	C	4.0	22,27N,13E	33,28N,13E	Scott			x	x						
Ditch #4	C	14.0	Mouth	6,22N,11E	Pemiscot	New Madrid		x	x						
Ditch #41	C	5.0	Mouth	28,23N,12E	New Madrid			x	x						
Ditch #42	C	18.5	Mouth	29,25N,12E	New Madrid	Stoddard		x	x						
Ditch #5	C	1.0	28,27N,8E	21,27N,8E	Stoddard			x	x						
Ditch to Ditch #5	C	2.0	Mouth	24,16N,11E	Pemiscot			x	x						
Ditch #5	P	2.0	12,16N,11E	6,16N,12E	Pemiscot			x	x						
Ditch #6	P	1.0	29,27N,8E	21,27N,8E	Stoddard			x	x						
Ditch #6	P	16.5	Mouth	15,18N,12E	Pemiscot			x	x						
Ditch #6	C	4.5	15,18N,12E	2,18N,12E	Pemiscot			x	x						
Ditch to Ditch #6	C	1.5	Mouth	29,18N,12E	Pemiscot			x	x						
Ditch #6	P	7.0	Mouth	16,22N,11E	New Madrid			x	x						
Ditch #6	C	22.0	16,22N,11E	26,26N,11E	New Madrid	Stoddard		x	x						
Ditch #66	C	2.0	Mouth	33,20N,11E	Pemiscot			x	x						
Ditch #66	P	25.0	State Line	1,19N,10E	Pemiscot			x	x						
Ditch #7	P	3.0	Mouth	22,16N,11E	Pemiscot			x	x						
Ditch #7	C	6.0	Mouth	15,22N,11E	New Madrid			x	x						
Ditch #79	P	9.5	9,16N,9E	28,18N,10E	Dunklin			x	x						
Ditch #8	C	20.5	12,21N,11E	1,24N,11E	New Madrid	Stoddard		x	x						
Ditch #80	P	0.5	8,16N,9E	9,16N,9E	Dunklin			x	x						
Ditch #81	P	24.0	State Line	11,19N,10E	Dunklin	Pemiscot		x	x						
Ditch #84	P	6.0	11,19N,10E	11,20N,10E	Pemiscot			x	x						
Ditch #9	P	6.0	17,20N,11E	22,21N,11E	Pemiscot	New Madrid		x	x						
Ditch #9	C	2.5	22,21N,11E	12,21N,11E	New Madrid			x	x						
Ditch Cr.	P	1.8	Mouth	12,40N,03E	Jefferson			x	x				x		
Ditch to Buffalo Ditch	P	12.0	Mouth	2,18N,9E	Dunklin			x	x						
Ditch to Pike Cr.	C	3.0	Mouth	30,23N,6E	Butler			x	x						
Ditter Cr.	C	1.2	Mouth	03,41N,23W	Benton			x	x						
Doe Cr.	C	5.0	Mouth	4,50N,15W	Howard			x	x						
Doe Run Cr.	P	5.0	Mouth	27,35N,5E	St. Francois			x	x						
Doe Run Cr.	C	2.5	27,35N,5E	20,35N,5E	St. Francois			x	x						
Dog Cr.	C	5.0	Mouth	9,58N,28W	Daviess			x	x						
Dog Cr.	P	2.0	Mouth	12,40N,14W	Miller			x	x						
Dog Cr.	C	7.0	12,40N,14W	5,39N,14W	Miller			x	x						
Dog Hollow	C	2.0	Mouth	30,33N,14E	Cape Girardeau			x	x						
Dooling Cr.	P	1.5	Mouth	Hwy. 100	Osage			x	x						
Dooling Cr.	C	1.0	Hwy. 100	11,45N,8W	Osage			x	x						
Doolittle Cr.	C	2.3	Mouth	03,29N,12W	Texas			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Doss Br.	P	2.0	Mouth	17,38N,2W	Crawford			x	x						
Doss Br.	C	2.0	17,38N,2W	15,38N,2W	Crawford			x	x						
Double Br.	C	6.0	Mouth	19,39N,30W	Bates			x	x						
Douger Br.	C	4.5	Mouth	7,26N,25W	Lawrence			x	x						
Douglas Br.	C	4.3	Mouth	13,36N,32W	Vernon			x	x						
Dousinbury Cr.	P	3.5	Mouth	17,33N,18W	Dallas			x	x						
Dousinbury Cr.	C	2.0	17,33N,18W	15,33N,18W	Dallas			x	x						
Dove Cr.	C	2.0	Mouth	12,29N,13W	Wright			x	x						
Doxies Cr.	C	9.0	Mouth	5,51N,16W	Chariton	Howard		x	x						
Drunken Cr.	P	0.5	Mouth	1,30N,10E	Bollinger			x	x						
Drunken Cr.	C	1.5	1,30N,10E	Hwy. 34	Bollinger			x	x						
Dry Auglaize Cr.	P	5.0	24,38N,15W	22,38N,15W	Camden			x	x			x	x		
Dry Auglaize Cr.	C	32.0	22,38N,15W	8,35N,15W	Camden	Laclede		x	x			x	x		
Dry Auglaize Cr.	P	7.0	8,35N,15W	2,34N,16W	Laclede			x	x						
Dry Bone Cr.	C	1.0	Mouth	20,30N,7W	Texas			x	x						
Dry Br.	C	2.0	Mouth	Sur 1710,51N,1W	Lincoln			x	x						
Dry Br.	C	4.0	Mouth	3,49N,2W	Lincoln			x	x						
Dry Br.	C	4.0	Mouth	6,28N,23W	Greene			x	x						
Dry Br.	P	2.0	6,28N,23W	7,28N,23W	Greene			x	x						
Dry Br.	C	5.0	Mouth	4,39N,1E	Washington			x	x						
Dry Br.	C	9.0	Mouth	8,29N,30W	Jasper			x	x				x		
Dry Cr.	C	3.0	Mouth	11,48N,21W	Saline			x	x						
Dry Cr.	P	1.5	Mouth	27,39N,9W	Maries			x	x						
Dry Cr.	C	1.5	27,39N,9W	29,39N,9W	Maries			x	x						
Dry Cr.	P	4.0	Mouth	14,37N,3W	Crawford			x	x			x	x		
Dry Cr.	C	8.0	14,37N,3W	16,36N,3W	Crawford			x	x						
Trib. to Dry Cr.	C	1.5	Mouth	36,37N,3W	Crawford			x	x						
Trib. to Dry Cr.	C	1.0	Mouth	15,36N,3W	Crawford			x	x						
Dry Cr.	C	1.0	Mouth	27,36N,4E	St. Francois			x	x						
Dry Cr.	C	3.0	Mouth	24,36N,3E	Washington			x	x						
Dry Cr.	P	7.5	Mouth	32,30N,10E	Bollinger			x	x						
Dry Cr.	C	3.0	32,30N,10E	24,30N,9E	Bollinger			x	x						
Dry Cr.	C	5.0	Mouth	12,24N,25W	Stone	Barry		x	x						
Dry Cr.	C	15.0	Mouth	8,25N,9W	Douglas	Howell		x	x						
Trib. to Dry Cr.	C	2.0	Mouth	10,25N,9W	Howell			x	x						
Trib. to Dry Cr.	C	4.5	Mouth	20,25N,9W	Howell			x	x						
Dry Cr.	C	1.5	Mouth	1,24N,13W	Ozark			x	x						
Dry Cr.	P	1.0	Mouth	9,28N,3E	Wayne			x	x						
Dry Cr.	C	2.0	9,28N,3E	32,29N,3E	Wayne			x	x						
Dry Cr.	C	4.5	Mouth	27,32N,6E	Madison			x	x						
Dry Cr.	P	8.2	Mouth	25,40N,03E	Jefferson			x	x						
Dry Fk.	C	2.0	Mouth	11,46N,11W	Callaway			x	x						
Dry Fk.	C	2.0	Mouth	20,50N,17W	Howard			x	x						
Dry Fk.	C	3.0	Mouth	28,45N,16W	Moniteau			x	x						
Dry Fk.	P	4.0	Mouth	35,47N,6W	Montgomery			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Dry Fk.	C	2.0	35,47N,6W	10,46N,6W	Montgomery			x	x						
Dry Fk.	C	2.0	Mouth	22,35N,9E	Perry			x	x						
Dry Fk.	C	2.5	Mouth	18,35N,12E	Perry			x	x						
Trib. to Dry Fork	C	1.2	Mouth	34,37N,07W	Phelps			x	x						
Trib. to Dry Fork	C	0.4	Mouth	27,38N,06W	Phelps			x	x						
Dry Fk. Cr.	P	7.0	Mouth	8,34N,23W	Polk			x	x						
Dry Fk. Cr.	C	1.0	8,34N,23W	8,34N,23W	Polk			x	x						
Dry Fk. Cr.	P	21.5	Mouth	22,37N,7W	Phelps		x	x	x						
Dry Fk. Cr.	C	24.0	22,37N,7W	20,35N,6W	Phelps	Dent		x	x						
Dry Fk. Cr.	P	4.0	20,35N,6W	29,35N,6W	Dent			x	x						
Dry Fk. Cr.	C	10.0	29,35N,6W	25,34N,7W	Dent			x	x						
Dry Fk. Cr.	P	13.0	Mouth	35,41N,6W	Gasconade			x	x						
Dry Fk. Cr.	C	13.0	25,41N,7W	6,39N,7W	Gasconade	Maries		x	x						
Dry Fk.	C	2.0	5,28N,27W	29,29N,27W	Lawrence			x	x						
Dry Hollow	C	5.5	34,22N,27W	31,22N,27W	Barry			x	x						
Dry Hollow	C	2.5	Mouth	34,24N,16W	Ozark			x	x						
Dry Hollow	C	0.5	15,28N,28W	22,28N,28W	Lawrence			x	x						
Dry Valley Br.	P	1.0	Mouth	26,27N,29W	Newton			x	x						
Dry Valley Br.	C	2.0	26,27N,29W	25,27N,29W	Newton	Lawrence		x	x						
Dry Valley Cr.	C	2.0	Mouth	1,34N,5W	Dent			x	x						
Drywood Cr.	P	25.0	Mouth	21,33N,33W	Vernon	Barton		x	x						
Dubois Cr.	P	2.0	Mouth	Hwy. 100	Franklin			x	x						
Dubois Cr.	C	4.0	Hwy. 100	Hwy. 47	Franklin			x	x						
Duck Cr.	C	5.5	Mouth	16,58N,14W	Macon			x	x						
Duck Cr.	C	3.4	Mouth	32,43N,23W	Henry	Benton		x	x						
Duck Cr.	C	5.0	Mouth	21,27N,9E	Stoddard			x	x						
Dudley Main Ditch	P	7.0	Mouth	34,25N,9E	Stoddard			x	x						
Dudley Main Ditch	C	0.5	34,25N,9E	27,25N,9E	Stoddard			x	x						
Dulin Cr.	P	1.4	Mouth	09,42N,04E	Jefferson			x	x						
Duncan Cr.	C	2.0	Mouth	8,37N,33W	Vernon			x	x						
Duncan Cr.	C	2.5	Mouth	22,38N,10W	Phelps			x	x						
Dunlap Cr.	C	0.5	Mouth	13,47N,9W	Callaway			x	x						
Dunn Spring Cr.	C	2.0	Mouth	34,44N,1E	Franklin			x	x						
Trib. to Dunn Spring Cr.	C	1.5	Mouth	35,44N,1E	Franklin			x	x						
Duran Cr.	C	7.0	Mouth	02,41N,22W	Benton			x	x						
Durington Cr.	C	4.0	Mouth	06,34N,19W	Dallas			x	x						
Duskin Cr.	C	2.0	Mouth	13,32N,13E	Cape Girardeau			x	x						
Dutch Cr.	P	1.6	Mouth	27,42N,03E	Jefferson			x	x						
Dutchtown Ditch	P	10.0	Mouth	25,30N,12E	Cape Girardeau			x	x						
Dutro Carter Cr.	P	1.5	Mouth	Hwy. 72	Phelps			x	x						
Dutro Carter Cr.	C	0.5	Hwy. 72	Hwy. O	Phelps			x	x						
Duval Cr.	C	7.0	Mouth	13,30N,32W	Jasper			x	x						
Dyer Rock Cr.	C	5.9	Mouth	03,49N,24W	Lafayette			x	x						
E. Bear Cr.	C	1.0	Mouth	33,46N,25W	Johnson			x	x						
E.Fk. Bee Br.	C	1.1	Mouth	16,37N,30W	Vernon			x	x						
E. Br. Crawford Cr.	C	2.0	32,46N,29W	20,46N,29W	Cass			x	x						
E. Br. Elkhorn Cr.	C	3.0	Mouth	18,63N,36W	Nodaway			x	x						
E. Br. Squaw Cr.	C	4.0	Mouth	5,62N,38W	Holt			x	x						
E. Brush Cr.	C	8.0	Mouth	16,45N,15W	Moniteau			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to E. Brush Cr.	C	0.5	Mouth	3,45N,15W	Moniteau			x	x						
E. Chan. Whitewater R.	C	4.5	Mouth	16,28N,12E	Scott			x	x						
E. Cow Cr.	C	2.0	25,51N,21W	19,51N,20W	Saline			x	x						
E. Ditch #1	P	22.0	Mouth	11,22N,10E	Dunklin	New Madrid		x	x				x		
E. Ditch #1	C	3.0	11,22N,10E	26,23N,10E	New Madrid			x	x						
E. Fk. Big Cr.	P	21.0	9,63N,28W	5,64N,27W	Harrison			x	x						x
E. Fk. Big Cr.	C	19.0	5,64N,27W	State Line	Harrison			x	x						x
E. Fk. Big Muddy Cr.	C	2.0	3,65N,29W	35,66N,29W	Harrison			x	x						
E. Fk. Black R.	P	17.0	Mouth	29,34N,3E	Reynolds	Iron		x	x			x			x
E. Fk. Black R.	C	1.0	29,34N,3E	21,34N,3E	Iron			x	x						
E. Fk. Bull Cr.	C	3.0	Mouth	23,26N,20W	Christian			x	x						
E. Fk. Chariton R.	P	48.5	Mouth	Long Br. Dam	Chariton	Macon	x	x	x						x
E. Fk. Chariton R.	C	11.0	25,59N,15W	11,60N,15W	Macon			x	x						x
E. Fk. Crooked R.	P	14.0	Mouth	32,54N,27W	Ray			x	x						
E. Fk. Crooked R.	C	8.0	32,54N,27W	5,54N,27W	Ray			x	x						
Trib. to E. Fk. Crooked R.	C	5.0	Mouth	24,54N,28W	Ray			x	x						
E. Fk. Drywood Cr.	C	10.0	Mouth	8,32N,32W	Barton			x	x						
E. Fk. Fishing R.	C	11.5	Mouth	20,53N,29W	Clay	Ray		x	x						
E. Fk. Fourche Cr.	P	3.0	Mouth	10,22N,1E	Ripley			x	x						
E. Fk. Fourche Cr.	C	2.0	10,22N,1E	Hwy. 142	Ripley			x	x						
E. Fk. Grand R.	P	25.0	Mouth	29,66N,30W	Gentry	Worth	x	x	x			x	x		x
E. Fk. Grand R.	C	6.5	29,66N,30W	10,66N,30W	Worth			x	x						
E. Fk. Honey Cr.	C	8.0	29,63N,23W	3,64N,23W	Grundy	Mercer		x	x						
E. Fk. Huzzah Cr.	P	5.0	1,34N,3W	20,34N,2W	Dent			x	x						
E. Fk. Huzzah Cr.	C	2.0	20,34N,2W	29,34N,2W	Dent			x	x						
Trib. to E. Fk. Huzzah Cr.	C	1.0	Mouth	30,34N,2W	Dent			x	x						
E. Fk. L. Blue R.	P	1.0	Mouth	27,49N,31W	Jackson			x	x						
E. Fk. L. Blue R.	C	5.0	27,49N,31W	Lake Jacomo Dam	Jackson			x	x						
Trib. to E. Fk. L. Blue R.	P	1.5	Mouth	Lk. Tapawingo Dam	Jackson			x	x						
E. Fk. L. Gravois Cr.	C	3.0	Mouth	3,40N,15W	Miller			x	x						
E. Fk. L. Tarkio Cr.	C	16.5	Mouth	21,65N,38W	Holt	Atchison	x	x	x						
E. Fk. Locust Cr.	P	16.0	Mouth	Hwy. 6	Sullivan			x	x						
E. Fk. Locust Cr.	C	13.0	Hwy. 6	12,64N,20W	Sullivan			x	x						
E. Fk. Lost Cr.	C	9.0	Mouth	11,60N,31W	Dekalb			x	x						
E. Fk. Lost Cr.	P	8.0	Mouth	17,28N,7E	Wayne			x	x						
Trib. to E. Fk. Lost Cr.	C	1.0	2,27N,7E	2,27N,7E	Wayne			x	x						
Trib. to E. Fk. Lost Cr.	P	1.0	Mouth	2,27N,7E	Wayne			x	x						
E. Fk. Medicine Cr.	P	36.0	9,61N,22W	State Line	Grundy	Putnam		x	x						
E. Fk. Niangua R.	C	6.0	33,32N,18W	25,31N,18W	Webster			x	x			x			
E. Fk. Postoak Cr.	C	13.0	22,46N,26W	9,44N,26W	Johnson			x	x						
Trib. to E. Fk. Postoak Cr.	C	2.0	Mouth	34,45N,26W	Johnson			x	x						
Trib. to E. Fk. Postoak Cr.	C	3.9	Mouth	23,44N,26W	Johnson			x	x						
E. Fk. Rock Cr.	C	4.0	Mouth	31,23N,25W	Barry			x	x						
Trib. to E. Fk. Rock Cr.	C	1.0	Mouth	18,22N,25W	Barry			x	x						
Trib. to E. Fk. Rock Cr.	C	1.0	Mouth	12,22N,26W	Barry			x	x						
E. Fk. Roubidoux Cr.	C	4.5	4,31N,11W	24,31N,11W	Texas			x	x						
E. Fk. Salt Pond Cr.	C	3.0	Mouth	19,49N,22W	Saline			x	x						
E. Fk. Shoal Cr.	C	2.0	Mouth	4,51N,32W	Clay			x	x						
E. Fk. Sni-a-bar Cr.	P	9.4	Mouth	Interst 70	Lafayette			x	x						
E. Fk. Sni-a-bar Cr.	C	11.9	Interst 70	29,48N,28W	Lafayette			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to E. Fk. Sni-a-bar	C	4.6	Mouth	22,48N,28W	Lafayette			x	x						
Trib. to E. Fk. Sni-a-bar	C	3.0	Mouth	30,48N,28W	Lafayette			x	x						
E. Fk. Sulphur Cr.	C	2.5	Mouth	30,50N,17W	Howard			x	x						
E. Fk. Tebo Cr.	C	12.0	31,43N,24W	35,44N,24W	Henry			x	x						
E. Fk. Walnut Cr.	C	1.5	Mouth	28,55N,14W	Randolph			x	x						
E. Prong	C	3.5	Mouth	17,35N,3W	Dent	Crawford		x	x						
E. Yellow Cr.	P	32.0	20,56N,19W	7,60N,18W	Chariton	Linn		x	x					x	
Earle Br.	C	0.7	Mouth	Hwy. F	Phelps			x	x						
East Br.	C	12.0	Mouth	1,44N,32W	Cass			x	x						
East Cr.	C	7.0	2,44N,33W	31,46N,33W	Cass			x	x						
Trib. to East Cr.	C	1.0	Mouth	32,46N,32W	Cass			x	x						
East Prong	C	1.0	Mouth	12,31N,7E	Madison			x	x						
East Prong	C	2.0	6,25N,7E	30,26N,7E	Butler			x	x						
Eaton Br.	C	3.0	Mouth	9,36N,4E	St. Francois			x	x						
Ebo Cr.	P	1.0	Mouth	13,38N,1E	Washington			x	x						
Ebo Cr.	C	1.5	13,38N,1E	Hwy. 185	Washington			x	x						
Eddington Br.	P	2.0	Mouth	1,29N,26W	Lawrence			x	x						
Edmondson Cr.	C	1.5	Mouth	4,52N,20W	Saline			x	x						
Trib. to Edmondson Cr.	C	2.5	Mouth	15,52N,20W	Saline			x	x						
Eight Mile Cr.	C	16.8	Mouth	36,44N,31W	Cass			x	x						
Elbow Cr.	P	1.0	Mouth	27,22N,18W	Taney			x	x						
Eleven Point R.	P	21.0	State Line	18,24N,2W	Oregon		x	x	x	x			x	x	
Eleven Point R.	P	10.0	18,24N,2W	36,25N,4W	Oregon			x	x		x		x	x	
Eleven Point R.	P	19.0	36,25N,4W	23,25N,6W	Oregon			x	x	x			x	x	
Eleven Point R.	C	34.0	23,25N,6W	33,27N,9W	Oregon	Howell		x	x	x					
Elk Br.	C	2.1	Mouth	08,45N,22W	Pettis			x	x						
Elk Chute Ditch	P	11.0	Mouth	27,18N,10E	Dunklin			x	x						
Trib. to Elk Br.	C	0.2	Mouth	32,46N,22W	Pettis			x	x						
Trib. to Elk Fk.	C	0.2	Mouth	16,44N,23W	Pettis			x	x						
Elk Cr.	C	1.5	Mouth	29,47N,23W	Pettis			x	x						
Elk Cr.	C	4.0	14,61N,19W	6,55N,20W	Chariton			x	x						
Elk Cr.	C	8.0	Silver Lake	25,57N,20W	Chariton	Linn		x	x						
Elk Cr.	P	5.0	Mouth	33,32N,14W	Wright			x	x						
Elk Cr.	C	1.5	33,32N,14W	5,31N,14W	Wright			x	x						
Elk Cr.	P	3.0	Mouth	24,29N,10W	Texas			x	x						
Elk Cr.	C	2.0	24,29N,10W	30,29N,9W	Texas			x	x						
Elk Fk.	P	6.0	Mouth	04,44N,23W	Pettis			x	x						
Elk Fk.	C	4.5	Mouth	35,42N,30W	Bates			x	x						
Elk Fk. Salt R.	P	6.0	29,54N,9W	26,54N,10W	Monroe			x	x					x	
Elk Fk. Salt R.	C	31.0	26,54N,10W	16,54N,13W	Monroe	Randolph		x	x						
Elk R.	P	21.5	State Line	34,22N,32W	McDonald		x	x	x	x			x	x	
Elkhorn Br.	C	1.5	Mouth	5,21N,8W	Howell			x	x						
Elkhorn Cr.	C	19.0	Mouth	3,48N,5W	Montgomery			x	x						
Elkhorn Cr.	C	8.0	Mouth	13,63N,37W	Nodaway			x	x						
Elkhorn Cr.	C	3.0	Mouth	3,26N,19W	Christian			x	x						
Elkhorn Cr.	P	5.5	Mouth	26,23N,31W	McDonald		x	x	x						
Elm Br.	C	3.0	Mouth	12,43N,24W	Henry			x	x						
Elm Cr.	C	3.0	Mouth	Hwy. 136	Putnam			x	x						
Elm Cr.	C	8.0	Mouth	20,66N,15W	Schuyler			x	x						
Elm Grove Br.	C	4.0	Mouth	27,61N,33W	Dekalb	Gentry		x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Elm Spring Br.	C	1.0	6,24N,31W	7,24N,31W	Newton			x	x						
Ely Cr.	C	3.5	Mouth	1,55N,7W	Ralls			x	x						
Emery Hollow	C	3.9	Mouth	28,31N,10W	Texas			x	x						
Emory Cr.	C	2.0	Mouth	31,24N,21W	Taney			x	x						
English Cr.	C	2.5	State Line	33,22N,6W	Oregon			x	x						
Establishment Cr.	P	16.0	Mouth	23,37N,7E	Ste. Genevieve			x	x						
Establishment Cr.	C	3.0	23,37N,7E	33,37N,7E	Ste. Genevieve			x	x						
Fabius R.	P1	3.5	Mouth	24,59N,6W	Marion		x	x	x				x		
Factory Cr.	P	1.0	Mouth	2,46N,14W	Moniteau			x	x						
Factory Cr.	C	4.0	2,46N,14W	32,47N,14W	Moniteau			x	x						
Trib. to Factory Cr.	P	0.5	Mouth	2,46N,14W	Moniteau			x	x						
Trib. to Factory Cr.	C	0.5	2,46N,14W	35,47N,14W	Moniteau			x	x						
Trib. to Factory Cr.	C	0.5	Mouth	29,47N,14W	Moniteau			x	x						
Fall Cr.	P	1.0	Mouth	11,22N,22W	Taney			x	x						
Fall Cr.	C	3.6	11,22N,22W	28,23N,22W	Taney	Stone		x	x						
Fassnight Cr.	P	2.4	27,29N,22W	25,29N,22W	Greene			x	x						
Fassnight Cr.	C	1.2	25,29N,22W	30,29N,22W	Greene			x	x						
Feaster Cr.	C	0.6	Mouth	31,41N,21W	Benton			x	x						
Fee Fee Cr. (new)	P	1.5	Mouth	Creve Coeur Mill Rd.	St. Louis			x	x						
Fee Fee Cr. (old)	P	1.0	Mouth	1 Mi. above Hwy. 70	St. Louis			x	x						
Femme Osage Cr.	P	5.5	Mouth	29,45N,2E	St. Charles			x	x						
Femme Osage Cr.	C	2.0	29,45N,2E	24,45N,1E	St. Charles			x	x						
Fenton Cr.	C	0.6	Mouth	Hwy. V	Franklin			x	x						
Fenton Cr.	P	0.5	Mouth	35,43N,05E	St. Louis			x	x						
Fiddle Cr.	C	2.0	Mouth	16,44N,2E	Franklin			x	x						
Fidelity Cr.	P	1.5	Mouth	Alt. Hwy. 71	Jasper			x	x						
Fiery Fk.	C	2.0	Mouth	36,39N,19W	Camden			x	x						
Finley Cr.	P	44.0	Mouth	19,28N,16W	Stone	Webster		x	x	x		x	x		
Finn Br.	C	3.5	4,35N,8W	1,35N,8W	Phelps	Dent		x	x						
Finney Cr.	P	1.0	Mouth	28,49N,21W	Saline			x	x					x	
Finney Cr.	C	1.5	28,49N,21W	17,49N,21W	Saline			x	x						
Fire Br.	C	5.0	Mouth	27,54N,28W	Ray			x	x						
Fire Prairie Cr.	P	14.1	Mouth	18,50N,30W	Jackson			x	x						
First Cr.	C	4.0	Mouth	9,52N,33W	Clay	Platte		x	x						
First Cr.	P	1.0	Mouth	14,45N,6W	Gasconade			x	x						
First Cr.	C	10.0	14,45N,6W	5,44N,5W	Gasconade			x	x						
Trib. to First Cr.	C	2.5	Mouth	28,45N,5W	Gasconade			x	x						
Fish Br.	C	3.0	Mouth	28,52N,9W	Audrain			x	x						
Fish Cr.	C	12.0	Mouth	21,51N,19W	Saline			x	x						
Fish Lake Ditch	C	6.5	3,24N,16E	28,25N,17E	Mississippi			x	x						
Fish Trap Slough	C	15.0	State Line	2,23N,8E	Butler			x	x						
Fishing R.	P	22.0	Mouth	Hwy. 33	Ray	Clay	x	x	x						
Fishing R.	C	7.5	Hwy. 33	24,52N,32W	Clay			x	x						
Fishpot Cr.	P	2.0	Mouth	13,44N,05E	St. Louis			x	x						
Five Mile Cr.	P	5.0	State Line	21,26N,33W	Newton		x	x	x						
Flagstaff Cr.	C	4.0	Mouth	3,47N,25W	Johnson			x	x						
Flat Cr.	C	1.0	Mouth	Hwy. A	Franklin			x	x						
Flat Cr.	P	2.7	Mouth	44N,03E	St. Louis			x	x						
Flat Cr.	C	10.0	Mouth	2,54N,13W	Monroe	Randolph		x	x						
Flat Cr.	P	44.8	Mouth	11,43N,23W	Morgan	Pettis		x	x					x	

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Flat Cr.	C	1.1	Mouth	18,45N,21W	Pettis			x	x						
Trib. to Flat Cr.	C	1.5	Mouth	18,45N,20W	Pettis			x	x						
Trib. to Flat Cr.	C	2.3	Mouth	15,45N,20W	Pettis			x	x						
Trib. to Flat Cr.	C	1.0	Mouth	19,44N,22W	Pettis			x	x						
Trib. to Flat Cr.	C	0.9	Mouth	10,44N,22W	Pettis			x	x						
Trib. to Flat Cr.	C	1.2	Mouth	24,45N,22W	Pettis			x	x						
Trib. to Flat Cr.	C	2.1	Mouth	13,45N,20W	Pettis			x	x						
Trib. to Flat Cr.	C	2.1	Mouth	07,43N,22W	Pettis			x	x						
Trib. to Flat Cr.	C	0.7	Mouth	14,43N,23W	Pettis	Benton		x	x						
Flat Cr.	C	4.5	Mouth	8,49N,19W	Saline	Cooper		x	x						
Flat Cr.	P	39.0	28,24N,24W	9,23N,27W	Stone	Barry		x	x	x		x	x		
Flat Cr.	P	3.0	9,23N,27W	21,23N,27W	Barry		x	x	x		x	x	x		
Flat Cr.	P	7.5	21,23N,27W	23,22N,28W	Barry			x	x	x		x	x		
Trib. to Flat Cr.	C	3.0	Mouth	28,24N,26W	Barry			x	x						
Trib. to Flat Cr.	C	2.0	Mouth	26,22N,28W	Barry			x	x						
Flat Cr.	C	6.0	Mouth	20,24N,3E	Ripley			x	x						
Flat Rock Cr.	C	0.1	Mouth	05,40N,20W	Benton			x	x						
Flat River Cr.	C	9.0	Mouth	21,36N,4E	St. Francois			x	x						
Flatrock Cr.	P	2.0	Mouth	1,33N,12E	Cape Girardeau			x	x						
Flatrock Cr.	C	1.5	1,33N,12E	12,33N,12E	Cape Girardeau			x	x						
Fleck Cr.	C	3.0	Mouth	29,32N,33W	Barton			x	x						
Trib. to Fleck Cr.	C	2.0	Mouth	28,32N,33W	Barton			x	x						
Flethall Cr.	C	3.5	Mouth	State Line	Worth			x	x						
Flinger Br.	C	1.7	Mouth	17,28N,08W	Texas			x	x						
Flint Bottom Cr.	C	3.0	Mouth	21,37N,8E	Ste. Genevieve			x	x						
Flint Hill	P	4.0	Mouth	9,30N,22W	Greene			x	x						
Flora Cr.	P	6.0	Mouth	35,32N,14E	Cape Girardeau			x	x						
Florida Cr.	C	6.0	Mouth	24,64N,37W	Nodaway			x	x						
Floyd Cr.	C	3.0	Mouth	29,63N,14W	Adair			x	x						
Flucom Br.	C	2.0	Mouth	12,39N,5E	Jefferson			x	x						
Fly Cr.	P	2.0	Mouth	Hwy. 42	Maries			x	x						
Fly Cr.	C	0.5	Hwy. 42	30,40N,9W	Maries			x	x						
Fly Cr.	C	6.1	Mouth	02,35N,29W	Vernon			x	x						
Fonso Br.	P	1.5	Mouth	6,47N,6W	Montgomery			x	x						
Fork Cr.	C	4.5	Mouth	6,44N,4W	Franklin	Gasconade		x	x						
Fortune Br.	C	2.5	Mouth	9,23N,26W	Barry			x	x						
Foster Cr.	C	2.0	Mouth	4,30N,12E	Cape Girardeau			x	x						
Fountain Farm Br.	C	1.8	Mouth	32,38N,03E	Washington			x	x						
Fourche Cr.	P	14.0	State Line	15,23N,1W	Ripley		x	x	x	x		x	x		
Fourche a DuClos Cr.	P	7.5	Mouth	30,38N,7E	Ste. Genevieve			x	x						
Fourche a DuClos Cr.	C	3.0	30,38N,7E	2,37N,6E	Ste. Genevieve			x	x						
Trib. to Fourche a DuClos Cr.	C	1.0	Mouth	31,38N,7E	Ste. Genevieve			x	x						
Fourche a Renault Cr.	P	8.0	7,38N,2E	Sunnen Lake Dam	Washington			x	x						
Fourche a Renault Cr.	P	0.5	Sunnen Lake	15,37N,1E	Washington			x	x						
Fourche a Renault Cr.	C	2.0	15,37N,1E	23,37N,1E	Washington			x	x						
Fourmile Cr.	C	5.0	Mouth	29,34N,18W	Dallas			x	x						
Fowler Cr.	C	6.0	Mouth	13,46N,12W	Boone			x	x						
Fox Cr.	C	7.0	Mouth	20,63N,26W	Harrison			x	x						
Fox Cr.	P	6.3	Mouth	30,44N,03E	St. Louis			x	x						
Fox Cr.	C	0.5	Mouth	27,21N,20W	Taney			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Fox Cr.	P	4.0	Mouth	9,25N,13W	Douglas			x	x						
Fox Cr.	C	5.0	9,25N,13W	29,26N,13W	Douglas			x	x						
Fox R.	P1	12.0	Mouth	Spur 136	Clark			x	x				x	x	
Fox R.	P	27.0	Spur 136	State Line	Clark			x	x				x		
Franklin Cr.	C	2.0	Mouth	32,26N,7E	Butler			x	x						
Frederick Cr.	P	3.0	Mouth	8,22N,2W	Oregon			x	x			x	x		
Frederick Cr.	C	10.0	8,22N,2W	2,22N,4W	Oregon			x	x				x		
Frene Cr.	P	1.5	Mouth	Hwy. 100	Gasconade			x	x						
Frene Cr.	C	3.0	Hwy. 100	10,45N,5W	Gasconade			x	x						
Trib. to Frene Cr.	C	0.5	Mouth	10,45N,5W	Gasconade			x	x						
Freshwater Cr.	P	4.5	Mouth	33,35N,4W	Dent			x	x						
Froe Hollow	P	1.5	Mouth	34,34N,4E	Iron			x	x						
Funk Br.	C	2.5	Mouth	32,31N,3E	Reynolds	Iron		x	x						
Furnace Cr.	P	2.0	Mouth	14,36N,2E	Washington			x	x						
Gabriel Cr.	P	4.0	Mouth	7,44N,18W	Morgan			x	x			x	x		
Gabriel Cr.	C	13.0	7,44N,18W	3,42N,19W	Morgan			x	x						
Galbreath Cr.	C	4.5	18,53N,12W	22,53N,13W	Randolph			x	x						
Galena Hollow	C	2.5	Mouth	20,23N,26W	Barry			x	x						
Galligher Cr.	P	0.2	Mouth	20,41N,04E	Jefferson			x	x						
Gallinipper Cr.	C	1.0	Mouth	35,39N,26W	St. Clair			x	x						
Gallinipper Cr.	C	1.0	27,39N,26W	27,39N,26W	St. Clair			x	x						
Galloway Cr.	P	3.2	16,28N,21W	4,28N,21W	Greene			x	x						
Ganaway Cr.	C	2.0	Mouth	23,52N,16W	Howard			x	x						
Gans Cr.	C	5.0	Hwy. 163	Hwy. 63	Boone			x	x			x			
Garrison Br.	C	2.0	Mouth	29,25N,19W	Christian			x	x						
Garrison Br.	C	0.7	23,27N,21W	23,27N,21W	Christian			x	x						
Garrison Fk.	C	5.0	Mouth	13,50N,27W	Lafayette			x	x						
Gasconade R.	P	249.0	Mouth	6,29N,14W	Gasconade	Wright		x	x	x		x	x	x	
Trib. to Gasconade R.	C	0.5	26,29N,16W	34,29N,16W	Wright			x	x						
Trib. to Gasconade R.	C	2.0	Mouth	24,44N,7W	Gasconade	Osage		x	x						
Trib. to Gasconade R.	P	1.0	Mouth	32,43N,7W	Osage			x	x						
Trib. to Gasconade R.	C	0.5	32,43N,7W	5,42N,7W	Osage			x	x						
Trib. to Gasconade R.	C	2.0	Mouth	23,42N,8W	Osage			x	x						
Trib. to Gasconade R.	C	1.0	Mouth	2,38N,9W	Phelps			x	x						
Trib. to Gasconade R.	C	1.2	Mouth	Hwy N	Osage			x	x						
Gees Cr.	C	13.0	Mouth	29,60N,25W	Livingston	Grundy		x	x						
Gibler Cr.	P	1.0	Mouth	11,45N,13W	Cole			x	x						
Gibler Cr.	C	2.5	10,45N,13W	16,45N,13W	Cole			x	x						
Gillum Cr.	C	2.5	Mouth	23,39N,33W	Bates			x	x						
Gimlet Cr.	P	1.5	Mouth	26,31N,7E	Madison			x	x						
Girard Br.	C	1.5	Mouth	33,41N,1E	Franklin			x	x						
Givins Br.	C	4.0	Mouth	11,32N,19W	Webster			x	x						
Gizzard Cr.	P	2.0	Mouth	6,29N,11E	Cape Girardeau	Bollinger		x	x						
Gizzard Cr.	C	1.0	6,29N,11E	36,30N,10E	Bollinger			x	x						
Trib. to Gizzard Cr.	C	1.0	Mouth	1,29N,10E	Bollinger			x	x						
Gizzard Cr.	P	0.5	Mouth	27,30N,7E	Wayne			x	x						
Gladden Cr.	P	2.0	Mouth	13,31N,6W	Shannon			x	x						
Gladden Cr.	C	13.5	13,31N,6W	5,32N,5W	Shannon	Dent		x	x						
Glade Cr.	C	0.5	Mouth	Sur 2081,30N,4E	Iron			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Glaize Cr.	P	5.5	Mouth	22,42N,5E	Jefferson			x	x						
Glaize Cr.	C	2.0	22,42N,5E	21,42N,5E	Jefferson			x	x						
Glendale Fk.	C	4.0	Mouth	14,31N,33W	Barton			x	x						
Goldsbarry Hollow	C	3.0	Mouth	31,23N,16W	Ozark			x	x						
Goose Cr.	P	2.0	Mouth	32,62N,29W	Daviess			x	x						
Goose Cr.	C	3.5	Mouth	14,56N,29W	Caldwell			x	x						
Goose Cr.	P	4.0	Mouth	10,28N,25W	Lawrence			x	x		x				
Trib. to Goose Cr.	C	3.0	Mouth	18,28N,25W	Lawrence			x	x						
Goose Cr.	C	6.5	Mouth	27,38N,6E	Ste. Genevieve	St. Francois		x	x						
Goose Cr.	P	3.5	Mouth	17,35N,10E	Perry			x	x						
Goose Cr.	C	1.5	17,35N,10E	24,35N,9E	Perry			x	x						
Goose Cr.	P	1.0	Mouth	18,39N,1E	Washington			x	x						
Goose Cr.	C	2.0	18,39N,1E	21,39N,1E	Washington			x	x						
Goose Cr.	C	2.0	Mouth	Hwy. 32	Washington			x	x						
Goose Cr.	C	3.0	Mouth	6,31N,13W	Cape Girardeau			x	x						
Goose Cr.	C	1.5	Mouth	30,29N,7E	Wayne			x	x						
Goose Cr.	C	2.5	Mouth	28,26N,5E	Butler			x	x						
Goose Cr.	P	1.0	Mouth	22,33N,7E	Madison			x	x						
Goose Cr.	C	1.0	22,33N,7E	27,33N,7E	Madison			x	x						
Goose Pond Ditch	C	4.0	21,27N,9E	8,26N,9E	Stoddard			x	x						
Trib. to Goose Pond Ditch	C	1.0	Mouth	4,26N,9E	Stoddard			x	x						
Gooseneck Br.	C	2.5	Mouth	22,37N,20W	Hickory			x	x						
Gordon Cr.	P	2.0	Mouth	15,32N,3W	Dent			x	x						
Gordon Cr.	C	0.5	15,32N,3W	11,32N,3W	Dent			x	x						
Gower Br.	C	2.0	Mouth	09,32N,19W	Dallas			x	x						
Gracey Cr.	C	2.0	Mouth	5,42N,16W	Morgan			x	x						
Grand Glaize Cr.	P	7.0	Mouth	24,38N,15W	Miller	Camden		x	x			x	x		
Grand Glaize Cr.	C	4.0	Mouth	9,44N,5E	St. Louis			x	x						
Grand R.	P	60.0	Mouth	Shoal Cr.	Chariton	Livingston	x	x	x			x	x	x	
Grand R.	P	97.0	Shoal Cr.	State Line	Livingston	Worth	x	x	x			x	x	x	
Old Chan. Grand R.	C	2.5	Mouth	18,57N,24W	Livingston			x	x						
Old Chan. Grand R.	P	14.0	Mouth	6,58N,26W	Daviess			x	x						
Old Chan. Grand R.	C	3.5	1,58N,27W	35,59N,27W	Daviess			x	x						
Old Chan. Grand R.	C	5.0	2,56N,22W	7,56N,21W	Livingston			x	x						
Old Chan. Grand R.	C	1.5	20,57N,23W	30,57N,23W	Livingston			x	x						
Old Chan. Grand R.	C	4.0	26,57N,23W	26,57N,23W	Livingston			x	x						
Granddaddy's Cr.	C	1.0	Mouth	26,41N,28W	Henry			x	x						
Granny Cr.	P	1.0	Mouth	6,30N,11E	Bollinger			x	x						
Granny Cr.	C	1.0	6,30N,11E	31,31N,11E	Bollinger			x	x						
Grantham Cr.	C	2.0	Mouth	2,64N,33W	Gentry			x	x						
Grassy Cr.	C	17.5	Mouth	34,61N,8W	Marion	Lewis		x	x						
Grassy Cr.	C	2.0	Mouth	Hwy. 79	Pike			x	x						
Grassy Cr.	P	1.0	Mouth	20,30N,8E	Bollinger			x	x						
Grassy Cr.	C	3.0	20,30N,8E	14,30N,8E	Bollinger			x	x						
Grassy Cr.	C	2.4	Mouth	27,48N,22W	Saline	Pettis		x	x						
Grassy Hollow	C	3.9	Mouth	09,28N,07W	Texas			x	x						
Graveyard Br.	C	0.4	Mouth	01,42N,09W	Osage			x	x						
Gravois Cr.	P	9.0	Mouth	20,42N,18W	Morgan			x	x			x	x		
Gravois Cr.	P	2.0	Mouth	24,44N,6E	St. Louis City	St. Louis		x	x						
Gravois Cr.	C	4.0	24,44N,6E	Hwy. 30	St. Louis			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life
and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Grays Cr.	P	14.0	Mouth	35,45N,13W	Cole			x	x						
Grays Cr.	C	1.0	35,45N,13W	34,45N,13W	Cole			x	x						
Greasy Cr.	P	4.0	Mouth	31,34N,19W	Dallas			x	x		x				
Greasy Cr.	C	10.5	31,34N,19W	11,32N,20W	Dallas			x	x		x				
Trib. to Greasy Cr.	C	1.0	Mouth	33,33N,20W	Dallas			x	x						
Greasy Cr.	P	0.2	Mouth	14,45N,08W	Osage			x	x						
Greasy Cr.	C	0.7	14,45N,08W	13,45N,08W	Osage			x	x						
Greasy Cr.	C	5.0	Mouth	23,35N,7E	Ste. Genevieve			x	x						
Greasy Cr.	C	4.0	Mouth	12,21N,29W	Barry			x	x						
Trib. to Greasy Cr.	C	2.0	Mouth	13,21N,29W	Barry			x	x						
Greedy Cr.	P	0.8	Mouth	29,41N,06W	Gasconade			x	x						
Greedy Cr.	C	1.0	29,41N,06W	18,41N,06W	Gasconade			x	x						
Trib. to Greedy Cr.	P	0.2	Mouth	Hwy B	Gasconade			x	x						
Greenbriar Cr.	C	1.5	Mouth	33,24N,2W	Oregon			x	x						
Greens Cr.	C	0.5	Mouth	2,39N,2W	Crawford			x	x						
Green Spring Br.	C	1.8	Mouth	02,35N,25W	St. Clair	Cedar		x	x						
Greenwood Valley	C	1.5	Mouth	28,28N,3E	Wayne			x	x						
Greer Br.	C	5.5	Mouth	23,47N,21W	Pettis			x	x						
Greer Cr.	C	3.0	Mouth	25,32N,19W	Webster			x	x						
Greer Spring Br.	P	1.0	Mouth	36,25N,4W	Oregon			x	x		x				
Greggs Cr.	C	2.0	Mouth	15,51N,17W	Howard			x	x						
Greys Lake	C	5.0	24,66N,42W	3,66N,42W	Atchison			x	x						
Grindstone Br.	C	6.0	Mouth	25,51N,13W	Boone			x	x						
Grindstone Cr.	P	17.0	Mouth	35,59N,30W	Daviess	Dekalb		x	x			x	x		
Grindstone Cr.	C	16.0	35,59N,30W	24,57N,31W	Dekalb	Clinton		x	x						
Trib. to Grindstone Cr.	C	1.0	Mouth	9,57N,30W	Dekalb			x	x						
Grindstone Cr.	C	1.5	Mouth	20,48N,12W	Boone			x	x			x			
Groshong Br.	C	1.5	Mouth	12,48N,1E	Lincoln			x	x						
Grounds Cr.	C	1.5	Mouth	4,32N,8E	Madison			x	x						
Grove Cr.	C	3.0	Mouth	8,54N,33W	Platte			x	x						
Grove Cr.	P	2.0	Mouth	1,27N,32W	Jasper			x	x						
Guinns Cr.	C	0.5	Mouth	30,52N,2E	Pike			x	x						
Gulley Spring Cr.	C	3.5	Mouth	5,21N,14W	Ozark			x	x						
Gum Spring Cr.	P	1.0	Mouth	Hwy. W	Cole			x	x						
Gum Spring Cr.	C	0.5	Hwy. W	31,43N,11W	Cole			x	x						
Gunter Cr.	C	6.0	Mouth	29,24N,27W	Barry			x	x						
Hackberry Br.	C	3.7	Mouth	29,35N,32W	Vernon			x	x						
Hagard Cr.	C	1.5	Mouth	1,22N,14W	Ozark			x	x						
Haldiman Br.	C	3.0	Mouth	10,46N,14W	Moniteau			x	x						
Half Moon Bayou	C	3.0	23,17N,12E	18,17N,13E	Pemiscot			x	x						
Halls Cr.	C	1.5	Mouth	18,46N,8W	Callaway			x	x						
Halsey Hollow	C	2.0	Mouth	2,35N,18W	Dallas			x	x						
Hamilton Cr.	P	4.5	Mouth	5,29N,10W	Texas			x	x						
Hamilton Cr.	C	2.0	5,29N,10W	7,29N,10W	Texas			x	x						
Hamilton Cr.	C	2.0	Mouth	29,40N,1W	Washington			x	x						
Trib. to Hamilton Cr.	C	0.5	Mouth	29,40N,1W	Washington			x	x						
Hamilton Cr.	P	1.3	Mouth	14,44N,03E	St. Louis			x	x						
Hancock Hollow	C	1.0	Mouth	2,25N,21W	Christian			x	x						
Harding Cr.	C	2.0	Mouth	15,43N,33W	Cass			x	x						
Harless Cr.	C	2.0	34,44N,31N	28,44N,33W	Cass			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Harris Br.	C	1.0	Mouth	18,39N,1W	Washington			x	x						
Harris Cr.	C	4.5	Mouth	Hwy. 142	Ripley			x	x						
Harrison Br.	P	1.0	Mouth	15,24N,33W	Newton			x	x						
Harrison Br.	C	1.5	15,24N,33W	23,24N,33W	Newton			x	x						
Harrison Cr.	C	3.5	Mouth	32,49N,8W	Callaway			x	x						
Hart Cr.	C	4.0	Mouth	6,45N,12W	Boone					x	x				
Hartman Cr.	C	2.0	Mouth	7,25N,6E	Butler					x	x				
Harviell Ditch (#3)	C	16.0	State Line	14,23N,5E	Ripley	Butler	x			x	x				
Haverstick Cr.	C	2.0	Mouth	29,40N,5E	Jefferson					x	x				
Haw Cr.	P	17.5	Mouth	6,42N,19W	Morgan					x	x		x	x	
Haw Cr.	C	1.0	Mouth	33,40N,13W	Miller					x	x				
Haw Cr.	C	1.5	6,42N,19W	12,42N,20W	Morgan	Benton				x	x				
Trib. to Haw Cr.	P	1.0	Mouth	19,43N,19W	Morgan					x	x				
Trib. to Haw Cr.	C	1.0	Mouth	26,43N,20W	Benton					x	x				
Hawker Br.	C	2.0	16,33N,26W	18,33N,26W	Cedar					x	x				
Hawker Cr.	P	8.0	Mouth	16,29N,9E	Bollinger					x	x				
Hawker Cr.	C	1.5	16,29N,9E	8,29N,9E	Bollinger					x	x				
Hawn Cr.	C	0.5	Mouth	30,32N,9E	Bollinger					x	x				
Hayden Cr.	C	3.0	Mouth	7,36N,4E	St. Francois					x	x				
Hays Cr.	C	2.0	Mouth	29,54N,5W	Ralls					x	x				
Hayzlett Br.	P	2.0	Mouth	25,62N,37W	Nodaway					x	x				
Hazel Cr.	C	5.0	Mouth	31,64N,15W	Adair					x	x				
Hazel Cr.	P	8.0	Mouth	20,36N,1E	Washington					x	x				
Hazel Cr.	C	1.5	20,36N,1E	15,36N,1E	Washington					x	x				
Trib. to Hazel Cr.	C	1.0	Mouth	22,36N,1E	Washington					x	x				
Hazel Run	C	3.0	Mouth	35,38N,5E	St. Francois					x	x				
Hazelton Spring	P	0.1	Mouth	34,33N,10W	Texas					x	x				
Heads Cr.	P	3.0	Mouth	3,42N,4E	Jefferson					x	x				
Heads Cr.	C	1.5	3,42N,4E	14,42N,4E	Jefferson					x	x				
Headwater Div. Chan.	P	20.0	Mouth	4,29N,11E	Cape Girardeau					x	x		x	x	x
Trib. Headwater Div.	P	1.5	Mouth	31,30N,12E	Cape Girardeau					x	x				
Trib. Headwater Div.	C	1.0	31,30N,12E	36,30N,11E	Cape Girardeau					x	x				
Heat String Cr.	C	1.0	Mouth	31,49N,7W	Callaway					x	x				
Heaths Cr.	P	13.0	Mouth	27,48N,22W	Cooper	Pettis				x	x				x
Heaths Cr.	C	10.0	27,48N,22W	17,47N,22W	Pettis					x	x				x
Trib. to Heaths Cr.	C	3.5	Mouth	28,47N,22W	Pettis					x	x				
Trib. to Heaths Cr.	C	2.0	Mouth	20,47N,22W	Pettis					x	x				
Trib. to Heaths Cr.	C	1.1	Mouth	08,47N,21W	Pettis					x	x				
Trib. to Heaths Cr.	C	0.5	Mouth	32,48N,21W	Pettis					x	x				
Trib. to trib. to Heaths Cr.	C	1.0	Mouth	27,47N,22W	Pettis					x	x				
Henderson Cr.	P	1.0	Mouth	32,33N,8E	Madison					x	x				
Henderson Cr.	C	1.5	32,33N,8E	30,33N,7E	Madison					x	x				
Henderson Hollow	C	0.5	Mouth	16,30N,4E	Iron					x	x				
Henpeck Hollow	C	2.0	Mouth	22,38N,2W	Crawford					x	x				
Henry Cr.	P	1.7	Mouth	14,44N,22W	Pettis					x	x				
Henry Cr.	C	2.3	14,44N,22W	36,44N,22W	Pettis					x	x				
Trib. to Henry Cr.	C	1.2	Mouth	31,44N,21W	Pettis	Benton				x	x				
Hess Cr.	C	3.1	Mouth	13,47N,22W	Pettis					x	x				
Trib. to Hess Cr.	C	0.7	Mouth	18,47N,21W	Pettis					x	x				
Hicklin Cr.	C	4.0	4,34N,28W	12,34N,29W	Cedar					x	x				

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Hickory Br.	C	6.0	Mouth	12,55N,20W	Chariton			x	x						
Hickory Cr.	C	6.0	Mouth	2,51N,6W	Audrain			x	x						
Hickory Cr.	C	1.0	Mouth	21,61N,37W	Holt			x	x						
Hickory Cr.	C	2.0	Mouth	11,61N,34W	Andrew			x	x						
Hickory Cr.	C	1.5	Mouth	11,60N,28W	Daviess			x	x						
Hickory Cr.	P	3.0	Mouth	22,61N,31W	Gentry			x	x						
Hickory Cr.	C	7.0	Mouth	9,60N,25W	Grundy			x	x						
Trib. to Hickory Cr.	C	1.0	Mouth	9,60N,25W	Grundy			x	x						
Hickory Cr.	C	4.0	Mouth	20,37N,7E	Ste. Genevieve			x	x						
Hickory Cr.	C	3.0	Mouth	11,25N,6E	Butler			x	x						
Hickory Cr.	P	1.0	Mouth	6,27N,7E	Wayne			x	x						
Hickory Cr.	P	4.5	Mouth	28,25N,31W	Newton			x	x				x		
Higgins Cr.	C	1.0	Mouth	34,43N,12W	Cole			x	x						
Trib. to Higgins Cr.	C	0.5	Mouth	33,43N,12W	Cole			x	x						
High Cr.	C	5.5	20,66N,41W	13,66N,41W	Atchison			x	x						
Trib. to High Cr.	C	2.0	Mouth	14,66N,42W	Atchison			x	x						
High Cr. Ditch	C	4.5	22,66N,42W	20,66N,41W	Atchison			x	x						
Highly Cr.	C	3.0	Mouth	7,62N,37W	Holt			x	x						
Hightower Cr.	C	4.4	Mouth	30,37N,30W	Vernon			x	x						
Hillers Cr.	P	5.0	Mouth	32,45N,9W	Callaway			x	x						
Hillers Cr.	C	11.0	32,45N,9W	34,46N,10W	Callaway			x	x						
Hinch Cr.	P	1.5	Mouth	33,39N,2W	Crawford			x	x						
Hinch Cr.	C	1.5	33,39N,2W	4,38N,2W	Crawford			x	x						
Trib. to Hinch Cr.	C	1.0	Mouth	34,39N,2W	Crawford			x	x						
Hinkson Cr.	P	6.0	Mouth	Hwy. 163	Boone			x	x					x	
Hinkson Cr.	C	18.0	Hwy. 163	36,50N,12W	Boone			x	x						
Trib. to Hinkson Cr.	C	0.5	Mouth	2,49N,12W	Boone			x	x						
Hippo Br.	C	2.0	Mouth	7,54N,5W	Ralls			x	x						
Hocum Hollow	C	0.5	Mouth	Sur 1856,40N,6E	Jefferson			x	x						
Hodge Cr.	C	2.0	28,32N,4W	16,32N,4W	Dent			x	x						
Hog Cr.	C	5.0	Mouth	18,62N,16W	Adair			x	x						
Hog Cr.	P	4.5	Mouth	06,29N,9W	Texas			x	x		x				
Hog Cr.	C	5.1	06,29N,9W	16,29N,09W	Texas			x	x						
Hog Cr.	P	8.5	Mouth	14,31N,10E	Bollinger			x	x						
Hog Cr.	C	1.5	14,31N,10E	3,31N,10E	Cape Girardeau	Bollinger		x	x					x	
Hogan's Fk.	C	5.8	Mouth	17,44N,26W	Johnson			x	x						
Trib. to Hogan's Fk.	C	2.3	Mouth	13,44N,27W	Johnson			x	x						
Hogles Cr.	P	20.7	Mouth	32,38N,23W	Benton	Hickory		x	x		x				
Hogles Cr.	C	7.4	32,38N,23W	34,37N,23W	Hickory			x	x		x				
Trib. to Hogles Cr.	C	1.0	Mouth	26,39N,24W	St. Clair			x	x						
Trib to Hogles Cr..	C	0.8	Mouth	32,39N,23W	Benton			x	x						
Trib. to Hogles Cr..	C	2.8	Mouth	22,37N,23W	Hickory			x	x						
Holland Br.	C	2.0	Mouth	10,54N,34W	Platte			x	x						
Homes Cr.	C	5.2	Mouth	Hwy 33	Clay			x	x						
Holtzclaw Cr.	C	2.0	Mouth	15,53N,32W	Clay			x	x						
Hominy Cr..	C	1.0	Mouth	Hwy 63	Boone			x	x						
Hominy Cr..	P	12.5	Mouth	15,33N,21W	Polk			x	x						
Honey Cr.	P1	7.0	Mouth	Hwy 61	Clark			x	x					x	
Honey Cr.	C	15.0	Hwy 61	Hwy 81	Clark			x	x						
Honey Cr.	P	8.5	Mouth	1,65N,33W	Nodaway			x	x						
Honey Cr..	C	5.0	1,65N,33W	18,66N,33W	Nodaway			x	x						
Honey Cr..	C	6.0	Mouth	35,59N,28W	Daviess			x	x						
Honey Cr.	C	23.0	Mouth	29,63N,23W	Livingston	Grundy		x	x						
Honey Cr.	C	2.0	Mouth	13,46N,19W	Cooper			x	x						
Honey Cr.	C	8.0	Mouth	14,47N,27W	Johnson			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Honey Cr.	C	4.0	Mouth	29,43N,12W	Cole			x	x						
Honey Cr.	C	10.0	Mouth	24,43N,27W	Henry			x	x						
Honey Cr.	P	13.0	Mouth	22,27N,25W	Lawrence			x	x						
Honey Cr.	C	2.0	22,27N,25W	35,27N,25W	Lawrence			x	x						
Honey Cr.	P	3.0	State Line	State Line	McDonald		x	x	x				x		
Honey Cypress Ditch	P	15.0	Mouth	27,18N,8E	Dunklin			x	x						
Honey Run	C	1.5	Mouth	6,38N,15W	Camden			x	x						
Trib. to Honey Run	C	0.5	Mouth	6,38N,15W	Camden			x	x						
Hoover Cr.	C	7.0	Mouth	1,55N,14W	Macon	Randolph		x	x						
Hopewell Cr.	C	1.0	Mouth	3,36N,3E	Washington			x	x						
Horrell Cr.	P	3.0	Mouth	Sur 233,32N,12E	Cape Girardeau			x	x						
Horrell Cr.	C	1.5	Sur 233,32N,12E	2,32N,12E	Cape Girardeau			x	x						
Horse Cr.	P	24.5	Mouth	35,34N,29W	Cedar	Vernon	x	x	x						
Horse Cr.	C	25.0	35,34N,29W	15,31N,28W	Barton	Dade		x	x						
Trib. to Horse Cr.	C	2.0	Mouth	29,32N,28W	Dade			x	x						
Horse Cr.	C	2.0	Mouth	26,25N,23W	Stone			x	x						
Horse Fk.	C	4.0	Mouth	6,55N,31W	Clinton			x	x						
Horseshoe Cr.	C	5.8	Mouth	10,48N,29W	Jackson	Lafayette		x	x						
Horstman Cr.	C	2.0	Mouth	7,45N,4W	Gasconade			x	x						
Houfs Cr.	C	1.0	Mouth	27,48N,9W	Callaway			x	x						
Housgen Cr.	C	0.9	Mouth	Hwy C	Osage			x	x						
Houston Cr.	C	1.5	Mouth	11,41N,1W	Franklin			x	x						
Howard Cr.	C	4.0	Mouth	2,46N,15W	Moniteau			x	x						
Howell Cr.	C	14.0	8,23N,6W	22,24N,8W	Oregon	Howell		x	x						
Trib. to Howell Cr.	C	1.0	Mouth	12,23N,7W	Howell			x	x						
Hubble Cr.	P	15.0	Mouth	Hwy. 61	Cape Girardeau			x	x						
Hubble Cr.	C	2.5	Hwy. 61	30,32N,13E	Cape Girardeau			x	x						
Old Chan. Hubble Cr.	C	2.5	Mouth	11,29N,12E	Scott	Cape Girardeau		x	x						
Hubble Cr.	P	2.5	Mouth	23,29N,5E	Wayne			x	x						
Hubble Cr.	C	1.0	23,29N,5E	11,29N,5E	Wayne			x	x						
Hudson Cr.	C	4.0	17,25N,28W	11,25N,28W	Barry			x	x						
Huff Cr.	C	1.5	Mouth	6,69N,37W	Nodaway			x	x						
Huffstetter Lateral	P	12.0	6,23N,11E	16,25N,11E	Stoddard			x	x						
Hughes Cr.	P	3.0	Mouth	15,33N,12E	Cape Girardeau			x	x						
Hughes Cr.	C	2.0	15,33N,12E	20,33N,12E	Cape Girardeau			x	x						
Hunke Cr.	C	1.2	Mouth	33,43N,06W	Gasconade			x	x						
Humphrey Cr.	P	1.0	Mouth	1,40N,13W	Miller			x	x						
Hungry Cr.	C	0.5	Mouth	5,27N,11W	Douglas			x	x						
Hungry Mother Cr.	C	7.5	Mouth	18,51N,14W	Howard			x	x						
Huldy Hollow	C	2.0	Mouth	28,31N,07W	Texas			x	x						
Hunt Br.	P	0.5	22,28N,21W	22,28N,21W	Greene			x	x						
Hunt Br.	P	1.0	23,28N,21W	24,28N,21W	Greene			x	x						
Hunter Cr.	P	9.0	Mouth	6,26N,15W	Douglas			x	x				x	x	
Hunter Cr.	C	3.0	Mouth	20,30N,6E	Wayne			x	x						
Hurricane Br.	C	1.5	Mouth	27,59N,26W	Daviess			x	x						
Hurricane Cr.	C	4.0	Mouth	Hwy. 139	Carroll			x	x						
Hurricane Cr.	C	3.5	Mouth	23,51N,17W	Howard			x	x						
Hurricane Cr.	P	12.0	Mouth	35,32N,9E	Bollinger			x	x				x		
Hurricane Cr.	P	1.5	Mouth	30,24N,12W	Ozark			x	x		x				
Hurricane Cr.	P	4.0	Mouth	28,25N,3W	Oregon			x	x				x	x	

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Hurricane Cr.	C	5.0	28,25N,3W	4,25N,3W	Oregon			x	x						
Hurricane Cr.	C	6.0	Mouth	Hwy. 21	Ripley			x	x						
Huzzah Cr.	P	34.0	Mouth	1,34N,3W	Crawford	Dent		x	x	x		x	x		
Trib. to Huzzah Cr.	C	1.0	Mouth	26,38N,3W	Crawford			x	x						
Trib. to Huzzah Cr.	C	1.0	Mouth	29,37N,2W	Crawford			x	x						
Trib. to Huzzah Cr.	C	1.0	Mouth	17,35N,2W	Crawford			x	x						
Trib. to Huzzah Cr.	C	1.0	Mouth	4,35N,2W	Crawford			x	x						
Huzzah Cr.	P	1.0	Mouth	31,31N,6E	Madison			x	x						
Hyatts Cr.	P	2.5	Mouth	2,31N,2E	Reynolds			x	x						
Hyde Cr.	P	4.0	Mouth	33,31N,16W	Webster			x	x						
Imboden Fk.	P	5.0	Mouth	27,34N,2E	Reynolds	Iron		x	x						
Indian Br.	C	3.0	Mouth	22,58N,25W	Livingston			x	x						
Indian Camp Cr.	P	2.0	Mouth	6,47N,1E	St. Charles			x	x						
Indian Camp Cr.	C	5.0	6,47N,1E	4,47N,1W	St. Charles	Warren		x	x						
Indian Cr.	C	3.5	Mouth	9,64N,11W	Scotland			x	x						
Indian Cr.	C	3.5	Mouth	Hwy. 24	Monroe			x	x						
Indian Cr.	C	17.0	Mouth	17,52N,4W	Pike			x	x						
Indian Cr.	C	3.0	Mouth	State Line	Jackson			x	x			x			x
Indian Cr.	C	0.8	Mouth	28,40N,09W	Maries			x	x						
Indian Cr.	C	3.0	Mouth	8,64N,32W	Gentry			x	x						
Indian Cr.	C	4.0	Mouth	17,66N,26W	Harrison			x	x						
Indian Cr.	C	3.0	Mouth	5,41N,16W	Morgan			x	x			x	x		
Indian Cr.	P	7.2	Mouth	21,42N,20W	Benton			x	x	x					
Trib. to Indian Cr.	P	0.1	Mouth	35,42N,21W	Benton			x	x						
Trib. to Indian Cr.	C	1.7	Mouth	34,42N,20W	Benton			x	x						
Indian Cr.	C	1.0	Mouth	22,42N,8W	Osage			x	x						
Indian Cr.	P	4.0	Mouth	30,30N,9W	Texas			x	x						
Indian Cr.	C	3.0	30,30N,9W	27,30N,9W	Texas			x	x						
Indian Cr.	C	3.0	Mouth	Sur 2062,38N,8E	Ste. Genevieve			x	x						
Indian Cr.	P	7.0	Mouth	10,32N,13E	Cape Girardeau			x	x						
Indian Cr.	P	1.0	Mouth	35,35N,3W	Crawford			x	x						
Indian Cr.	C	2.0	35,35N,3W	34,35N,3W	Crawford			x	x						
Trib. to Indian Cr.	C	0.5	Mouth	34,35N,3W	Crawford			x	x						
Trib. to Indian Cr.	C	0.9	Mouth	Hwy 42	Maries			x	x						
Indian Cr.	C	1.5	Mouth	17,35N,1E	Washington			x	x						
Indian Cr.	P	1.5	Mouth	18,35N,1W	Washington			x	x						
Indian Cr.	P	20.0	Mouth	36,39N,1W	Franklin	Washington		x	x						
Indian Cr.	C	3.0	36,39N,1W	8,38N,1E	Washington			x	x	x					
Trib. to Indian Cr.	C	1.0	Mouth	6,40N,1E	Franklin			x	x						
Trib. to Indian Cr.	C	2.0	Mouth	15,40N,1W	Washington			x	x						
Indian Cr.	P	1.0	Mouth	9,31N,9E	Bollinger			x	x						
Indian Cr.	C	0.5	9,31N,9E	4,31N,9E	Bollinger			x	x						
Indian Cr.	C	3.0	Mouth	State Line	Stone			x	x						
Indian Cr.	P	10.0	Mouth	35,27N,11W	Douglas			x	x						
Indian Cr.	C	7.5	35,27N,11W	22,27N,10W	Douglas	Howell		x	x						
Indian Cr.	P	4.0	Mouth	7,25N,7E	Butler			x	x						
Indian Cr.	C	2.0	7,25N,7E	6,25N,7E	Butler			x	x						
Indian Cr.	P	4.0	Mouth	32,35N,4E	St. Francois			x	x			x			
Indian Cr.	P	26.0	Mouth	24,24N,31W	McDonald	Newton	x	x	x	x		x	x		
Indian Cr.	C	2.4	Mouth	Hwy DD	Osage			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Indian Cr.	C	0.2	Mouth	34,44N,08W	Osage			x	x						
Trib. to Indian Cr.	C	0.2	Mouth	12,40N,01W	Franklin			x	x						
Trib. to Indian Cr.	P	0.9	Mouth	Hwy W	St. Francois			x	x						
Trib. to Indian Cr.	C	1.1	Hwy W	27,35N,04E	St. Francois			x	x						
Trib. to Indian Cr.	C	0.3	Mouth	07,35N,01W	Washington			x	x						
Ingalls Cr.	C	6.2	Mouth	01,35N,21W	Hickory			x	x						
Iowa Ditch	P	3.0	Mouth	State Line	Atchison			x	x						
Ironton Hollow	C	0.5	Mouth	33,34N,4E	Iron			x	x						
Irvin Br.	C	3.0	Mouth	10,59N,30W	Dekalb			x	x						
Irwin Cr.	C	6.0	Mouth	State Line	Mercer			x	x						
Ishmael Br.	C	1.5	Mouth	9,36N,1E	Washington			x	x						
Island Cr.	C	6.0	Mouth	6,61N,32W	Gentry			x	x						
Isle du Bois Cr.	P	3.0	Mouth	18,39N,7E	Ste. Genevieve			x	x						
Isle du Bois Cr.	C	2.0	18,39N,7E	14,39N,6E	Ste. Genevieve			x	x						
Tr. to Isle du Bois Cr.	C	1.0	Mouth	14,39N,6E	Ste. Genevieve			x	x						
Isum Cr.	C	0.3	Mouth	30,42N,03E	Jefferson			x	x						
Jack Buster Cr.	P	1.5	Mouth	10,41N,14W	Miller			x	x						
Jack Cr.	C	0.5	Mouth	19,33N,10E	Bollinger			x	x						
Jacks Fk.	P	39.0	Mouth	29,28N,7W	Shannon	Texas		x	x	x		x	x		
Jacktar Hollow	C	5.1	Mouth	22,32N,10W	Texas			x	x						
Jacobs Br.	P	1.0	Mouth	2,26N,33W	Newton			x	x						
Jakes Cr.	C	10.0	Mouth	24,35N,19W	Dallas			x	x						
Jam Up Cr.	P	3.0	Mouth	16,27N,6W	Shannon			x	x						
Jam Up Cr.	C	2.0	16,27N,6W	20,27N,6W	Shannon			x	x						
Jamerson Cr.	C	3.0	Mouth	29,46N,12W	Boone			x	x						
James Bayou	C	5.5	12,23N,16E	28,24N,16E	Mississippi			x	x						
James Bayou	C	3.5	12,23N,16E	26,23N,16E	Mississippi			x	x						
James Cr.	P	1.5	Mouth	23,35N,3W	Crawford			x	x						
James Cr.	C	1.5	23,35N,3W	28,35N,3W	Crawford			x	x						
James Cr.	C	2.5	Mouth	17,35N,2E	Washington			x	x						
Trib. to James Cr.	C	1.0	Mouth	22,35N,3W	Crawford			x	x						
James R.	P	28.0	10,24N,22W	8,26N,22W	Stone		x	x	x	x		x	x		
James R.	P	26.0	8,26N,22W	Lk. Springfd. Dam	Stone	Greene	x	x	x	x		x	x		
James R.	P	35.0	Hwy. 65	24,29N,17W	Greene	Webster		x	x	x		x	x	x	
Jarvis Hollow	C	1.5	Mouth	23,38N,17W	Camden			x	x						
Jenkins Cr.	C	6.0	Mouth	8,62N,36W	Nodaway			x	x						
Jenkins Cr.	C	2.5	Mouth	1,24N,26W	Barry			x	x						
Jenkins Cr.	P	2.5	Mouth	7,27N,30W	Jasper			x	x				x		
Jenkins Cr.	C	4.0	7,27N,30W	27,27N,30W	Jasper	Newton		x	x				x		
Trib. to Jenkins Cr.	C	1.5	7,27N,29W	19,27N,29W	Jasper	Newton		x	x						
Jerktail Br.	C	0.5	Mouth	11,34N,19W	Dallas			x	x						
Jesse Cr.	P	1.0	Mouth	21,29N,8E	Bollinger			x	x						
Jesse Cr.	C	2.0	21,29N,8E	9,29N,8E	Bollinger			x	x						
Joachim Cr.	P	28.0	Mouth	30,39N,5E	Jefferson			x	x				x	x	x
Joachim Cr.	C	2.5	30,39N,5E	4,38N,5E	Jefferson			x	x				x		
Trib. to Joachim Cr.	C	1.0	Mouth	10,39N,4E	Jefferson			x	x						
Joes Cr.	C	1.0	Mouth	23,34N,1E	Iron			x	x						
Johns Br.	C	1.0	Mouth	32,51N,4W	Pike			x	x						
Johns Cr.	C	1.0	Mouth	6,35N,9E	Ste. Genevieve			x	x						
Johns Cr.	P	1.0	Mouth	22,36N,1W	Washington			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW— Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
CDF— Cold Water Fishery
WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Johns Cr.	C	2.0	22,36N,1W	27,36N,1W	Washington			x	x						
Trib. to Johns Cr.	C	1.0	Mouth	23,36N,1W	Washington			x	x						
Johnson Br.	C	1.0	Mouth	29,30N,9W	Texas			x	x						
Johnson Cr.	P	3.0	Mouth	36,29N,26W	Lawrence			x	x		x	x			
Johnson Hollow	C	1.0	Mouth	13,27N,20W	Christian			x	x						
Jonca Cr.	P	3.5	Mouth	31,37N,8E	Ste. Genevieve			x	x						
Jonca Cr.	C	5.0	31,37N,8E	8,36N,7E	Ste. Genevieve			x	x						
Jones Br.	C	3.0	Mouth	32,33N,19W	Dallas			x	x						
Jones Cr.	C	4.0	Mouth	4,42N,16W	Morgan			x	x						
Jones Cr.	C	3.0	Mouth	8,32N,18W	Dallas			x	x						
Jones Cr.	C	7.0	Mouth	27,38N,11W	Pulaski			x	x				x		
Jones Cr.	P	3.5	Mouth	15,41N,03E	Jefferson			x	x						
Jones Cr.	P	7.0	Mouth	30,27N,30W	Jasper	Newton		x	x	x			x		
Jordan Br.	C	1.0	Mouth	13,30N,26W	Dade			x	x						
Jordan Br.	C	1.0	Mouth	11,37N,22W	Hickory			x	x						
Jordan Br.	C	1.5	Mouth	32,35N,9E	Perry			x	x						
Jordan Br.	C	6.2	Mouth	Countyline	Platte	Buchanan		x	x						
Jordan Cr.	C	1.0	Mouth	10,57N,23W	Dekalb			x	x						
Jordan Cr.	P	3.8	29,29N,22W	13,29N,22W	Greene			x	x						
Jordan Cr.	C	3.5	Mouth	16,49N,23W	Saline			x	x						
Jowler Cr.	C	8.9	Mouth	19,54N,34W	Platte			x	x						
Joyce Cr.	C	5.0	Mouth	16,24N,28W	Barry			x	x						
Judge Cr.	C	3.0	Mouth	19,36N,19W	Dallas			x	x						
Jurden Br.	C	2.0	Mouth	15,37N,22W	Hickory			x	x						
Kaintuck Hollow Cr.	P	2.4	Mouth	15,36N,09W	Phelps			x	x						
Keelstone Br.	C	1.0	Mouth	2,48N,1E	Lincoln			x	x						
Keeney Cr.	C	4.0	Mouth	Hwy. 210	Ray			x	x						
Kelley Br.	C	0.5	Mouth	1,44N,17W	Moniteau			x	x						
Kelley Br.	C	2.0	Mouth	24,50N,13W	Boone			x	x						
Kelley Br.	C	5.0	Mouth	15,50N,12W	Boone			x	x						
Kelley Hollow	P	0.5	Mouth	27,25N,3W	Oregon			x	x						
Kelley Valley	C	2.5	Mouth	23,27N,3E	Wayne	Carter		x	x						
Kelley Valley	P	1.0	23,27N,3E	26,27N,3E	Wayne	Carter		x	x						
Kelly Hollow	C	1.0	Mouth	3,35N,1W	Washington			x	x						
Kenser Cr.	C	2.0	Mouth	21,39N,12W	Miller			x	x						
Kessler Cr.	C	2.0	Mouth	21,34N,6E	Madison			x	x						
Ketchum Hollow	C	1.5	Mouth	24,22N,27W	Barry			x	x						
Kettle Cr.	C	1.0	Mouth	31,58N,26W	Daviess			x	x						
Kiefer Cr.	P	0.5	Mouth	14,44N,04E	St. Louis			x	x						
Kile Cr.	C	1.0	Mouth	28,51N,13W	Boone			x	x						
Kimsey Cr.	P	1.0	Mouth	19,59N,39W	Holt			x	x						
Kimsey Cr.	C	3.5	19,59N,38W	30,60N,38W	Holt			x	x						
Kimsey Cr.	P	6.0	30,60N,38W	34,61N,38W	Holt			x	x						
King Br.	C	1.0	Mouth	23,31N,22W	Greene			x	x						
King Br.	C	1.5	35,31N,22W	2,30N,22W	Greene			x	x						
Kings R.	P	2.0	Mouth	State Line	Barry	Stone		x	x			x	x		
Kings Valley	P	2.0	Mouth	33,23N,30W	McDonald			x	x						
Kinmore Ditch	C	13.0	State Line	5,17N,8E	Dunklin			x	x						
Kitten Cr.	C	4.0	Mouth	34,37N,29W	St. Clair	Vernon		x	x						
Knob Cr.	C	6.5	Mouth	8,41N,32W	Bates			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Knobby Cr.	P	1.0	Mouth	34,40N,20W	Benton			x	x						
Knobby Cr.	C	1.0	34,40N,20W	35,40N,20W	Benton			x	x						
Trib. to Knobby Cr.	P	0.9	Mouth	36,40N,20W	Benton			x	x						
Knox Br.	C	1.0	Mouth	33,38N,1E	Washington			x	x						
Koen Cr.	C	1.0	Mouth	5,36N,5E	St. Francois			x	x						
Kolb Br.	C	2.0	Mouth	2,38N,19W	Camden			x	x						
Krone Br.	C	1.1	Mouth	29,40N,10W	Maries			x	x						
Kruze Cr.	P	0.5	Mouth	36,41N,03E	Jefferson			x	x						
Kyle Cr.	C	8.0	23,31N,29W	35,31N,28W	Barton	Dade		x	x						
L. Alder Cr.	C	2.0	Mouth	5,35N,27W	Cedar			x	x						
L. Apple Cr.	P	3.5	Mouth	13,33N,11E	Cape Girardeau			x	x						
L. Apple Cr.	C	1.0	13,33N,11E	24,33N,11E	Cape Girardeau			x	x						
Trib. to L. Apple Cr.	C	0.5	Mouth	18,33N,12E	Cape Girardeau			x	x						
L. Bear Cr.	C	4.0	Mouth	8,48N,3W	Montgomery			x	x						
L. Bear Cr.	C	1.0	Mouth	2,46N,5W	Montgomery			x	x						
L. Bear Cr.	C	1.0	Mouth	25,40N,15W	Miller			x	x						
L. Beaver Cr.	C	4.0	Mouth	8,37N,8W	Phelps			x	x			x			
Trib. to L. Beaver Cr.	C	2.0	Mouth	16,37N,8W	Phelps			x	x						
L. Beaver Cr.	P	9.0	Mouth	36,26N,18W	Taney		x	x	x			x	x		
L. Beaver Cr.	C	4.0	36,26N,18W	17,26N,17W	Douglas			x	x						
L. Berger Cr.	P	4.5	Mouth	17,45N,4W	Franklin	Gasconade		x	x						
L. Berger Cr.	C	1.5	17,45N,4W	19,45N,4W	Gasconade			x	x						
Trib. to L. Berger Cr.	C	1.0	Mouth	4,45N,4W	Gasconade			x	x						
L. Black R.	P	25.0	State Line	31,24N,5E	Ripley	Butler	x	x	x			x	x		
L. Black R.	P	16.0	31,24N,5E	9,24N,3E	Butler	Ripley	x	x	x	x		x	x		
L. Blackwater Cr.	C	6.0	Mouth	36,47N,28W	Johnson			x	x						
L. Blair Cr.	C	2.0	Mouth	6,29N,2W	Shannon			x	x						
L. Blue R.	P	39.1	Mouth	Longview Dam	Jackson			x	x				x		
L. Blue R.	C	4.0	20,47N,32W	36,47N,33W	Jackson			x	x						
L. Boeuf Cr.	P	1.0	Mouth	10,44N,2W	Franklin			x	x						
L. Boeuf Cr.	C	1.0	10,44N,2W	14,44N,2W	Franklin			x	x						
Trib. to L. Boeuf Cr.	C	1.0	Mouth	11,44N,2W	Franklin			x	x						
Trib. to L. Boeuf Cr.	C	0.5	Mouth	15,44N,2W	Franklin			x	x						
L. Bonne Femme Cr.	P	9.0	Mouth	Hwy. 163	Boone			x	x						
L. Boone Cr.	C	2.0	Mouth	22,41N,3W	Franklin			x	x						
L. Bottom Cr.	C	1.0	Mouth	31,38N,8E	Ste. Genevieve			x	x						
L. Bourbeuse Cr.	C	11.0	Mouth	20,39N,7W	Phelps	Maries		x	x						
L. Bourbeuse R.	P	13.0	Mouth	26,40N,4W	Franklin	Crawford		x	x						
L. Bourbeuse R.	C	2.0	26,40N,4W	3,39N,4W	Crawford			x	x						
Trib. to L. Bourbeuse R.	C	1.0	Mouth	4,39N,4W	Crawford			x	x						
Trib. to L. Bourbeuse R.	C	2.0	Mouth	4,39N,4W	Crawford			x	x						
Trib. to L. Bourbeuse R.	C	0.1	Mouth	04,39N,07W	Maries			x	x						
Trib. to L. Bourbeuse R.	P	1.0	Mouth	02,39N,04W	Crawford			x	x						
L. Brazil Cr.	P	1.5	Mouth	18,38N,1W	Washington			x	x						
L. Brazil Cr.	C	0.5	18,38N,1W	19,38N,1W	Washington			x	x						
L. Brush Cr.	C	7.0	Mouth	10,59N,17W	Macon			x	x						
L. Brushy Cr.	C	2.0	Mouth	18,27N,4E	Wayne			x	x						
L. Buffalo Cr.	P	6.0	Mouth	11,41N,19W	Morgan			x	x						
L. Calumet Cr.	P	1.0	Mouth	2,53N,1W	Pike			x	x						
L. Calumet Cr.	C	1.0	2,53N,1W	10,53N,1W	Pike			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
L. Calvey Cr.	C	1.0	Mouth	9,42N,2E	Franklin			x	x						
L. Cane Cr.	C	2.0	State Line	26,22N,5E	Butler		x	x	x						
L. Cedar Cr.	C	6.0	Mouth	5,48N,11W	Boone			x	x						
L. Chariton R.	P	13.5	Mouth	5,52N,17W	Chariton			x	x						
L. Clear Cr.	C	4.0	Mouth	1,36N,28W	St. Clair			x	x						
Trib. to L. Clear Cr.	C	1.0	Mouth	2,36N,28W	St. Clair			x	x						
L. Clear Cr.	C	1.0	Mouth	8,34N,30W	Vernon			x	x						
L. Coon Cr.	C	4.0	Mouth	6,30N,29W	Barton			x	x						
L. Courtois Cr.	P	2.0	Mouth	2,39N,1W	Washington			x	x						
L. Courtois Cr.	C	2.0	2,39N,1W	15,39N,1W	Washington			x	x						
L. Crane Cr.	C	6.0	Mouth	4,25N,25W	Stone	Barry		x	x						
L. Crooked Cr.	C	3.5	Mouth	20,57N,11W	Shelby			x	x						
L. Crooked Cr.	P	2.5	Mouth	33,31N,9E	Bollinger			x	x				x		
L. Crooked Cr.	C	2.5	33,31N,9E	32,31N,9E	Bollinger			x	x						
L. Dardenne Cr.	C	4.0	Mouth	10,46N,1E	St. Charles			x	x						
L. Deer Cr.	C	9.0	Mouth	01,38N,21W	Benton			x	x						
Trib. to L. Deer Cr.	C	1.0	Mouth	24,39N,21W	Benton			x	x						
L. Deer Cr.	C	3.0	Mouth	31,42N,30W	Bates			x	x						
L. Dry Fk.	P	5.0	Mouth	8,37N,7W	Phelps			x	x						
L. Dry Fk.	C	4.5	8,37N,7W	5,36N,7W	Phelps			x	x						
L. Drywood Cr.	P	17.0	Mouth	13,34N,32W	Vernon			x	x						
L. Drywood Cr.	C	10.0	13,34N,32W	20,33N,31W	Vernon	Barton		x	x						
Trib. to L. Drywood Cr.	C	1.1	Mouth	02,34N,32W	Vernon			x	x						
L. E. Fk. Locust Cr.	C	9.0	Mouth	30,62N,19W	Sullivan			x	x						
L. Fabius R.	C	21.5	Mouth	17,61N,12W	Knox			x	x						
L. Finley Cr.	P	5.0	Mouth	5,28N,17W	Webster			x	x						
Trib. to L. Finley Cr.	P	2.0	Mouth	7,28N,17W	Webster			x	x						
L. Flat Cr.	P	3.5	Mouth	25,25N,27W	Barry			x	x		x	x	x		
L. Flat Cr.	C	2.0	25,25N,27W	34,25N,27W	Barry			x	x						
L. Flora Cr.	P	2.5	Mouth	Sur 2201,31N,14E	Cape Girardeau			x	x						
L. Fourche a Renault Cr.	P	1.0	Mouth	26,38N,1E	Washington			x	x						
L. Fourche a Renault Cr.	C	3.0	26,38N,1E	2,37N,1E	Washington			x	x						
L. Fox R.	P	17.0	Mouth	34,67N,10W	Clark	Scotland		x	x						
L. Fox R.	C	4.5	34,67N,10W	19,67N,10W	Scotland			x	x						
L. Fox Cr.	P	0.4	Mouth	31,44N,03E	St. Louis			x	x						
L. Gravois Cr.	P	4.0	Mouth	1,40N,16W	Miller			x	x				x		
L. Gravois Cr.	C	3.0	1,40N,16N	30,41N,15W	Miller			x	x						
L. Gravois Cr.	P	5.0	Mouth	21,42N,17W	Morgan			x	x				x	x	
L. Hazel Cr.	P	1.5	Mouth	29,36N,1E	Washington			x	x						
L. Hazel Cr.	C	0.5	29,36N,1E	32,36N,1E	Washington			x	x						
L. Hogles Cr.	P	1.2	Mouth	09,39N,23W	Benton			x	x						
L. Hogles Cr.	C	1.5	09,39N,23W	16,39N,23W	Benton			x	x						
L. Horseshoe Cr.	C	5.4	Mouth	11,48N,29W	Jackson	Lafayette		x	x						
L. Hunting Slough	C	5.0	Mouth	14,22N,6E	Butler		x	x	x						
L. Hurricane Cr.	C	1.0	Mouth	1,54N,22W	Carroll			x	x						
L. Hurricane Cr.	C	3.0	Mouth	7,24N,3W	Oregon			x	x						
L. Indian Cr.	P	2.0	Mouth	19,32N,13E	Cape Girardeau			x	x						
L. Indian Cr.	C	2.0	19,32N,13E	25,32N,13E	Cape Girardeau			x	x						
L. Indian Cr.	P	8.0	Mouth	30,40N,2E	Franklin	Washington		x	x						
L. Indian Cr.	C	1.0	30,40N,2E	31,40N,2E	Washington			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to L. Indian Cr.	C	1.0	Mouth	26,40N,1E	Washington			x	x						
Trib. to Indian Cr.	C	0.4	Mouth	32,38N,03W	Washington			x	x						
L. Indian Cr.	C	2.5	Mouth	19,27N,10W	Douglas	Howell		x	x						
L. Lake Cr.	C	4.0	Mouth	31,29N,5E	Wayne			x	x						
L. Lead Cr.	C	4.0	27,50N,2W	20,50N,2W	Lincoln			x	x						
L. Lindley Cr.	C	3.0	Mouth	15,34N,20W	Dallas			x	x						
L. Lost Cr.	C	1.5	Mouth	18,46N,3W	Warren			x	x						
L. Lost Cr.	P	1.5	Mouth	26,37N,1W	Washington			x	x						
L. Lost Cr.	P	4.5	Mouth	28,25N,33W	Newton			x	x						
L. Loutre Cr.	C	10.0	Mouth	5,49N,6W	Montgomery			x	x						
L. Maries Cr.	P	7.0	Mouth	24,42N,11W	Osage			x	x	x					
L. Maries Cr.	C	1.0	24,42N,11W	23,42N,11W	Osage			x	x						
Trib. to L. Maries Cr.	C	1.0	Mouth	30,42N,10W	Osage			x	x						
L. Maries R.	P	6.0	Mouth	12,40N,11W	Maries			x	x						
Trib. to L. Maries R.	C	0.5	Mouth	3,40N,10W	Maries			x	x						
L. Maries R.	C	12.0	12,40N,11W	28,39N,11W	Maries			x	x						
L. Meramec R.	P	2.5	Mouth	7,41N,2E	Franklin			x	x						
L. Mill Cr.	P	4.8	Mouth	33,38N,21W	Hickory			x	x						
Trib. to L. Mill Cr.	C	0.6	Mouth	24,38N,22W	Hickory			x	x						
L. Monegaw Cr.	C	4.0	Mouth	36,39N,27W	St. Clair			x	x						
L. Moniteau Cr.	P	3.0	Mouth	3,45N,14W	Moniteau			x	x				x		
L. Moniteau Cr.	C	4.0	3,45N,14W	18,45N,14W	Moniteau			x	x						
Trib. to L. Moniteau Cr.	C	3.0	Mouth	11,45N,15W	Moniteau			x	x						
L. Muddy Cr.	C	3.0	Mouth	17,60N,27W	Daviess			x	x						
L. Muddy Cr.	C	5.5	Mouth	State Line	Mercer			x	x						
L. Muddy Cr.	C	7.3	Mouth	18,46N,22W	Pettis			x	x						
L. Muddy Cr.	P	2.0	Mouth	Sur 2219,32,10E	Cape Girardeau	Bollinger		x	x						
L. Muddy Cr.	C	5.5	Sur 2219,32,10E	Sur 3144,33,10E	Bollinger			x	x						
Trib. to L. Muddy Cr.	C	2.0	Mouth	04,46N,22W	Pettis			x	x						
Trib. to L. Muddy Cr.	C	0.4	Mouth	14,46N,22W	Pettis			x	x						
Trib. to L. Muddy Cr.	C	2.9	Mouth	06,46N,22W	Pettis			x	x						
Trib. to L. Muddy Cr.	C	0.4	Mouth	14,46N,22W	Pettis			x	x						
L. Mussel Cr.	C	3.0	Mouth	17,61N,17W	Adair			x	x						
L. N. Fk. Spring R.	C	13.0	Mouth	30,31N,32W	Jasper	Barton	x	x	x						
Trib. to L. N. Fk. Spring R.	C	1.0	Mouth	29,31N,32W	Barton			x	x						
L. N. Fk. White R.	P	5.0	Mouth	36,24N,16W	Ozark			x	x	x					
L. N. Fk. White R.	C	6.0	36,24N,16W	3,24N,16W	Ozark			x	x	x					
L. Niangua R.	P	43.0	Mouth	26,36N,19W	Camden	Dallas		x	x	x			x	x	
L. Niangua R.	C	7.0	26,36N,19W	20,35N,19W	Dallas			x	x				x	x	
L. No Cr.	C	4.0	14,62N,23W	30,63N,22W	Grundy			x	x						
L. Noix Cr.	C	1.5	Mouth	28,54N,2W	Pike			x	x						
L. Osage R.	P	6.3	Mouth	18,37N,31W	Vernon			x	x						
L. Osage R.	C	16.0	18,37N,31W	18,37N,33W	Vernon			x	x						
L. Otter Cr.	C	4.0	Mouth	6,55N,11W	Monroe			x	x						
L. Otter Cr.	C	3.0	Mouth	4,56N,27W	Caldwell			x	x						
L. Paddy Cr.	C	3.5	Mouth	36,33N,11W	Texas			x	x						
L. Pike Cr.	C	2.0	Mouth	3,26N,2W	Carter			x	x						
L. Pine Cr.	C	1.5	Mouth	12,33N,12W	Texas			x	x						
L. Piney Cr.	C	2.0	Mouth	7,33N,12W	Pulaski	Texas		x	x						
L. Piney Cr.	P	6.0	Mouth	25,37N,9W	Phelps			x	x	x			x	x	

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
L. Piney Cr.	P	15.0	25,37N,9W	4,35N,8W	Phelps			x	x		x	x	x		
L. Piney Cr.	C	4.0	4,35N,8W	21,35N,8W	Phelps			x	x		x				
L. Platte R.	P	10.5	Mouth	Smithville Dam	Platte	Clay		x	x					x	
L. Platte R.	C	19.0	24,55N,32W	28,57N,31W	Clinton			x	x					x	
L. Pomme de Terre R.	C	6.0	Mouth	25,31N,21W	Polk	Greene		x	x						
L. Pomme de Terre R.	P	14.9	Mouth	03,37N,23W	Benton	Hickory		x	x			x		x	
L. Pomme de Terre R. Trib. to L. Pomme de Terre	C	7.0	Mouth	22,38N,23W	Benton	Hickory		x	x	x		x		x	
L. Profits Cr.	P	1.5	Mouth	30,42N,11W	Osage			x	x						
L. Profits Cr.	C	0.5	30,42N,11W	30,42N,11W	Osage			x	x						
L. Ramsey Cr.	C	1.0	Mouth	16,52N,1E	Pike			x	x						
L. Richland Cr.	C	5.0	Mouth	12,44N,18W	Morgan			x	x			x		x	
L. Rock Cr.	C	2.0	Mouth	17,32N,5E	Madison			x	x						
L. Rocky Cr.	P	1.0	Mouth	12,28N,3W	Shannon			x	x						
L. Rocky Cr.	C	1.0	12,28N,3W	1,28N,3W	Shannon			x	x						
Trib. to L. Rocky Cr.	C	1.0	Mouth	1,28N,3W	Shannon			x	x						
L. Sac R.	P	29.0	Mouth	McDaniel Lake Dam	Polk	Greene		x	x	x		x		x	
L. Sac R.	P	1.0	19,30N,21W	17,30N,21W	Greene			x	x						
L. Sac R.	C	3.0	17,30N,21W	Fellows Lake Dam	Greene			x	x						
L. Sac R.	C	2.0	19,30N,20W	21,30N,20W	Greene			x	x						
L. Saline Cr.	P	5.0	Mouth	29,41N,14W	Miller			x	x						
L. Saline Cr.	P	9.0	Mouth	24,36N,8E	Ste. Genevieve			x	x						
L. Sandy Cr.	C	6.0	Mouth	9,51N,1W	Lincoln			x	x						
Trib. to L. Sandy Cr.	C	1.5	Mouth	Sur 1686,51,1W	Lincoln			x	x						
L. Shaver Cr.	C	4.9	Mouth	04,45N,20W	Pettis			x	x						
L. Shawnee Cr.	P	2.0	Mouth	29,29N,3W	Shannon			x	x						
L. Shawnee Cr.	C	2.0	29,29N,3W	4,28N,3W	Shannon			x	x						
L. Shoal Cr.	C	4.5	Mouth	14,66N,16W	Putnam			x	x						
L. Shoal Cr.	C	3.3	Mouth	24,51N,32W	Clay			x	x						
L. Shoal Cr.	P	1.5	Mouth	13,36N,2W	Crawford			x	x			x			
L. Shoal Cr.	C	2.0	13,36N,2W	24,36N,2W	Crawford			x	x						
L. Sinking Cr.	P	4.0	Mouth	26,32N,3W	Shannon	Dent		x	x						
L. Sinking Cr.	C	1.0	26,32N,3W	26,32N,3W	Dent			x	x						
L. Sni-a-bar Cr.	P	5.0	Mouth	30,50N,27W	Lafayette			x	x						
L. Sni-a-bar Cr.	C	7.0	30,50N,27W	16,49N,27W	Lafayette			x	x						
L. Splice Cr.	P	1.0	Mouth	16,47N,14W	Moniteau			x	x						
L. Splice Cr.	C	2.5	16,47N,14W	20,47N,14W	Moniteau			x	x						
Trib. to L. Splice Cr.	C	1.0	Mouth	19,47N,14W	Moniteau			x	x						
L. St. Francis R.	P	27.7	Mouth	32,35N,07E	Madison	St. Francois		x	x	x		x		x	x
L. St. Francis R.	C	0.8	32,35N,7E	32,35N,7E	Madison	St. Francois		x	x						
L. Sugar Cr.	C	4.0	Mouth	10,49N,1E	Lincoln			x	x						
L. Sugar Cr.	P	11.0	34,22N,32W	State Line	McDonald		x	x	x	x		x		x	
L. Tabo Cr.	C	7.0	Mouth	3,50N,25W	Lafayette			x	x						
L. Tarkio Cr.	P	17.5	Mouth	19,63N,39W	Holt			x	x					x	
L. Tarkio Cr.	C	14.5	19,63N,39W	13,65N,38W	Atchison			x	x						
Old Ch. L. Tarkio Cr.	P	6.0	Mouth	22,61N,39W	Holt			x	x						
Old Ch. L. Tarkio Cr.	C	8.0	22,61N,39W	20,62N,39W	Holt			x	x						
L. Tarkio Ditch	P	5.5	Mouth	11,60N,39W	Holt			x	x						

IRR LWL AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWL—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
L. Taum Sauk Cr.	C	1.5	Mouth	25,33N,2E	Reynolds			x	x						
L. Tavern Cr.	C	1.0	Mouth	36,46N,7W	Callaway			x	x						
L. Tavern Cr.	C	1.4	05,39N,11W	07,39N,11W	Maries			x	x						
Trib. to L. Tavern Cr.	C	1.3	Mouth	15,40N,11W	Maries			x	x						
Trib. to L. Tavern Cr.	C	1.2	Mouth	22,40N,11W	Maries			x	x						
Trib. to L. Tavern Cr.	C	1.1	Mouth	27,40N,11W	Maries			x	x						
Trib. to L. Tavern Cr.	C	1.1	Mouth	34,40N,11W	Maries			x	x						
L. Tavern Cr.	C	4.0	Mouth	34,42N,13W	Miller	Cole		x	x	x			x		
L. Tavern Cr.	P	1.0	33,39N,12W	34,39N,12W	Miller			x	x						
L. Tavern Cr.	C	1.5	34,39N,12W	10,38N,12W	Miller			x	x						
L. Tavern Cr.	P	11.0	Mouth	5,39N,11W	Miller	Maries		x	x					x	
L. Tavern Cr.	C	1.0	Mouth	11,44N,2E	Franklin			x	x						
L. Tebo Cr.	C	4.5	Mouth	29,42N,22W	Benton			x	x						
Trib. to L. Tebo Cr.	C	1.5	Mouth	30,42N,22W	Benton			x	x						
Trib. to L. Tebo Cr.	C	0.9	Mouth	21,42N,22W	Benton			x	x						
L. Third Cr.	C	4.0	Mouth	23,42N,7W	Osage			x	x						
L. Third Fk. Platte R.	C	20.0	Mouth	27,60N,32W	Dekalb			x	x						
L. Turkey Cr.	C	2.0	Mouth	36,40N,22W	Benton			x	x						
Trib. to L. Turkey Cr.	C	1.0	Mouth	3,39N,22W	Benton			x	x						
L. Walnut Cr.	C	2.5	18,60N,16W	14,60N,17W	Macon			x	x						
L. Walnut Cr.	C	3.0	Mouth	26,47N,24W	Johnson			x	x						
L. Weaubleau Cr.	C	3.3	Mouth	9,36N,23W	St. Clair	Hickory		x	x					x	
L. Weaubleau Cr.	P	5.7	Mouth	09,36N,23W	St. Clair	Hickory		x	x	x					x
Trib. to L. Weaubleau Cr.	C	0.5	Mouth	12,36N,23W	Hickory			x	x						
L. Whitewater Cr.	P	21.0	Mouth	16,33N,9E	Cape Girardeau	Bollinger		x	x					x	
L. Whitewater Cr.	C	1.0	16,33N,9E	17,33N,9E	Bollinger			x	x						
Tr. to L. Whitewater Cr.	C	0.5	Mouth	8,33N,9E	Bollinger			x	x						
L. Wilson Cr.	P	3.5	Mouth	25,32N,21W	Polk			x	x						
L. Wilson Cr.	C	2.0	25,32N,21W	32,32N,20W	Dallas			x	x						
L. Wyaconda R.	P	6.0	Mouth	34,64N,8W	Clark			x	x						
L. Wyaconda R.	C	4.0	34,64N,8W	25,64N,9W	Clark			x	x						
LaBarque Cr.	P	4.0	Mouth	32,43N,3E	Jefferson			x	x						
Trib. to LaBarque Cr.	P	1.0	Mouth	4,42N,3E	Jefferson			x	x						
Labadie Cr.	P	3.0	Mouth	31,44N,2E	Franklin			x	x						
Trib. to Labadie Cr.	C	1.0	Mouth	1,43,1E	Franklin			x	x						
Trib. to Labadie Cr.	C	1.0	Mouth	32,44N,2E	Franklin			x	x						
Trib. to Labadie Cr.	P	2.0	Mouth	6,43N,2E	Franklin			x	x						
Ladies Br.	C	7.0	Mouth	24,37N,30W	Vernon			x	x						
Lake Cr.	C	4.0	Mouth	20,54N,19W	Chariton			x	x						
Lake Cr.	C	9.5	Mouth	29,58N,25W	Livingston			x	x						
Lake Cr.	P	4.3	Mouth	12,44N,20W	Pettis	Morgan		x	x	x					
Lake Cr.	C	9.7	12,44N,20W	17,43N,20W	Pettis	Benton		x	x	x					
Trib. to Lake Cr.	C	0.6	Mouth	09,43N,20W	Benton			x	x						
Trib. to Lake Cr.	C	1.2	Mouth	20,43N,20W	Benton			x	x						
Trib. to Lake Cr.	C	3.5	Mouth	02,43N,20W	Pettis	Benton		x	x						
Lake Ditch	C	1.8	Mouth	01,42N,09W	Osage			x	x						
Lake Slough	C	13.0	3,23N,7E	1,25N,7E	Butler			x	x						
Lamine R.	P	54.0	Mouth	13,45N,19W	Cooper	Morgan	x	x	x				x	x	
Landing Cr.	C	1.0	Mouth	16,42N,12W	Cole			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Landon Br.	C	3.0	Mouth	5,34N,31W	Vernon			x	x						
Lanes Fk.	C	2.5	Mouth	32,39N,7W	Maries			x	x						
Larry Cr.	C	1.0	Mouth	2,59N,28W	Daviess			x	x						
Lateral #2 Main Ditch	P	11.5	24,23N,10E	25,25N,10E	Stoddard			x	x						
Lateral #2 Main Ditch	C	3.0	25,25N,10E	6,25N,10E	Stoddard			x	x						
Lateral #2	C	2.0	Mouth	8,18N,12E	Pemiscot			x	x						
Lateral #27	C	3.0	Mouth	32,20N,13E	Pemiscot			x	x						
Lateral #27	P	6.0	29,16N,9E	30,16N,10E	Dunklin			x	x						
Lateral #4	C	3.0	Mouth	21,27N,14E	Scott		x	x	x				x		
Lateral Ditch	C	2.0	Mouth	32,22N,8E	Butler			x	x						
Lateral Ditch	C	6.0	Mouth	3,22N,7E	Butler			x	x						
Lateral Ditch #1	C	4.0	Mouth	19,23N,10E	Dunklin			x	x						
Lateral Ditch #2	C	3.0	Mouth	9,22N,10E	Dunklin			x	x						
Lateral Ditch #37	C	5.0	Mouth	20,22N,8E	Butler			x	x						
Laurie Hollow	C	1.0	Mouth	18,39N,17W	Camden			x	x						
Lead Cr.	P	1.0	Mouth	7,49N,1W	Lincoln			x	x						
Lead Cr.	C	6.0	7,49N,1W	27,50N,2W	Lincoln			x	x						
Leatherwood Cr.	P	1.0	Mouth	9,31N,5E	Madison			x	x						
Leatherwood Cr.	C	3.0	9,31N,5E	6,31N,5E	Madison			x	x						
Lee Hollow	C	1.0	Mouth	27,26N,7W	Howell			x	x						
Lee Rowe Ditch	C	6.0	30,25N,16E	30,24N,16E	Mississippi			x	x						
Leeper Cr.	C	8.0	Mouth	21,58N,23W	Livingston			x	x						
Lewis Slough	C	2.0	Mouth	32,67N,42W	Atchison			x	x						
Lick Br.	C	6.9	Mouth	19,43N,29W	Cass			x	x						
Lick Br.	C	1.5	Mouth	2,24N,10W	Howell			x	x						
Lick Cr.	C	1.0	Mouth	32,22N,16W	Ozark			x	x						
Lick Cr.	C	8.5	Mouth	9,53N,7W	Ralls			x	x						
Lick Cr.	P	2.0	Mouth	2,38N,4W	Crawford			x	x						
Lick Cr.	C	2.0	2,38N,4W	27,39N,4W	Crawford			x	x						
Lick Cr.	P	3.0	Mouth	Hwy. J	Ozark			x	x				x		
Lick Cr.	P	4.5	Hwy. J	19,22N,12W	Ozark			x	x						
Lick Cr.	C	5.0	19,22N,13W	30,23N,13W	Ozark			x	x						
Lick Cr.	C	3.5	Mouth	6,27N,8E	Wayne			x	x						
Trib. to Lick Cr.	C	1.0	Mouth	34,39N,4W	Crawford			x	x						
Lick Cr. Ditch	C	16.0	33,25N,9E	15,26N,10E	Stoddard			x	x						
Lick Fk.	C	8.9	Mouth	02,50N,27W	Lafayette			x	x						
Lick Fk.	P	6.0	Mouth	30,58N,26W	Daviess			x	x						
Lick Fk.	C	9.0	30,58N,26W	7,57N,27W	Daviess	Caldwell		x	x						
Lick Fk.	C	1.5	Mouth	2,50N,15W	Howard			x	x						
Lick Fk.	C	0.5	Mouth	20,44N,16W	Moniteau			x	x						
Lick Fk.	C	8.0	Mouth	14,51N,13W	Boone			x	x						
Lick Fk. Gasconade R.	P	13.5	6,29N,14W	26,29N,16W	Wright			x	x						
Lick Fk. Gasconade R.	C	4.5	26,29N,16W	19,29N,16W	Wright	Webster		x	x						
Lick Log Cr.	P	2.0	Mouth	29,29N,8E	Bollinger			x	x						
Lick Log Cr.	C	1.0	29,29N,8E	31,29N,8E	Bollinger			x	x						
Trib. to Lick Log Cr.	C	1.0	Mouth	33,29N,8E	Bollinger			x	x						
Ligett Cr.	C	1.0	Mouth	9,26N,5E	Butler			x	x						
Limestone Cr.	P	7.0	Mouth	24,30N,27W	Dade			x	x	x			x		
Lincoln Cr.	C	7.0	Mouth	14,60N,36W	Andrew			x	x						
Trib. to Lincoln Cr.	C	1.0	Mouth	13,60N,37W	Andrew			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation

LWW—Livestock & Wildlife Watering

AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery

CDF—Cold Water Fishery

WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing

DWS—Drinking Water Supply

IND—Industrial

TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Lindley Cr.	P	22.0	Mouth	20,34N,20W	Hickory	Dallas		x	x						
Lindley Cr.	C	2.0	20,34N,20W	32,34N,20W	Dallas			x	x						
Trib. to Lindley Cr.	C	3.0	Mouth	34,35N,20W	Dallas			x	x						
Line Cr.	C	6.8	Mouth	Lake Waukomis	Platte			x	x						
Liner Cr.	C	1.0	Mouth	9,21N,12W	Ozark			x	x						
Linn Cr.	C	3.0	Mouth	36,66N,9W	Clark			x	x						
Linn Cr.	C	7.0	Mouth	7,43N,8W	Osage			x	x						
Little Cr.	C	8.0	Mouth	31,65N,28W	Harrison			x	x						
Little Cr.	C	3.0	Mouth	11,46N,28W	Johnson			x	x						
Little Cr.	C	1.0	Mouth	25,51N,12W	Boone			x	x						
Little Cr.	C	1.5	Mouth	3,40N,5E	Jefferson			x	x						
Little Cr.	P	3.0	Mouth	8,30N,7E	Wayne			x	x						
Little Cr.	C	5.0	Mouth	17,24N,15W	Ozark			x	x						
Trib. to Little Cr.	C	1.0	Mouth	18,24N,15W	Ozark			x	x						
Little Cr.	C	2.0	Mouth	36,22N,14W	Ozark			x	x						
Little Cr.	C	8.0	Mouth	1,25N,8W	Howell			x	x						
Little Cr.	C	4.0	Mouth	26,32N,4W	Shannon	Dent		x	x						
Little Cr.	C	2.0	Mouth	20,34N,1W	Iron			x	x						
Little Cr.	C	1.0	Mouth	12,32N,3E	Iron			x	x						
Little Cr.	P	2.5	Mouth	36,28N,6E	Wayne			x	x						
Little Cr.	C	2.5	Mouth	Hwy CC	Franklin			x	x						
Little R.	P	7.0	Mouth	State Line	Mercer			x	x						
Littleby Cr.	C	15.0	Mouth	24,51N,8W	Audrain			x	x						
Locust Cr.	P	84.0	Mouth	State Line	Chariton	Putnam		x	x				x	x	
Log Cr.	C	7.0	Mouth	6,55N,28W	Caldwell			x	x				x		
Logan Cr.	C	5.5	Mouth	30,46N,7W	Callaway			x	x						
Logan Cr.	C	3.0	Mouth	19,44N,13W	Cole			x	x						
Trib. to Logan Cr.	C	1.0	Mouth	28,44N,13W	Cole			x	x						
Logan Cr.	P	5.5	Mouth	36,23N,3E	Ripley			x	x						
Logan Cr.	C	6.0	36,23N,3E	9,23N,3E	Ripley			x	x						
Logan Cr.	P	19.0	22,29N,2E	25,31N,2W	Reynolds			x	x			x	x		
Long Br.	C	29.0	7,53N,8W	7,52N,11W	Monroe	Audrain		x	x						
Long Br.	C	3.0	Mouth	29,66N,38W	Atchison			x	x						
Long Br.	P	6.0	Mouth	6,62N,34W	Nodaway			x	x						
Long Br.	C	11.5	6,62N,34W	8,64N,34W	Nodaway			x	x						
Long Br.	C	5.0	Mouth	19,62N,31W	Gentry			x	x						
Long Br.	C	1.9	Mouth	24,40N,11W	Maries			x	x						
Long Br.	C	3.0	Mouth	33,37N,19W	Camden			x	x						
Long Br.	C	0.8	Mouth	27,45N,25W	Johnson			x	x						
Long Br.	C	13.0	Mouth	11,59N,20W	Linn			x	x					x	
Long Br.	C	7.0	Mouth	18,55N,18W	Chariton			x	x						
Long Br.	P	5.3	Mouth	06,45N,23W	Pettis	Johnson		x	x						
Long Br.	C	4.5	06,45N,23W	09,45N,24W	Pettis	Johnson		x	x						
Trib. to Long Br.	C	0.4	Mouth	07,45N,23W	Pettis			x	x						
Long Branch Cr.	C	13.0	5,58N,14W	19,60N,14W	Macon			x	x						
Long Cr.	C	3.0	Mouth	4,55N,28W	Caldwell			x	x						
Long Cr.	C	4.0	Mouth	26,54N,18W	Chariton			x	x						
Long Cr.	C	2.3	Mouth	16,40N,08W	Maries			x	x						
Long Gravel Br.	P	1.0	Mouth	5,33N,5E	Madison			x	x						
Long Grove Br.	P	0.9	Mouth	31,48N,20W	Pettis			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Long Grove Br.	C	3.0	31,48N,20W	07,47N,20W	Pettis			x	x						
Long Run	C	1.5	Mouth	27,23N,16W	Ozark			x	x						
Longan Br.	C	2.0	26,41N,16W	14,41N,16W	Miller			x	x						
Longs Cr.	C	1.0	Mouth	Sur 768,33N,9E	Bollinger			x	x						
Loose Cr.	P	7.0	Mouth	16,44N,9W	Osage			x	x						
Loose Cr.	C	9.0	16,44N,9W	10,43N,9W	Osage			x	x						
Lost Camp Cr.	C	5.0	Mouth	20,26N,8W	Howell			x	x						
Lost Cr.	C	22.0	Mouth	36,61N,32W	Dekalb	Gentry		x	x						
Lost Cr.	C	5.0	15,64N,16W	5,64N,15W	Schuyler			x	x						
Lost Cr.	P	7.0	Mouth	15,46N,3W	Warren			x	x		x				
Lost Cr.	C	4.0	15,46N,3W	2,46N,3W	Warren			x	x						
Lost Cr.	P	7.0	Mouth	19,37N,1E	Crawford	Washington		x	x						
Lost Cr.	C	3.0	19,37N,1E	29,37N,1E	Washington			x	x						
Trib. to Lost Cr.	C	1.0	Mouth	21,37N,1W	Washington			x	x						
Trib. to Lost Cr.	C	1.0	Mouth	18,37N,1E	Washington			x	x						
Lost Cr.	P	1.0	Mouth	5,35N,3E	Washington			x	x						
Lost Cr.	C	2.0	5,35N,3E	9,35N,3E	Washington			x	x						
Lost Cr.	P	8.5	State Line	14,25N,33W	Newton			x	x	x		x	x		
Lottie Cr.	C	0.5	Mouth	35,24N,12W	Ozark			x	x						
Lotts Cr.	C	10.0	Mouth	8,66N,29W	Worth	Harrison		x	x						
Loutre Cr.	C	4.0	Mouth	30,46N,4W	Warren			x	x						
Loutre R.	P	36.0	Mouth	5,48N,6W	Montgomery			x	x						
Loutre R.	C	13.5	5,48N,6W	36,50N,8W	Montgomery	Audrain		x	x						
Trib. to Loutre R.	C	4.0	Mouth	20,50N,7W	Audrain			x	x						
Loutre Slough	P1	5.5	Mouth	19,46N,4W	Warren			x	x						
Lovejoy Cr.	P	1.0	Mouth	19,33N,14E	Cape Girardeau			x	x						
Lovejoy Cr.	C	1.5	19,33N,14E	24,33N,13E	Cape Girardeau			x	x						
Lower Peavine Cr.	C	1.0	Mouth	11,40N,7W	Maries			x	x						
Ludecker Hollow	C	1.5	Mouth	4,23N,14W	Ozark			x	x						
Lumpkin Cr.	C	0.5	20,47N,32W	29,47N,32W	Jackson			x	x						
Luther Br.	C	0.6	Mouth	32,38N,06W	Phelps			x	x						
Luystown Cr.	C	2.0	Mouth	16,44N,8W	Osage			x	x						
Luzon Br.	P	0.7	Mouth	13,44N,10W	Osage			x	x						
Luzon Br.	C	1.0	13,44N,10W	24,44N,10W	Osage			x	x						
Lyman Cr.	C	1.0	Mouth	30,40N,3W	Crawford			x	x		x	x			
Mace Cr.	C	6.0	Mouth	25,59N,36W	Andrew			x	x						
Macks Cr.	P	8.0	Mouth	Hwy. 54	Camden			x	x						
Macks Cr.	C	2.5	Hwy. 54	23,37N,19W	Camden			x	x						
Trib. to Macks Cr.	C	1.0	Mouth	6,37N,18W	Camden			x	x						
Trib. to Macks Cr.	C	1.0	Mouth	18,37N,18W	Camden			x	x						
Madden Cr.	C	4.5	Mouth	29,36N,8E	Ste. Genevieve			x	x						
Madden Cr.	C	1.0	Mouth	35,39N,3E	Washington			x	x						
Maddox Cr.	C	2.5	35,48N,9W	23,48N,9W	Callaway			x	x						
Mag Cr.	C	0.1	Mouth	26,40N,10W	Maries			x	x						
Mahans Cr.	P	4.0	Mouth	9,28N,4W	Shannon			x	x	x					
Mahans Cr.	C	4.1	9,28N,4W	28,28N,04W	Shannon			x	x						
Main Ditch	C	14.0	18,22N,6E	10,24N,6E	Butler		x	x	x						
Main Ditch	P	11.5	14,16N,10E	30,18N,11E	Pemiscot			x	x					x	
Main Ditch	P	24.0	8,19N,10E	19,23N,10E	Dunklin			x	x						
Main Ditch	C	6.0	19,23N,10E	20,24N,10E	Dunklin	Stoddard		x	x						
Main Ditch #8	P	19.0	27,18N,10E	3,19N,12E	Pemiscot			x	x						
Main Ditch #8	C	12.0	3,19N,12E	18,20N,14E	Pemiscot			x	x						
Malaruni Cr.	C	1.0	Mouth	19,56N,3W	Ralls			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Maline Cr.	C	1.0	Mouth	Bellefontaine Rd.	St. Louis City	St. Louis		x	x						
Malone Cr.	P	6.5	Mouth	34,30N,10E	Bollinger			x	x						
Malone Cr.	C	1.5	34,30N,10E	28,30N,10E	Bollinger			x	x						
Mammoth Cr.	P	0.4	Mouth	11,39N,03E	Jefferson			x	x						
Manacle Cr.	C	2.0	Mouth	35,49N,11W	Callaway			x	x						
Maple Slough	C	16.0	Mouth	11,26N,15E	New Madrid	Mississippi		x	x						
Marais des Cygnes R.	P	32.0	19,38N,29W	State Line	Bates		x	x	x			x	x	x	
Marble Cr.	P	14.5	Mouth	29,33N,4E	Madison	Iron		x	x	x			x		
Marble Cr.	C	1.0	29,33N,4E	20,33N,4E	Iron			x	x						
Trib. to Marble Cr.	C	1.5	Mouth	22,33N,4E	Iron			x	x						
Trib. to Marble Cr.	C	0.5	Mouth	18,32N,5E	Madison			x	x						
Maries R.	P	41.5	Mouth	24,48N,10W	Osage	Maries		x	x	x		x	x		
Maries R.	C	14.0	24,40N,10W	32,39N,10W	Maries			x	x						
Trib. to Maries R.	C	0.2	Mouth	18,38N,10W	Maries			x	x						
Trib. to Maries R.	C	0.7	Mouth	14,38N,11W	Maries			x	x						
Trib. to Maries R.	C	1.7	Mouth	Hwy V	Maries			x	x						
Trib. to Maries R.	C	0.5	Mouth	06,39N,10W	Maries			x	x						
Trib. to Maries R.	C	0.1	Mouth	09,38N,11W	Maries			x	x						
Trib. to Maries R.	C	0.9	Mouth	11,39N,11W	Maries			x	x						
Trib. to Maries R.	C	1.5	Mouth	09,40N,10W	Maries			x	x						
Trib. to Maries R.	C	2.5	Mouth	21,42N,10W	Osage			x	x						
Marlin Cr.	P	3.5	Mouth	34,48N,20W	Pettis			x	x						
Marlin Cr.	C	3.0	34,48N,20W	04,47N,20W	Pettis			x	x						
Marlowe Cr.	P	5.5	Mouth	30,66N,31W	Worth			x	x						
Marlowe Cr.	C	1.0	30,66N,31W	19,66N,31W	Worth			x	x						
Marmaton R.	P	49.5	19,38N,29W	State Line	Vernon		x	x	x						
Marney Br.	C	5.0	Mouth	3,43N,15W	Moniteau			x	x						
Marrowbone Cr.	P	11.0	Mouth	36,58N,28W	Daviess			x	x						
Marrowbone Cr.	C	11.0	36,58N,28W	15,58N,29W	Daviess			x	x						
Marsh Cr.	P	1.5	Mouth	34,32N,5E	Madison			x	x						
Marsh Cr.	C	1.0	34,32N,5E	33,32N,5E	Madison			x	x						
Marshalls Cr.	C	9.5	Mouth	33,40N,27W	Henry			x	x						
Martin Br.	C	0.5	Mouth	2,40N,04W	Franklin			x	x						
Martin Cr.	C	5.0	Mouth	27,64N,25W	Harrison	Mercer		x	x						
Martin Hollow	C	1.0	Mouth	1,32N,7E	Madison			x	x						
Mary's Cr	P	1.0	Mouth	03,39N,01W	Washington			x	x						
Mash Cr.	P	0.5	Mouth	12,30N,4W	Shannon			x	x						
Mash Cr.	C	2.0	12,30N,4W	35,31N,4W	Shannon			x	x						
Mash Hollow	C	1.0	Mouth	33,24N,24W	Stone			x	x						
Mason Springs Valley	P	1.0	State Line	21,24N,34W	Newton			x	x						
Mass Cr.	C	2.0	Mouth	16,66N,37W	Nodaway			x	x						
Massey Cr.	C	6.0	2,44N,33W	20,45N,33W	Cass			x	x						
Trib. to Massey Cr.	C	3.0	Mouth	33,45N,33W	Cass			x	x						
Massie Cr.	P	7.0	Mouth	10,46N,4W	Warren			x	x						
Massie Cr.	C	4.0	10,46N,4W	36,47N,4W	Warren			x	x						
Mattese Cr.	P	0.9	Mouth	Baumgartner Rd.	St. Louis			x	x						
Maupin Cr.	P	1.3	Mouth	36,41N,02E	Jefferson			x	x						
Max Cr.	C	3.0	Mouth	26,24N,19W	Taney			x	x						
May Br.	C	0.5	Mouth	Hwy AN	Franklin			x	x						
May Br.	C	3.5	Mouth	30,48N,22W	Saline	Pettis		x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Mayfield Cr.	P	1.0	Mouth	21,32N,10E	Bollinger			x	x						
Mayfield Cr.	C	2.0	21,32N,10E	18,32N,10E	Bollinger			x	x						
Mayhen Br.	C	1.3	Mouth	18,28N,08W	Texas			x	x						
Maze Cr.	C	2.0	Mouth	8,32N,25W	Dade			x	x						
McCarty Cr.	C	9.6	Mouth	31,34N,29W	Vernon			x	x						
McClanahan Cr.	C	2.0	Mouth	Sur 911,36N,11E	Perry			x	x						
McCoy Cr.	P	1.5	Mouth	6,47N,2E	St. Charles			x	x						
McCoy Cr.	C	3.5	6,47N,2E	Sur 386(10),47N,1E	St. Charles			x	x						
McDade Br.	P	0.5	Mouth	9,39N,5W	Crawford			x	x						
McDade Br.	C	1.5	9,39N,5W	17,39N,5W	Crawford			x	x						
McElroy Cr.	C	2.0	Mouth	Hwy. 275	Atchison			x	x						
McGee Br.	C	3.7	Mouth	03,44N,20W	Pettis			x	x						
McGee Cr.	P	5.0	Mouth	20,28N,8E	Wayne			x	x						
McGuire Br.	C	5.0	Mouth	7,56N,32W	Clinton			x	x						
McKenzie Cr.	P	6.0	Mouth	23,29N,3E	Wayne			x	x						
McKenzie Cr.	C	4.5	23,29N,3E	34,30N,3E	Wayne			x	x						
Trib. to McKenzie Cr.	C	2.0	Mouth	27,29N,3E	Wayne			x	x						
Trib. to McKenzie Cr.	C	1.5	Mouth	11,29N,3E	Wayne			x	x						
McKenzie Cr.	C	4.0	Mouth	06,37N,29W	Vernon			x	x						
McKill Cr.	P	2.0	Mouth	34,34N,33W	Vernon			x	x						
McKill Cr.	C	2.0	34,34N,33W	35,34N,33W	Vernon			x	x						
McKinney Cr.	C	0.5	Mouth	23,48N,9W	Callaway			x	x						
McLean Cr.	C	3.5	Mouth	16,49N,2E	Lincoln			x	x						
McMullen Br.	C	1.0	Mouth	18,39N,5E	Jefferson			x	x						
McVey Br.	C	1.5	Mouth	3,21N,16W	Ozark			x	x						
Medicine Cr.	P	30.5	Mouth	9,61N,22W	Livingston	Grundy		x	x						
Medlen Cr.	C	1.0	Mouth	6,43N,15W	Moniteau			x	x						
Melton Cr.	C	2.0	Mouth	21,36N,29W	Vernon			x	x						
Menorkenut Slough	C	25.0	Mouth	7,25N,8E	Butler			x	x						
Meramec R.	P	22.0	Mouth	Hwy. 141	St. Louis			x	x			x	x	x	x
Meramec R.	P	26.0	Hwy. 141	Big R.	St. Louis	Jefferson		x	x	x		x	x	x	x
Meramec R.	P	37.0	Big R.	Meramec State Pk.	Jefferson	Franklin		x	x	x		x	x	x	x
Meramec R.	P	75.0	Meramec State Pk.	22,38N,5W	Franklin	Crawford		x	x	x		x	x		x
Meramec R.	P	10.0	22,38N,5W	Hwy. 8	Crawford			x	x	x	x	x	x		
Meramec R.	P	35.0	Hwy. 8	Hwy. 72	Crawford	Dent		x	x	x		x	x		
Meramec R.	C	4.0	Hwy. 72	33,34N,4W	Dent			x	x	x					
Trib. to Meramec R.	C	2.0	Mouth	2,37N,5W	Crawford			x	x						
Trib. to Meramec R.	C	1.0	Mouth	29,38N,5W	Crawford			x	x						
Trib. to Meramec R.	C	1.0	Mouth	8,37N,5W	Crawford			x	x						
Trib. to Meramec R.	C	1.0	Mouth	2,36N,5W	Crawford			x	x						
Trib. to Meramec R.	C	1.0	Mouth	26,37N,5W	Crawford			x	x						
Trib. to Meramec R.	C	2.0	Mouth	26,36N,5W	Crawford			x	x						
Trib. to Meramec R.	C	2.0	Mouth	30,36N,4W	Crawford			x	x						
Trib. to Meramec R.	C	1.0	Mouth	23,36N,5W	Crawford			x	x						
Trib. to Meramec R.	C	0.9	Mouth	04,38N,03W	Crawford			x	x						
Merrills Br.	C	3.0	Mouth	19,58N,8W	Marion			x	x						
Miami Cr.	P	18.0	Mouth	10,40N,32W	Bates			x	x						
Miami Cr.	C	11.5	10,40N,32W	4,41N,33W	Bates			x	x						
M. Fk. Chariton R.	P	24.5	Mouth	Thomas Hill											
M. Fk. Chariton R.	C	15.0	8,56N,15W	Res. Dam	Chariton	Randolph		x	x					x	
M. Fk. Fourche a				3,58N,15W	Macon			x	x						
Renault Cr.	C	4.0	23,37N,1E	25,37N,1E	Washington			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
M. Fk. Salt R.	P	49.0	9,54N,9W	16,56N,13W	Monroe	Macon	x	x	x				x	x	
Mid. Fk. Shoal Cr.	C	1.5	Mouth	35,36N,2W	Crawford			x	x						
Mid. Richland Cr.	C	9.0	Mouth	Hwy. 52	Morgan			x	x			x	x		
Middle Big Cr.	C	8.0	Mouth	Lake Winnebago Dam	Cass			x	x						
Middle Br. Squaw Cr.	C	3.0	Mouth	5,62N,38W	Holt			x	x						
Middle Brushy Cr.	C	7.0	Mouth	32,27N,3E	Wayne	Carter		x	x			x			
Middle Cr.	C	5.0	Mouth	14,62N,25W	Grundy			x	x						
Middle Fabius R.	P	57.0	Mouth	22,64N,12W	Lewis	Scotland		x	x			x	x	x	
Middle Fork	C	3.2	Mouth	20,43N,03W	Franklin			x	x						
Middle Fk.	P	5.5	Mouth	28,25N,6W	Oregon			x	x			x	x		
Middle Fk.	C	12.0	28,25N,6W	4,24N,7W	Oregon	Howell		x	x						
Middle Fk. Big Cr.	P	2.0	Mouth	19,31N,7E	Madison			x	x						
Middle Fk. Big Cr.	C	1.0	19,31N,7E	18,31N,7E	Madison			x	x						
Trib. M. Fk. Big Cr.	C	1.0	Mouth	24,31N,6E	Madison			x	x						
Middle Fk. Black R.	P	15.0	Mouth	24,34N,1W	Reynolds	Iron		x	x	x		x			
Middle Fk. Black R.	C	1.0	24,34N,1W	13,34N,1W	Iron			x	x	x		x			
Middle Fk. Grand R.	P	25.0	Mouth	12,66N,31W	Gentry	Worth	x	x	x			x	x		
Middle Fk. Grand R.	C	2.5	12,66N,31W	State Line	Worth			x	x					x	
Trib. M. Fk. Grand R.	C	2.0	Mouth	State Line	Worth			x	x						
Middle Fk. Lost Cr.	C	7.0	Mouth	27,60N,31W	Dekalb			x	x						
Middle Fk. Salt R.	C	22.0	16,56N,13W	23,59N,14W	Macon			x	x						
Trib. M. Fk. Salt R.	C	1.0	Mouth	22,59N,14W	Macon			x	x						
Middle Fk. Tebo Cr.	C	6.5	Mouth	6,43N,24W	Henry			x	x						
Trib. M. Fk. Tebo Cr.	C	1.0	Mouth	36,44N,25W	Henry			x	x						
Trib. M. Fk. Tebo Cr.	C	0.5	9,43N,24W	3,43N,24W	Henry			x	x						
Trib. M. Fk. Tebo Cr.	C	0.5	Mouth	5,43N,24W	Henry			x	x						
Trib. M. Fk. Tebo Cr.	C	3.5	Mouth	36,43N,24W	Henry			x	x						
Trib. M. Fk. Tebo Cr.	C	1.0	17,43N,24W	17,43N,24W	Henry			x	x						
Middle Indian Cr.	P	2.5	Mouth	16,24N,30W	Newton			x	x						
Middle Indian Cr.	C	3.0	16,24N,30W	12,24N,30W	Newton			x	x						
Middle Prong	P	3.0	Mouth	24,35N,4W	Dent			x	x						
Middle Prong	C	2.0	24,35N,4W	29,35N,3W	Crawford			x	x						
Middle Prong	C	1.0	Mouth	29,30N,3W	Shannon			x	x						
Middle R.	P	8.5	Mouth	4,45N,9W	Callaway			x	x						
Middle R.	C	11.5	4,45N,9W	2,46N,10W	Callaway			x	x						
Middle Tarkio Cr.	C	10.0	Mouth	State Line	Atchison		x	x	x						
Middlebrook Cr.	C	0.8	Mouth	08,34N,04E	St. Francois			x	x						
Mikes Cr.	P	3.0	Mouth	13,22N,30W	McDonald		x	x	x			x			
Mill Br.	P	1.0	Mouth	3,38N,2E	Washington			x	x						
Mill Br.	C	1.0	3,38N,2E	2,38N,2E	Washington			x	x						
Mill Cr.	C	5.0	Mouth	Sur 1710,51N,1W	Lincoln			x	x						
Trib. to Mill Cr.	C	1.0	Mouth	33,51N,1W	Lincoln			x	x						
Mill Cr.	P	10.0	Mouth	2,59N,38W	Holt			x	x						
Mill Cr.	C	1.0	Mouth	1,59N,38W	Holt			x	x						
Mill Cr.	P	0.4	Mouth	Hwy FF	Maries			x	x						
Mill Cr.	C	1.4	Hwy FF	22,39N,08W	Maries			x	x						
Trib. to Mill Cr.	C	0.1	Mouth	10,40N,08W	Maries			x	x						
Mill Cr.	P	9.5	Mouth	State Line	Nodaway			x	x						
Trib. to Mill Cr.	C	1.0	Mouth	13,66N,38W	Nodaway			x	x						
Mill Cr.	P	0.5	Mouth	03,37N,10W	Phelps			x	x						
Mill Cr.	C	1.0	Mouth	17,56N,28W	Caldwell			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Mill Cr.	P	1.5	Mouth	30,39N,14W	Miller			x	x						
Mill Cr.	C	2.0	30,39N,14W	28,39N,14W	Miller			x	x						
Mill Cr.	P	3.5	Mouth	Hwy. 7	Camden			x	x			x	x		
Trib. to Mill Cr.	C	1.5	Mouth	14,37N,15W	Camden			x	x						
Mill Cr.	P	1.5	Mouth	9,36N,18W	Dallas			x	x		x				
Mill Cr.	P	1.5	9,36N,18W	8,36N,18W	Dallas			x	x						
Mill Cr.	P	6.2	Mouth	9,37N,21W	Hickory			x	x	x					
Mill Cr.	C	2.8	09,37N,21W	15,37N,21W	Hickory			x	x	x					
Trib. to Mill Cr.	C	0.3	Mouth	14,37N,21W	Hickory			x	x						
Trib. to Mill Cr.	C	0.8	Mouth	16,37N,21W	Hickory			x	x						
Mill Cr.	P	1.0	Mouth	29,37N,9W	Phelps			x	x			x			
Mill Cr.	P	5.0	29,37N,9W	Yelton Spring	Phelps			x	x		x	x			
Mill Cr.	P	3.5	Yelton Spring	5,35N,9W	Phelps			x	x						
Mill Cr.	P	0.5	Mouth	03,37N,10W	Phelps			x	x						
Mill Cr.	C	4.0	Mouth	3,36N,8E	Ste. Genevieve			x	x						x
Mill Cr.	P	12.0	Mouth	8,37N,3E	St. Francois	Washington		x	x						
Mill Cr.	C	2.0	8,37N,3E	18,37N,3E	Washington			x	x						
Trib. to Mill Cr.	C	0.5	Mouth	19,37N,3E	Washington			x	x						
Mill Cr.	P	3.0	Mouth	36,36N,3E	Washington			x	x						
Mill Cr.	C	0.5	36,36N,3E	36,36N,3E	Washington			x	x						
Mill Cr.	P	2.0	Mouth	8,27N,1W	Carter			x	x			x			
Mill Cr.	C	2.0	8,27N,1W	1,27N,2W	Carter			x	x						
Mill Cr.	P	3.5	Mouth	32,33N,7E	Madison			x	x						
Mill Cr.	C	1.0	32,33N,7E	33,33N,7E	Madison			x	x						
Mill Cr.	C	2.0	Mouth	30,31N,5E	Wayne	Madison		x	x						
Mill Cr.	P	2.5	Mouth	24,21N,33W	McDonald			x	x			x			
Mill Cr.	C	4.1	Mouth	17,46N,33W	Jackson	Cass		x	x						
Mill Spring Cr.	P	1.0	Mouth	3,40N,8W	Maries			x	x						
Miller Cr.	C	6.0	Mouth	3,26N,4E	Wayne			x	x						
Millers Cr.	C	1.5	Mouth	14,47N,11W	Callaway			x	x						
Milligan Cr.	C	8.0	Mouth	18,53N,12W	Monroe			x	x						
Mine a Breton Cr.	P	11.0	7,38N,2E	Hwy. 185	Washington			x	x						
Mine a Breton Cr.	C	2.5	Hwy. 185	23,37N,2E	Washington			x	x						
Trib. to Mine a Breton Cr.	C	1.0	Mouth	24,37N,2E	Washington			x	x						
Mineral Br.	C	2.0	Mouth	17,44N,15W	Moniteau			x	x						
Trib. to Mineral Br.	C	0.5	Mouth	16,44N,15W	Moniteau			x	x						
Mineral Cr.	C	4.3	Mouth	20,44N,25W	Johnson			x	x						
Trib. to Mineral Cr.	C	1.0	Mouth	18,44N,25W	Johnson			x	x						
Mineral Fk.	P	15.0	Mouth	7,38N,2E	Washington			x	x	x		x			
Trib. to Mineral Fk.	C	2.0	Mouth	33,39N,3E	Washington			x	x						
Mineral Spring Hollow	C	0.8	Mouth	30,31N,09W	Texas			x	x						
Mingo Cr.	C	2.0	Mouth	5,26N,8E	Stoddard			x	x						
Mingo Ditch	P	16.0	Mouth	32,27N,8E	Stoddard			x	x						
Minnow Br.	C	1.0	Mouth	25,41N,20W	Benton			x	x						
Minor Cr.	C	1.5	Mouth	14,33N,3E	Iron			x	x						
Mission Cr.	C	2.4	Hwy. 45	17,54N,36W	Platte			x	x						
Mississippi R.	P	124.5	State Line	Ohio R.	Pemiscot	Mississippi	x	x	x			x	x	x	
Mississippi R.	P	200.5	Ohio R.	Missouri R.	Mississippi	St. Charles	x	x	x			x	x	x	
Mississippi R.	P	165.0	Missouri R.	Des Moines R.	St. Charles	Clark		x	x			x	x	x	
Missouri R.	P	100.0	Mouth	Gasconade R.	St. Louis	Gasconade	x	x	x			x	x	x	

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Missouri R.	P	129.0	Gasconade R.	Chariton R.	Gasconade	Chariton	x	x	x				x	x	x
Missouri R.	P	125.0	Chariton R.	Kansas R.	Chariton	Jackson	x	x	x				x	x	x
Missouri R.	P	179.0	Kansas R.	State Line	Jackson	Atchison	x	x	x				x	x	x
Trib. to Missouri R.	P1	2.5	Mouth	21,44N,1E	St. Charles			x	x						
Trib. to Missouri R.	C	6.0	Mouth	23,51N,23W	Saline			x	x						
Trib. to Missouri R.	P	1.5	Mouth	26,47N,14W	Moniteau			x	x						
Trib. to Missouri R.	C	0.5	26,47N,14W	26,47N,14W	Moniteau			x	x						
Trib. to Missouri R.	C	2.6	Mouth	07,44N,01W	Franklin			x	x						
Mistaken Cr.	P	6.0	Mouth	20,42N,7W	Osage			x	x						
Mistaken Cr.	C	1.5	20,42N,7W	30,42N,7W	Osage			x	x						
Moccasin Cr.	C	2.0	Mouth	26,63N,33W	Gentry			x	x						
Monegaw Cr.	P	2.0	Mouth	21,38N,27W	St. Clair			x	x			x	x		
Monegaw Cr.	C	10.0	21,38N,27W	9,39N,28W	St. Clair			x	x					x	
Moniteau Cr.	P	20.5	Mouth	Hwy. 124	Howard			x	x					x	
Moniteau Cr.	C	13.5	Hwy. 124	16,52N,14W	Howard	Randolph		x	x						
Moniteau Cr.	P	17.0	Mouth	16,46N,15W	Cole	Moniteau		x	x					x	
Moniteau Cr.	C	15.5	16,46N,15W	21,46N,15W	Moniteau	Cooper		x	x					x	
Montgomery Br.	C	6.5	15,38N,23W	6,37N,22W	Hickory			x	x						
Mooney Br.	C	2.0	Mouth	3,33N,10W	Texas			x	x						
Moore Br.	C	3.8	Mouth	27,35N,31W	Vernon			x	x						
Moores Br.	P	2.5	Mouth	34,35N,33W	Vernon			x	x						
Moores Br.	C	2.5	34,35N,33W	33,35N,33W	Vernon			x	x						
Moreau R.	P	33.0	Mouth	1,43N,13W	Cole			x	x			x	x		
Trib. to Moreau R.	C	0.5	Mouth	6,43N,12W	Cole			x	x						
Morgan Cr.	C	1.5	Mouth	17,43N,14W	Cole			x	x						
Mormon Fk.	C	13.5	Mouth	19,42N,32W	Bates			x	x						
Morris Br.	C	1.0	Mouth	12,49N,7W	Callaway			x	x						
Morris Hollow	C	1.5	Mouth	17,22N,16W	Ozark			x	x						
Moss Cr.	P	23.0	Mouth	7,50N,25W	Carroll			x	x						
Trib. to Moss Cr.	P	0.5	Mouth	12,52N,24W	Carroll			x	x						
Moss Hollow	C	1.0	Mouth	26,42N,5E	Jefferson			x	x						
Mossy Cr.	C	0.2	Mouth	07,40N,21W	Benton			x	x						
Mound Br.	C	10.0	Mouth	13,40N,31W	Bates			x	x						
Mound Cr.	C	4.0	Mouth	Hwy. 65	Livingston			x	x						
Mountain Cr.	P	6.0	Mouth	23,35N,17W	Laclede			x	x						
Mouse Cr.	C	1.0	15,47N,32W	22,47N,32W	Jackson			x	x						
Mozingo Cr.	C	8.5	Mouth	36,65N,35W	Nodaway			x	x						
Mud Cr.	C	9.0	Mouth	20,55N,13W	Monroe	Randolph		x	x						
Mud Cr.	P	4.5	36,56N,26W	23,55N,26W	Caldwell			x	x						
Trib. to Mud Cr.	C	0.5	Mouth	12,55N,26W	Caldwell			x	x						
Trib. to Mud Cr.	C	1.0	Mouth	12,55N,26W	Caldwell			x	x						
Trib. to Mud Cr.	C	2.0	Mouth	24,55N,26W	Caldwell			x	x						
Mud Cr.	C	1.0	Mouth	08,34N,04E	St.Francois			x	x						
Mud Cr.	C	7.5	23,55N,26W	18,54N,26W	Caldwell	Ray		x	x						
Mud Cr.	C	1.5	Mouth	5,45N,13W	Cole			x	x						
Mud Cr.	C	2.0	Mouth	36,52N,18W	Howard			x	x						
Mud Cr.	C	3.0	Mouth	22,26N,7E	Butler			x	x						
Mud Cr. Ditch	P	3.5	28,56N,25W	36,56N,26W	Livingston	Caldwell		x	x						
Old Chan. Mud Cr.	P	3.0	Mouth	29,56N,25W	Livingston			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Mud Ditch	C	9.0	Mouth	11,23N,15E	New Madrid			x	x						
Muddy Cr.	C	3.5	Mouth	Hwy. 71	Nodaway			x	x						
Muddy Cr.	C	3.5	Mouth	21,59N,26W	Daviess			x	x						
Muddy Cr.	C	6.0	Mouth	27,60N,30W	Daviess	Dekalb		x	x						
Muddy Cr.	P	36.5	Mouth	22,66N,23W	Grundy	Mercer		x	x						
Muddy Cr.	C	10.0	Mouth	5,58N,20W	Linn			x	x						
Muddy Cr.	C	27.0	Mouth	14,61N,22W	Livingston	Sullivan		x	x						
Trib. to Muddy Cr.	C	2.0	Mouth	29,60N,22W	Grundy			x	x						
Muddy Cr.	P	55.0	Mouth	17,45N,23W	Pettis	Johnson		x	x						
Muddy Cr.	C	8.2	17,45N,23W	34,45N,24W	Pettis	Johnson		x	x						
Trib. to Muddy Cr.	C	1.3	Mouth	06,45N,22W	Pettis			x	x						
Trib. to Muddy Cr.	C	1.7	Mouth	10,46N,21W	Pettis			x	x						
Trib. to Muddy Cr.	C	1.0	Mouth	04,45N,22W	Pettis			x	x						
Trib. to Muddy Cr.	C	1.1	Mouth	32,46N,22W	Pettis			x	x						
Trib. to Muddy Cr.	C	1.5	Mouth	24,46N,23W	Pettis			x	x						
Muddy Cr.	C	9.0	Mouth	22,52N,21W	Saline			x	x						
Muddy Cr.	C	3.0	Mouth	19,38N,30W	Vernon	Bates		x	x						
Muddy Cr.	C	3.0	Mouth	Sur 3017,39N,7E	Jefferson			x	x						
Muddy Fk.	C	8.0	Mouth	35,54N,31W	Clay			x	x						
Muddy Shawnee Cr.	P	3.0	8,33N,13E	19,33N,13E	Cape Girardeau			x	x						
Muddy Shawnee Cr.	C	2.0	19,33N,13E	31,33N,13E	Cape Girardeau			x	x						
Mulberry Cr.	C	8.0	Mouth	33,41N,33W	Bates			x	x						
Mulberry Cr.	C	3.9	Mouth	04,34N,29W	Vernon			x	x						
Mulkey Cr.	C	5.0	Mouth	28,48N,25W	Johnson			x	x						
Muncas Cr.	P	3.0	Mouth	4,53N,16W	Chariton			x	x						
Muncas Cr.	C	6.0	4,53N,16W	6,54N,15W	Randolph			x	x						
Murphy Cr.	C	4.0	Mouth	8,36N,14W	Camden			x	x						
Trib. to Murphy Cr.	C	1.0	Mouth	34,37N,14W	Camden			x	x						
Trib. to Murphy Cr.	C	0.5	Mouth	4,36N,14W	Camden			x	x						
Musco Cr.	P	1.5	Mouth	26,34N,6E	Madison			x	x						
Musco Cr.	C	1.0	26,34N,6E	22,34N,6E	Madison			x	x						
Mussel Fork Cr.	P	49.0	Mouth	18,58N,17W	Chariton	Macon		x	x						
Mussel Fork Cr.	C	29.0	18,58N,17W	2,62N,18W	Macon	Sullivan		x	x						
Mutton Hollow	P	2.5	Mouth	13,31N,20W	Greene			x	x						
Myatt Cr.	C	11.5	State Line	5,22N,7W	Howell			x	x						
N. Ashley Cr.	P	0.5	35,32N,7W	34,32N,7W	Dent			x	x						
N. Ashley Cr.	C	8.0	34,32N,7W	34,32N,8W	Dent	Texas		x	x						
N. Blackbird Cr.	C	17.0	2,64N,17W	Hwy. 129	Putnam			x	x						
N. Bridges Cr.	C	3.0	17,22N,11W	2,22N,11W	Ozark			x	x						
N. Cobb Cr.	P	6.0	Mouth	2,33N,15W	Laclede			x	x						
N. Deepwater Cr.	C	4.0	Mouth	35,41N,29W	Henry	Bates		x	x						
N. Dry Sac R.	P	3.5	Mouth	10,31N,22W	Polk			x	x						
N. Dry Sac R.	C	4.5	10,31N,22W	19,31N,21W	Greene			x	x						
N. Elkhorn Cr.	P	4.0	17,23N,31W	14,23N,31W	McDonald			x	x						
N. Fabius R.	P	82.0	24,59N,6W	26,67N,14W	Marion	Schuyler	x	x	x				x	x	
N. Fabius R.	C	1.0	26,67N,14W	State Line	Schuyler			x	x						
N. Fk. Batts Cr.	C	1.0	Mouth	18,52N,16W	Howard			x	x						
N. Fk. Beaver Cr.	C	2.0	Mouth	33,30N,12W	Wright			x	x						
N. Fk. Blackwater R.	C	10.0	12,46N,27W	12,47N,28W	Johnson			x	x						
N. Fk. Buffalo Cr.	P	2.0	20,24N,1E	18,24N,1E	Ripley			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
N. Fk. Buffalo Cr.	C	4.5	18,24N,1E	21,24N,1W	Ripley			x	x						
N. Fk. Charrette Cr.	C	5.0	35,46N,02W	34,47N,02W	Warren			x	x						
N. Fk. Cuivre R.	P	28.5	11,49N,1W	24,51N,3W	Lincoln	Pike		x	x			x	x		
N. Fk. Cuivre R.	C	8.0	24,51N,3W	28,52N,3W	Pike			x	x						
Trib. to N. Fk. Cuivre R.	C	2.0	Mouth	25,51N,2W	Lincoln			x	x						
N. Fk. Finney Cr.	C	3.0	17,49N,21W	4,49N,21W	Saline			x	x						
N. Flat Cr.	C	3.5	Mouth	22,44N,23W	Pettis			x	x						
N. Fk. Fourche Cr.	P	3.0	Mouth	Hwy. 142	Ripley			x	x						
N. Fk. Fourche Cr.	C	4.5	Hwy. 142	19,23N,1E	Ripley			x	x						
N. Fk. Fourche a Renault Cr.	C	3.0	23,37N,1E	30,37N,2E	Washington			x	x						
N. Fk. Hollow	C	1.5	Mouth	7,26N,4E	Butler			x	x						
N. Fk. Jones Cr.	P	0.5	Mouth	15,41N,03E	Jefferson			x	x						
N. Fk. L. Meramec R.	P	2.0	7,41N,2E	8,41N,2E	Franklin			x	x						
N. Fk. L. Meramec R.	C	1.0	8,41N,2E	16,41N,2E	Franklin			x	x						
N. Fk. M. Fabius R.	C	16.0	22,64N,12W	21,66N,14W	Scotland	Schuyler		x	x						
N. Fk. N. Fabius R.	C	10.0	Mouth	2,66N,13W	Scotland			x	x						
N. Fk. S. Fabius R.	C	30.0	29,62N,11W	5,64N,14W	Knox	Schuyler		x	x						
N. Fk. Salt R.	P	45.0	28,56N,9W	2,62N,14W	Monroe	Adair	x	x	x				x	x	
N. Fk. Salt R.	C	14.5	2,62N,14W	12,64N,15W	Adair	Schuyler		x	x						
N. Fk. Spring Cr.	C	1.0	Mouth	18,22N,14W	Ozark			x	x						
Trib. to N. Fk. Spring R.	C	3.0	Mouth	31,33N,30W	Barton			x	x						
N. Fk. Spring R.	P	14.5	Mouth	1,29N,32W	Jasper			x	x					x	
N. Fk. Spring R.	C	51.5	1,29N,32W	20,30N,28W	Jasper	Dade		x	x						
N. Fk. Web Cr.	P	1.5	Mouth	31,29N,2E	Reynolds			x	x						
N. Fk. Web Cr.	C	3.0	31,29N,2E	34,29N,1E	Reynolds			x	x						
N. Fk. White R.	P	22.0	3,22N,12W	2,24N,12W	Ozark		x	x	x		x	x	x		
N. Fk. White R.	P	28.0	34,25N,11W	17,27N,11W	Douglas		x	x	x	x		x	x		
N. Fk. White R.	C	7.0	17,27N,11W	23,28N,12W	Douglas	Texas		x	x						
Trib. to N. Fk. White R.	C	1.0	Mouth	34,23N,12W	Ozark			x	x						
N. Indian Cr.	P	5.0	24,24N,31W	36,25N,30W	Newton			x	x						
Trib. to N. Indian Cr.	P	1.5	Mouth	19,24N,30W	Newton			x	x						
N. Moreau Cr.	P	50.0	1,43N,13W	4,44N,16W	Cole	Moniteau		x	x			x	x		
Trib. to N. Moreau Cr.	C	0.5	Mouth	23,44N,13W	Cole			x	x						
Trib. to N. Moreau Cr.	C	1.0	Mouth	9,44N,14W	Moniteau			x	x						
Trib. to N. Moreau Cr.	C	0.5	Mouth	9,44N,13W	Cole			x	x						
Trib. to N. Moreau Cr.	C	2.0	Mouth	33,45N,15W	Moniteau			x	x						
Trib. to N. Moreau Cr.	C	2.0	Mouth	18,44N,15W	Moniteau			x	x						
Trib. to N. Moreau Cr.	C	2.0	Mouth	12,44N,16W	Moniteau			x	x						
Trib. to N. Moreau Cr.	C	2.0	Mouth	2,44N,16W	Moniteau			x	x						
Trib. to N. Moreau Cr.	C	0.5	Mouth	4,44N,15W	Moniteau			x	x						
N. Mud Cr.	C	5.5	Mouth	6,55N,26W	Caldwell			x	x						
N. Pr. Beaverdam Cr.	C	3.0	5,24N,4E	19,25N,4E	Ripley			x	x						
Trib. to N. Pr. Beaverdam Cr.	C	1.0	Mouth	19,25N,4E	Ripley			x	x						
N. Prong Jacks Fk.	P	8.0	29,28N,7W	11,28N,8W	Texas			x	x						
N. Prong Jacks Fk.	C	7.0	11,28N,8W	25,29N,9W	Texas			x	x						
N. Prong L. Black R.	P	3.0	9,24N,3E	32,25N,3E	Ripley			x	x						
N. Prong L. Black R.	C	10.0	32,25N,3E	35,26N,2E	Ripley	Carter		x	x			x			
N. Wyaconda R.	P	14.0	26,65N,9W	18,66N,10W	Clark	Scotland		x	x						
N. Wyaconda R.	C	8.0	18,66N,10W	31,67N,11W	Scotland			x	x						
N. Fk. Grindstone Cr.	C	1.5	20,48N,12W	16,48N,12W	Boone			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Nance Cr.	C	0.5	Mouth	15,24N,14W	Ozark			x	x						
Narrows Cr.	C	2.0	Mouth	7,56N,13W	Macon			x	x						
Nations Cr.	P	4.5	Mouth	15,34N,9E	Perry			x	x						
Nations Cr.	C	2.0	15,34N,9E	8,34N,9E	Perry			x	x						
Natural Bridge Holl.	C	2.0	Mouth	17,22N,26W	Barry			x	x						
Naylor Cr.	C	1.0	Mouth	7,51N,34W	Platte			x	x						
Neals Cr.	C	3.0	Mouth	16,34N,1W	Iron			x	x						
New #7 Chute	C	2.0	35,23N,16E	5,22N,17E	Mississippi		x	x	x						
New Franklin Ditch	P	6.0	6,16N,12E	23,17N,12E	Pemiscot			x	x						
New Hope Cr.	C	5.1	Mouth	31,54N,30W	Clay			x	x						
Newtonia Br.	P	1.0	Mouth	36,26N,30W	Newton			x	x						
Niangua R.	P	5.0	Mouth	Power Plant	Camden			x	x			x	x		
Niangua R.	C	6.0	Power Plant	Tunnel Dam	Camden			x	x			x	x		
Niangua R.	P	4.5	Lake Niangua	Dallas County Line	Camden			x	x						
Niangua R.	P	24.0	Dallas County Line	11,35N,18W	Dallas			x	x	x		x	x		
Niangua R.	P	6.0	11,35N,18W	Bennett Spring Cr.	Dallas			x	x	x	x	x	x		
Niangua R.	P	51.0	Bennett Spring Cr.	33,32N,18W	Dallas	Webster		x	x	x		x	x		
Trib. to Niangua R.	C	1.0	Mouth	17,37N,17W	Camden			x	x						
Nichols Cr.	C	3.0	Mouth	17,60N,37W	Holt			x	x						
Trib. to Nichols Cr.	C	1.0	Mouth	29,61N,37W	Holt			x	x						
Nishnabotna R.	P	8.0	Mouth	State Line	Atchison		x	x	x				x	x	
Old Ch. Nishnabotna R.	P	13.0	30,64N,41W	1,65N,42W	Atchison			x	x						
Old Ch. Nishnabotna R.	C	3.0	1,65N,42W	25,66N,42W	Atchison			x	x						
Tr. to O. Ch. Nishnabotna R.	C	1.5	Mouth	17,64N,41W	Atchison			x	x						
Tr. to O. Ch. Nishnabotna R.	C	2.0	Mouth	30,66N,41W	Atchison			x	x						
No. 3 Island Chute	P	7.0	6,25N,18E	29,25N,18E	Mississippi			x	x						
No. 13 Elk Chute	C	2.0	Mouth	35,19N,11E	Pemiscot			x	x						
No Cr.	P	22.5	Mouth	14,62N,23W	Livingston	Grundy		x	x						
Noblett Cr.	P	2.0	Mouth	Noblett Lake Dam	Douglas			x	x						
Noblett Cr.	P	4.0	24,26N,11W	9,26N,10W	Douglas	Howell		x	x						
Noblett Cr.	C	1.0	9,26N,10W	10,26N,10W	Howell			x	x						
Nodaway R.	P	60.0	Mouth	State Line	Andrew	Nodaway	x	x	x					x	
Old Chan. Nodaway R.	C	2.5	Mouth	30,65N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	1.0	1,59N,37W	1,59N,37W	Holt	Andrew		x	x						
Old Chan. Nodaway R.	C	5.0	Mouth	35,62N,37W	Andrew	Holt		x	x						
Old Chan. Nodaway R.	C	2.5	Mouth	17,65N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	4.5	8,65N,37W	5,65N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	2.5	4,65N,37W	34,66N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	1.5	Mouth	23,66N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	1.0	Mouth	11,66N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	2.0	Mouth	1,66N,37W	Nodaway			x	x						
Old Chan. Nodaway R.	C	1.0	Mouth	27,66N,37W	Nodaway			x	x						
Noix Cr.	P	1.5	Mouth	19,54N,1W	Pike			x	x						
Noix Cr.	C	5.0	19,54N,1W	Hwy. 54	Pike			x	x						
Norman Cr.	C	7.4	Mouth	08,36N,06W	Phelps			x	x						
Norris Cr.	C	4.0	Mouth	33,44N,27W	Henry			x	x						
North Cut Ditch	P	24.0	Mouth	3,28N,14E	New Madrid	Scott	x	x	x					x	
North Cut Ditch	C	3.0	3,28N,14E	35,29N,14E	Scott		x	x	x					x	
Trib. to North Cut Ditch	C	4.0	Mouth	34,27N,14E	Scott		x	x	x						
Trib. to North Cut Ditch	C	2.5	Mouth	36,29N,14E	Scott		x	x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
North Fk.	C	1.5	Mouth	16,36N,2E	Washington			x	x						
North R.	P1	4.0	Mouth	8,58N,5W	Marion			x	x					x	
North R.	P	40.0	8,58N,5W	Hwy. 15	Marion	Shelby		x	x					x	
North R.	C	16.0	Hwy. 15	Hwy. 151	Shelby	Knox		x	x						
Northcut Br.	P	1.0	Mouth	27,39N,1W	Washington			x	x						
Northcut Br.	C	1.0	27,39N,1W	34,39N,1W	Washington			x	x						
Norvey Cr.	C	9.0	Mouth	9,66N,34W	Nodaway			x	x						
Nulls Cr.	C	5.5	Mouth	15,50N,2W	Lincoln			x	x						
Old #7 Chute	C	2.0	26,23N,16E	36,23N,16E	Mississippi		x	x	x						
Old Bland Cr.	C	2.0	Mouth	8,41N,6W	Gasconade			x	x						
Old Chan. Little R.	C	11.0	33,20N,11E	3,20N,12E	Pemiscot			x	x						
Old Chan. Little R.	P	39.5	26,22N,12E	11,27N,12E	New Madrid	Scott		x	x						
Old Chan. Little R.	P	3.5	11,27N,12E	31,28N,12E	Scott			x	x						
Old Kings Lake Sl.	P1	13.0	Mouth	Sur 1724,50N,2E	Lincoln			x	x						
Old Kings Lake Sl.	P	2.0	Sur 1724,50N,2E	35,51N,2E	Lincoln			x	x						
Old Kings Lake Sl.	C	7.0	35,51N,2E	3,51N,2E	Lincoln			x	x						
Old Mines Cr.	P	6.0	Mouth	Hwy. 47	Washington			x	x				x		
Old Mines Cr.	C	1.0	Hwy. 47	Hwy. 21	Washington			x	x						
Trib. Old Mines Cr.	C	1.5	Mouth	32,39N,3E	Washington			x	x						
Trib. Old Mines Cr.	C	1.0	Mouth	5,38N,3E	Washington			x	x						
Old Town Br.	C	7.0	Mouth	14,36N,31W	Vernon			x	x						
Trib. to Old Town Br.	C	1.3	Mouth	01,36N,31W	Vernon			x	x						
Old R. (Slough Miss.)	P	10.5	Mouth	12,37N,9E	Ste. Genevieve			x	x						
Olive Br.	C	0.8	Mouth	17,46N,20W	Pettis			x	x						
Omete Cr.	P	3.5	Mouth	15,35N,12E	Perry			x	x						
Omete Cr.	C	1.0	15,35N,12E	22,35N,12E	Perry			x	x						
Trib. to Omete Cr.	C	1.0	Mouth	16,35N,12E	Perry			x	x						
One Hundred and Two R.	P	74.5	Mouth	State Line	Buchanan	Nodaway	x	x	x				x	x	
Open Hollow	C	1.0	Mouth	16,28N,4W	Shannon			x	x						
Opossum Cr.	C	2.0	Mouth	36,30N,11W	Texas			x	x						
Opossum Cr.	C	1.5	Mouth	31,40N,3W	Crawford			x	x						
Opossum Cr.	P	1.5	Mouth	12,30N,9E	Bollinger			x	x						
Opossum Cr.	C	2.0	12,30N,9E	11,30N,9E	Bollinger			x	x						
Opossum Cr.	C	6.0	Mouth	28,30N,30W	Jasper			x	x						
Osage Fk.	P	69.0	Mouth	26,30N,17W	Laclede	Webster		x	x	x			x	x	
Trib. to Osage Fk.	P	2.5	Mouth	29,30N,17W	Webster			x	x						
Osage R.	P	82.0	Mouth	Bagnell Dam	Osage	Miller	x	x	x				x	x	
Trib. to Osage R.	C	1.0	Mouth	9,43N,10W	Cole			x	x						
Trib. to Osage R.	C	0.5	Mouth	9,42N,12W	Cole			x	x						
Otter Cr.	C	33.0	Mouth	8,56N,12W	Monroe	Shelby		x	x						
Otter Cr.	C	2.0	Mouth	11,56N,27W	Caldwell			x	x						
Otter Cr.	C	3.0	Mouth	31,46N,18W	Cooper			x	x						
Otter Cr.	C	2.0	Mouth	22,24N,16W	Ozark			x	x						
Otter Cr.	P	5.0	Mouth	18,27N,6E	Wayne			x	x						
Otter Cr.	C	15.5	18,27N,6E	18,28N,4E	Wayne			x	x						
Otter Slough	P	7.0	Mouth	3,24N,13E	New Madrid			x	x						
Otter Slough Ditch	P	4.0	12,23N,8E	19,24N,9E	Stoddard			x	x						
Ottery Cr.	P	6.0	Mouth	14,34N,1E	Reynolds	Iron		x	x						
Ottery Cr.	C	2.0	14,34N,1E	12,34N,1E	Iron			x	x						
Owens Cr.	C	3.0	Mouth	21,43N,32W	Cass			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Owens Cr.	C	3.0	Mouth	12,42N,8W	Osage			x	x						
Owl Cr.	C	2.0	Mouth	3,47N,11W	Callaway			x	x						
Owl Cr.	C	2.0	Mouth	11,36N,4E	St. Francois			x	x						
Owl Cr.	C	3.3	Mouth	27,49N,28W	Lafayette			x	x						
Owl Cr.	C	4.6	Mouth	24,54N,35W	Platte			x	x						
P.D. Cr.	C	0.1	Mouth	28,40N,21W	Benton			x	x						
Painter Cr.	C	3.2	Mouth	33,48N,20W	Pettis			x	x						
Palmer Cr.	P	10.5	Mouth	9,53N,19W	Chariton			x	x						
Palmer Cr.	C	2.0	9,53N,19W	33,54N,19W	Chariton			x	x						
Panther Cr.	C	5.0	Mouth	33,64N,30W	Gentry			x	x						
Panther Cr.	C	3.5	Mouth	28,57N,26W	Caldwell			x	x						
Trib. to Panther Cr.	C	2.0	Mouth	23,57N,26W	Caldwell			x	x						
Panther Cr.	P	2.0	Mouth	14,64N,26W	Harrison			x	x						
Panther Cr.	C	7.0	14,64N,26W	36,65N,27W	Harrison			x	x						
Panther Cr.	C	7.0	Mouth	15,44N,29W	Johnson			x	x						
Panther Cr.	C	11.0	Mouth	14,39N,29W	Bates			x	x						
Panther Cr.	C	2.0	Mouth	32,36N,24W	St. Clair			x	x						
Panther Cr.	P	2.0	Mouth	13,32N,17W	Laclede			x	x						
Panther Cr.	C	0.5	13,32N,17W	14,32N,17W	Laclede			x	x						
Panther Cr.	P	2.5	Mouth	36,32N,10E	Cape Girardeau	Bollinger		x	x						
Panther Cr.	C	1.0	36,32N,10E	2,31N,10E	Bollinger			x	x						
Panther Cr.	P	8.5	Mouth	29,29N,18W	Webster			x	x						
Panther Cr.	C	3.2	Mouth	18,28N,11W	Texas			x	x						
Panther Cr.	C	7.8	Mouth	13,35N,24W	Polk	Hickory		x	x						
Panther Hollow	C	1.1	Mouth	10,27N,07W	Howell			x	x						
Paris Br.	C	3.0	Mouth	31,50N,1W	Lincoln			x	x						
Parker Br.	P	2.0	Mouth	2,39N,32W	Bates			x	x						
Parker Br.	C	2.0	26,33N,3W	15,33N,3W	Reynolds			x	x						
Parker Hollow	P	2.0	Mouth	20,32N,6W	Dent			x	x			x			
Parks Cr.	P	3.0	Mouth	30,32N,15W	Laclede	Wright		x	x						
Parks Cr.	C	2.0	30,32N,15W	8,30N,15W	Wright			x	x						
Parson Cr.	P	15.0	Mouth	23,58N,22W	Livingston	Linn		x	x				x		
Parson Cr.	C	14.0	23,58N,22W	31,60N,21W	Linn			x	x						
Pass Br.	C	3.0	Mouth	3,50N,23W	Saline			x	x						
Patterson Cr.	C	1.5	Mouth	35,33N,4E	Iron			x	x						
Patterson Cr.	P	2.0	State Line	Hwy. 43	McDonald		x	x	x						
Patton Br.	C	5.0	Mouth	26,33N,29W	Barton			x	x						
Pea Ridge Cr.	P	1.5	Mouth	2,29N,22W	Greene			x	x						x
Peachtree Fk.	P	2.0	Mouth	8,29N,4E	Wayne			x	x						
Peachtree Fk.	C	3.0	8,29N,4E	36,30N,3E	Wayne			x	x						
Pearson Cr.	P	8.0	Mouth	5,29N,20W	Greene			x	x			x			
Peavine Cr.	C	4.0	Mouth	29,48N,24W	Johnson			x	x						
Peavine Cr.	C	1.5	Mouth	11,40N,7W	Maries			x	x						
Pecaut Hollow	C	1.5	Mouth	19,35N,10E	Perry			x	x						
Peckout Hollow	C	2.0	Mouth	9,25N,20W	Christian			x	x						
Peddler Cr.	P	1.5	Mouth	28,64N,31W	Gentry			x	x						
Peddler Cr.	C	2.5	28,64N,31W	4N,31W	Gentry			x	x						
Pedelo Cr.	P	0.5	Mouth	7,27N,19W	Christian			x	x						
Pedelo Cr.	C	1.0	7,27N,19W	6,27N,19W	Christian			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Pedlar Cr.	C	5.0	Mouth	23,61N,36W	Andrew			x	x						
Peers Slough	C	2.5	Mouth	27,45N,2W	Warren			x	x						
Peno Cr.	C	11.0	Mouth	32,54N,3W	Pike			x	x		x				
Trib. to Peno Cr.	C	1.0	19,55N,3W	30,55N,3W	Pike			x	x						
Pepper Cr.	C	2.4	Mouth	33,44N,23W	Pettis			x	x						
Perche Cr.	P1	11.0	Mouth	29,48N,13W	Boone			x	x						x
Perche Cr.	P	17.0	29,48N,13W	5,49N,13W	Boone			x	x						x
Perche Cr.	C	21.0	5,49N,13W	19,52N,13W	Boone	Randolph		x	x						
Trib. to Perche Cr.	C	1.5	Mouth	8,47N,13W	Boone			x	x						
Perkins Br.	P	1.5	Mouth	13,27N,6E	Wayne			x	x						
Perkins Cr.	P	7.0	Mouth	36,30N,8E	Bollinger			x	x						
Perkins Cr.	C	3.0	36,30N,8E	24,30N,8E	Bollinger			x	x						
Trib. to Perkins Cr.	C	2.0	Mouth	25,30N,8E	Bollinger			x	x						
Peruque Cr.	P1	6.0	Mouth	Hwy. 79	St. Charles			x	x						x
Peruque Cr.	P	8.0	Hwy. 79	Lake St. Louis Dam	St. Charles			x	x						x
Peruque Cr.	P	4.0	Hwy. 40/61	25,47N,1E	St. Charles			x	x						
Peruque Cr.	C	8.5	25,47N,1E	23,47N,1W	St. Charles			x	x						
Peters Br.	C	1.5	Mouth	13,29N,5E	Wayne			x	x						
Peters Cr.	C	3.5	Mouth	22,29N,8W	Texas			x	x						
Peters Cr.	C	1.0	Mouth	36,32N,6E	Madison			x	x						
Petite Saline Cr.	P	17.0	Mouth	24,48N,17W	Moniteau	Cooper		x	x				x	x	
Petite Saline Cr.	C	24.0	24,48N,17W	26,46N,18W	Cooper			x	x						
Pettis Cr.	C	6.5	Mouth	9,31N,30W	Barton			x	x						
Pickeral Cr.	P	3.0	Mouth	26,29N,24W	Greene			x	x						
Pickeral Cr.	C	0.5	26,29N,24W	26,29N,24W	Greene			x	x						
Pickle Cr.	P	7.0	Mouth	19,36N,7E	Ste. Genevieve			x	x						
Trib. to Pierce Cr.	C	0.6	Mouth	31,41N,02E	Franklin			x	x						
Trib. to Pierce Cr.	C	1.0	Mouth	06,40N,02E	Franklin			x	x						
Pierre Fleche Cr.	C	5.0	Mouth	15,50N,19W	Saline			x	x						
Pigeon Cr.	C	6.5	Mouth	15,56N,35W	Buchanan			x	x						
Pigeon Cr.	C	1.0	State Line	11,21N,13W	Ozark			x	x						
Pigeon Cr.	P	6.0	Montauk Spring	8,32N,7W	Dent			x	x					x	
Pigeon Cr.	C	6.0	8,32N,7W	34,33N,8W	Dent	Texas		x	x						
Pigeon Roost Cr.	C	0.5	Mouth	18,54N,7W	Monroe			x	x						
Pike Cr.	P	3.0	Mouth	34,27N,1W	Carter			x	x		x				
Pike Cr.	C	22.0	34,27N,1W	27,27N,3W	Carter	Shannon			x	x					
Pike Cr. Ditch	C	3.0	Mouth	18,22N,6E	Butler			x	x	x					
Pike Cr.	C	5.0	18,22N,6E	33,23N,6E	Butler			x	x	x					
Pike Cr.	C	6.0	15,24N,6E	30,25N,6E	Butler			x	x	x					
Pike Slough	C	5.0	Mouth	28,24N,6E	Butler				x	x					
Pilot Br.	C	1.0	Mouth	10,44N,16W	Moniteau			x	x						
Pilot Grove Cr.	C	5.0	Mouth	11,60N,27W	Daviess			x	x						
Pilot Knob Cr.	C	2.0	Mouth	30,34N,4E	Iron			x	x						
Pin Oak Cr.	C	3.0	Mouth	25,46N,28W	Johnson			x	x						
Pin Oak Cr.	P	1.0	Mouth	7,43N,6W	Gasconade			x	x						
Pin Oak Cr.	C	1.5	7,43N,6W	Hwy. 50	Gasconade			x	x						
Pin Oak Cr.	C	2.0	Mouth	3,44N,3W	Franklin			x	x						
Pin Oak Cr.	C	3.0	Mouth	03,42N,04W	Franklin			x	x						
Pin Oak Cr.	C	1.6	Mouth	11,39N,07W	Maries			x	x						
Pine Br.	C	4.2	Mouth	01,28N,08W	Texas			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Pine Cr.	P	1.5	Mouth	30,23N,12W	Ozark			x	x						
Pine Cr.	C	9.0	30,23N,12W	2,23N,13W	Ozark			x	x						
Pine Cr.	P	8.0	Mouth	5,27N,9W	Texas	Howell		x	x						
Pine Cr.	C	1.0	5,27N,9W	5,27N,9W	Howell			x	x						
Pine Hollow	C	4.0	Mouth	25,28N,5W	Shannon			x	x						
Pine Run	C	4.0	Mouth	26,25N,24W	Stone			x	x						
Pine Valley Cr.	C	6.5	Mouth	13,28N,1W	Carter	Reynolds		x	x						
Pinery Cr.	C	1.0	Mouth	36,40N,1E	Washington			x	x						
Pinery Cr.	C	0.5	Mouth	21,39N,1E	Washington			x	x						
Piney Br.	C	1.0	Mouth	25,36N,1W	Washington			x	x						
Piney Cr.	C	3.0	Mouth	22,23N,25W	Stone	Barry		x	x						
Piney Cr.	C	10.5	Mouth	Hwy. 160	Oregon			x	x						
Piney Cr.	C	1.5	Mouth	7,33N,6E	Madison			x	x						
Piper Cr.	P	7.5	Mouth	Hwy. 83	Polk			x	x						
Pipes Br.	C	2.0	Mouth	16,49N,15W	Howard			x	x						
Pippin Br.	P	0.8	Mouth	26,37N,20W	Hickory			x	x						
Pippin Br.	P	3.0	26,37N,20W	28,37N,20W	Hickory			x	x						
Trib. to Pippin Br.	C	1.5	Mouth	29,37N,20W	Hickory			x	x						
Trib. to Pippin Br.	C	0.5	Mouth	26,37N,20W	Hickory			x	x						
Platte R.	P	138.0	Mouth	State Line	Platte	Worth	x	x	x				x	x	
Old Chan. Platte R.	C	3.0	Mouth	16,56N,34W	Buchanan			x	x						
Old Chan. Platte R.	C	1.0	Mouth	35,57N,34W	Buchanan			x	x						
Old Chan. Platte R.	C	4.0	21,57N,34W	4,57N,34W	Buchanan			x	x						
Old Chan. Platte R.	C	1.0	34,57N,34W	27,57N,34W	Buchanan			x	x						
Old Chan. Platte R.	C	5.0	4,57N,34W	28,58N,34W	Buchanan			x	x						
Plattin Cr.	P	24.0	Mouth	01,38N,05E	Jefferson	St. Francois		x	x			x	x		x
Plattin Cr.	C	3.0	17,38N,05E	17,38N,06E	St. Francois		x	x							
Trib. to Plattin Cr.	P	1.0	Mouth	13,39N,5E	Jefferson			x	x						
Pleasant Run Cr.	C	6.7	Mouth	28,34N,31W	Vernon			x	x						
Pleasant Valley Cr.	P	3.0	Mouth	14,39N,5W	Crawford			x	x						
Pleasant Valley Cr.	C	1.0	14,39N,5W	24,39N,5W	Crawford			x	x						
Plum Cr.	C	1.5	Mouth	2,33N,6E	Madison			x	x						
Pogue Cr.	C	2.5	Mouth	32,24N,28W	Barry			x	x						
Pointers Cr.	C	1.0	Mouth	31,43N,7W	Osage			x	x						
Pole Hollow	P	3.0	Mouth	25,42N,20W	Morgan	Benton		x	x						
Polecat Cr.	C	8.0	Mouth	Hwy. 136	Harrison			x	x						
Polecat Cr.	C	4.0	Mouth	13,34N,26W	Cedar			x	x						
Pomme Cr.	P	2.0	Mouth	32,43N,06E	Jefferson			x	x						
Pomme de Terre R.	P	21.0	Mouth	Pomme de Terre Dam	Hickory			x	x	x		x	x		
Pomme de Terre R.	P	62.0	24,35N,23W	7,30N,18W	Polk	Webster		x	x			x	x		
Trib to Pomme de Terre Res.	C	1.2	Mouth	30,36N,22W	Hickory			x	x						
Pond Cr.	P	4.0	Mouth	5,28N,23W	Greene			x	x						
Pond Cr.	C	1.0	35,38N,3E	11,37N,3E	Washington			x	x						
Pond Cr.	P	1.0	Mouth	35,38N,3E	Washington			x	x						
Trib. to Pond Cr.	C	1.0	Mouth	3,37N,3E	Washington			x	x						
Pond Cr.	P	4.0	Mouth	11,29N,8E	Bollinger			x	x						
Pond Cr.	C	2.0	11,29N,8E	3,29N,8E	Bollinger			x	x						
Trib. to Pond Cr.	C	1.0	Mouth	15,29N,8E	Bollinger			x	x						
Pond Cr.	C	3.0	Mouth	30,30N,33W	Jasper			x	x						
Pond Fk.	P	2.0	Mouth	23,23N,16W	Ozark			x	x						
Pond Fk.	C	7.0	23,23N,16W	Taney Co. Line	Ozark			x	x						
Pond Spring Br.	P	1.9	Mouth	15,30N,08W	Texas			x	x						
Poney Cr.	P	3.2	Mouth	13,44N,33W	Cass			x	x						
Poney Cr.	C	9.1	13,44N,33W	State Line	Cass			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Poor Cr.	C	2.5	Mouth	13,48N,3W	Montgomery			x	x						
Possum Hollow	C	1.0	Mouth	12,38N,17W	Camden			x	x						
Possum Hollow	P	2.0	28,27N,7E	22,27N,7E	Wayne			x	x						
Possum Hollow	C	1.0	22,27N,7E	16,27N,7E	Wayne			x	x						
Trib. to Possum Hollow	P	0.5	Mouth	22,27N,7E	Wayne			x	x						
Trib. to Possum Hollow	C	0.5	22,27N,7E	15,27N,7E	Wayne			x	x						
Possum Trot Hollow	P	2.0	Mouth	16,35N,2W	Crawford			x	x						
Possum Trot Hollow	C	1.0	16,35N,2W	21,35N,2W	Crawford			x	x						
Trib. to Possum Trot Hol.	C	1.0	Mouth	9,35N,2W	Crawford			x	x						
Possum Walk Cr.	C	4.0	Mouth	18,21N,13W	Ozark			x	x						
Postoak Cr.	P	4.0	Mouth	22,46N,26W	Johnson			x	x						
Potters Cr.	P	4.0	Mouth	16,28N,10W	Texas			x	x						
Potters Cr.	C	2.0	16,28N,10W	22,28N,10W	Texas			x	x						
Powers Island Chute	P	9.0	Mouth	30,29N,15E	Scott			x	x					x	
Prairie Br.	P	2.5	Mouth	8,47N,6W	Montgomery			x	x						
Prairie Br.	C	5.0	8,47N,6W	10,47N,7W	Montgomery	Callaway		x	x						
Prairie Cr.	C	4.0	Mouth	12,52N,35W	Platte			x	x						
Trib. to Prairie Cr.	C	1.0	Mouth	24,52N,35W	Platte			x	x						
Prairie Cr.	C	1.0	Mouth	1,39N,5W	Crawford			x	x						
Prairie Cr.	C	3.0	Mouth	3,27N,15W	Douglas			x	x						
Prairie Cr.	C	4.1	Mouth	04,32N,12W	Texas	Laclede		x	x						
Prairie Cr.	C	2.0	Mouth	36,39N,11W	Maries			x	x						
Prairie Cr.	C	2.9	Mouth	35,39N,22W	Benton			x	x						
Prairie Fk.	C	3.0	Mouth	20,46N,9W	Callaway			x	x						
Prairie Hollow	P	7.0	Mouth	04,37N,18W	Camden			x	x						
Prairie Run Hollow	C	1.0	Mouth	25,25N,27W	Barry			x	x						
Price Br.	C	3.0	6,33N,25W	34,34N,25W	Cedar			x	x						
Price Cr.	C	1.5	Mouth	27,40N,6W	Gasconade			x	x						
Prime Cr.	C	1.5	Mouth	31,46N,9W	Callaway			x	x						
Primrose Cr.	C	2.0	Mouth	22,38N,4E	St. Francois			x	x						
Profits Cr.	C	2.0	Mouth	24,42N,12W	Cole			x	x						
Province Br.	P	1.5	Mouth	3,29N,25W	Lawrence			x	x						
Trib. to Province Br.	C	1.0	Mouth	3,29N,25W	Lawrence			x	x						
Pruett Cr.	C	1.5	Mouth	16,38N,5W	Crawford			x	x						
Pruett Cr.	P	1.0	16,38N,5W	9,38N,5W	Crawford			x	x						
Trib. to Pruett Cr.	C	1.0	Mouth	21,38N,5W	Crawford			x	x						
Pryor Cr.	C	2.5	Mouth	08,37N,32W	Vernon			x	x						
Pucket Br.	C	1.0	Mouth	12,38N,1E	Washington			x	x						
Pump Hollow	C	2.0	Mouth	16,40N,2W	Crawford			x	x						
Punch Cr.	C	1.0	Mouth	6,31N,9E	Bollinger			x	x						
Puncheon Cr.	C	2.5	Mouth	36,44N,5W	Gasconade			x	x						
Trib. to Puncheon Cr.	C	1.5	Mouth	30,44N,5W	Gasconade			x	x						
Purcett Br.	C	2.3	Mouth	05,35N,25W	St. Clair	Cedar		x	x						
Puzzle Cr.	C	13.0	Mouth	25,57N,17W	Chariton	Macon		x	x						
Pyatt Hollow	C	2.0	Mouth	13,36N,3W	Crawford			x	x						
Trib. to Pyatt Hollow	C	1.0	Mouth	24,36N,3W	Crawford			x	x						
Quick Cr.	P1	1.5	Mouth	28,46N,5W	Montgomery			x	x						
Quick Cr.	C	4.5	28,46N,5W	25,46N,6W	Montgomery			x	x						
Rabbit Hollow	C	1.0	Mouth	14,38N,1E	Washington			x	x						
Raccoon Cr.	C	4.0	Mouth	5,61N,25W	Grundy			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Raccoon Cr.	C	1.5	Mouth	9,61N,25W	Grundy			x	x						
Raccoon Hollow	C	1.0	Mouth	16,24N,11W	Ozark			x	x						
Race Cr.	P	0.5	Mouth	21,37N,1E	Washington			x	x						
Ragan Br.	C	3.8	Mouth	20,36N,07W	Phelps			x	x						
Railey Cr.	C	6.5	Mouth	Hwy. 13	Stone			x	x						
Rainy Cr.	P	2.5	5,39N,19W	7,39N,19W	Camden			x	x			x	x		
Rainy Cr.	C	1.5	7,39N,19W	13,39N,20W	Benton			x	x						
Ramsey Br.	P	6.5	Mouth	33,31N,13E	Cape Girardeau			x	x				x		
Ramsey Br.	C	1.0	33,31N,13E	28,31N,13E	Cape Girardeau			x	x						
Ramsey Cr.	P	6.0	Mouth	14,29N,13E	Scott			x	x						
Ramsey Cr. Div. Chan.	P	3.0	Mouth	1,29N,13E	Scott			x	x						
Ramsey Cr.	C	7.0	Mouth	Sur 1709(9),52N,1E	Pike			x	x						
Rattlesnake Cr.	C	3.0	Mouth	3,56N,25W	Livingston			x	x						
Red Oak Cr.	P	5.0	Mouth	28,42N,4W	Franklin	Gasconade		x	x						
Red Oak Cr.	C	9.0	28,42N,4W	16,41N,5W	Gasconade			x	x						
Trib. to Red Oak Cr.	P	0.5	Mouth	35,42N,05W	Gasconade			x	x						
Trib. to Red Oak Cr.	C	1.5	27,42N,05W	35,42N,05W	Gasconade			x	x						
Reed Cr.	C	2.1	Mouth	11,37N,32W	Vernon			x	x						
Reese Fk.	C	7.0	Mouth	28,53N,12W	Monroe			x	x						
Reid Cr.	C	2.0	Mouth	Sur 1717,51N,2W	Lincoln			x	x						
Reid Cr.	C	1.5	Mouth	5,38N,27W	St. Clair			x	x						
Reid Cr.	C	22.0	Mouth	30,35N,3E	Washington	Iron		x	x						
Reisobel Br.	C	1.0	Mouth	22,40N,6W	Gasconade			x	x						
Richland Cr.	C	4.0	Mouth	29,48N,9W	Callaway			x	x						
Richland Cr.	P	3.5	Mouth	Hwy. 87	Howard			x	x						
Richland Cr.	C	2.0	Hwy. 87	16,50N,17W	Howard			x	x						
Richland Cr.	P	8.0	13,45N,19W	17,44N,18W	Morgan			x	x			x	x		
Richland Cr.	C	10.0	17,44N,18W	22,43N,18W	Morgan			x	x			x	x		
Richland Cr.	C	0.5	Mouth	6,44N,6W	Gasconade			x	x						
Ricky Cr.	C	6.0	Mouth	15,39N,28W	St. Clair			x	x						
Riggin Br.	C	1.5	Mouth	21,60N,35W	Andrew			x	x						
Rings Cr.	P	5.0	Mouth	23,29N,4E	Wayne			x	x			x			
Rings Cr.	C	0.5	23,29N,4E	27,29N,4E	Wayne			x	x						
Trib. to Rings Cr.	C	0.5	Mouth	26,29N,4E	Wayne			x	x						
Trib. to Rings Cr.	C	1.0	Mouth	23,29N,4E	Wayne			x	x						
Rippee Cr.	P	4.5	Mouth	13,25N,15W	Douglas			x	x						
Rippee Cr.	C	2.0	13,25N,15W	14,25N,15W	Douglas			x	x						
Rising Cr.	P	1.0	Mouth	M.P.R.R. tracks	Cole			x	x						
Rising Cr.	C	4.0	M.P.R.R. tracks	36,44N,11W	Cole			x	x						
Rivaux Cr.	P1	1.5	Mouth	21,44N,10W	Callaway			x	x						
Rivaux Cr.	C	3.5	21,44N,10W	8,44N,10W	Callaway			x	x						
River aux Vases	P	17.0	Mouth	18,36N,8E	Ste. Genevieve			x	x			x			
River aux Vases	C	4.0	18,36N,8E	27,36N,7E	Ste. Genevieve			x	x						
River des Peres	P	1.5	Mouth	Gravois Cr.	St. Louis City			x	x						
River des Peres	C	1.0	Gravois Cr.	Morgan Ford Road	St. Louis City			x	x						
Roach Lake	C	2.5	29,57N,23W	25,57N,24W	Livingston			x	x						
Roaring R.	P	7.0	Mouth	34,22N,27W	Barry			x	x		x	x	x		
Roaring Springs	P	0.1	Mouth	35,33N,10W	Texas			x	x						
Roark Br.	C	1.0	Mouth	23,43N,14W	Cole			x	x						
Roark Cr.	C	3.0	Mouth	36,23N,22W	Taney			x	x		x	x	x		

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Roark Cr.	C	4.0	36,23N,22W	15,23N,22W	Taney			x	x			x	x		
Roberts Br.	C	1.0	Mouth	5,54N,32W	Clinton			x	x						
Robinson Br.	C	1.6	Mouth	30,36N,29W	Vernon			x	x						
Robinson Creek	P	3.1	Mouth	Hwy B	Phelps			x	x						
Rock Br.	C	3.0	Mouth	24,36N,3W	Crawford			x	x						
Rock Br.	P	2.0	State Line	12,26N,34W	Newton			x	x						
Rock Br.	C	1.6	Mouth	10,32N,10W	Texas			x	x						
Rock Cr.	C	4.0	Mouth	34,62N,12W	Knox			x	x						
Rock Cr.	P	2.0	Mouth	30,64N,41W	Atchison			x	x						
Rock Cr.	C	18.0	30,64N,41W	17,66N,40W	Atchison			x	x						
Rock Cr.	P	1.0	Mouth	9,45N,13W	Cole			x	x						
Rock Cr.	C	3.0	9,45N,13W	18,45N,13W	Cole			x	x						
Rock Cr.	C	1.0	Mouth	19,43N,11W	Cole			x	x						
Rock Cr.	C	3.0	Mouth	24,33N,12W	Texas			x	x						
Rock Cr.	P	5.0	Mouth	2,42N,5E	Jefferson			x	x						
Rock Cr.	C	3.0	2,42N,5E	Hwy. 21	Jefferson			x	x						
Rock Cr.	P	3.0	36,22N,26W	24,22N,26W	Barry			x	x						
Rock Cr.	C	5.0	24,22N,26W	8,22N,26W	Barry			x	x						
Rock Cr.	P	0.5	Mouth	19,34N,7E	Madison			x	x						
Rock Cr.	C	2.0	19,34N,7E	9,34N,7E	Madison	St. Francois		x	x						
Rock Cr.	P	2.5	Mouth	16,33N,5E	Madison			x	x						
Rock Cr.	C	0.5	16,33N,5E	17,33N,5E	Madison			x	x						
Rock Cr.	C	2.5	Mouth	33,33N,5E	Madison			x	x						
Rock Cr.	C	3.6	Mouth	Hwy 92	Clay			x	x						
Rock Enon Cr.	C	4.0	Mouth	14,43N,15W	Moniteau			x	x						
Rockhouse Cr.	P	2.0	Mouth	14,23N,26W	Barry			x	x						
Rockhouse Cr.	C	4.0	14,23N,26W	28,23N,26W	Barry			x	x						
Trib. to Rockhouse Cr.	C	2.5	Mouth	34,23N,26W	Barry			x	x						
Rocky Br.	C	2.0	Mouth	16,43N,16W	Moniteau			x	x						
Rocky Br.	C	0.4	Mouth	23,39N,02E	Washington			x	x						
Rocky Br.	C	3.2	Mouth	11,52N,33W	Clay			x	x						
Rocky Cr.	P	2.0	Mouth	6,28N,2W	Shannon			x	x						
Rocky Cr.	C	3.0	Mouth	7,28N,8E	Wayne	Bollinger		x	x						
Rocky Fk.	C	4.0	Mouth	19,53N,28W	Ray			x	x						
Rocky Fk.	C	8.0	Mouth	36,50N,13W	Boone			x	x						
Rocky Fk.	C	0.1	Mouth	04,35N,01W	Washington			x	x						
Rocky Fk. Cr.	P	3.0	Mouth	21,42N,18W	Morgan			x	x						
Rocky Hollow	C	1.0	Mouth	08,35N,29W	Vernon			x	x						
Rogers Cr.	C	1.0	Mouth	7,39N,10W	Maries			x	x						
Rogers Cr.	C	9.4	Mouth	28,28N,02W	Carter			x	x				x		
Rollins Cr.	C	7.0	Mouth	13,51N,29W	Ray			x	x						
Rollins Cr.	C	1.0	Mouth	16,38N,14W	Miller			x	x						
Ross Cr.	P	3.0	Mouth	13,41N,21W	Benton			x	x						
Roubidoux Cr.	P	4.0	Mouth	25,36N,12W	Pulaski			x	x		x	x	x		
Roubidoux Cr.	C	20.0	25,36N,12W	11,34N,12W	Pulaski			x	x	x			x	x	
Roubidoux Cr.	P	18.0	11,34N,12W	4,31N,11W	Pulaski	Texas		x	x	x			x	x	
Rubeneau Br.	C	2.0	Mouth	Sur 2115,37N,3E	Washington			x	x						
Rush Cr.	P	4.0	Mouth	Hwy. 45	Platte			x	x						
Rush Cr.	P	8.2	Mouth	Hwy H	Clay			x	x				x		
Rutledge Run	C	2.0	Mouth	15,35N,2E	Washington			x	x						
Rye Cr.	P	2.0	Mouth	23,41N,1E	Franklin			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life
and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Rye Cr.	C	1.5	23,41N,1E	26,41N,1E	Franklin			x	x						
S. Ashley Cr.	P	5.0	Mouth	9,31N,7W	Dent	Texas		x	x						
S. Ashley Cr.	C	2.0	9,31N,7W	18,31N,7W	Texas			x	x						
S. Big Cr.	C	5.0	Mouth	Lake Viking Dam	Daviess			x	x						
S. Blackbird Cr.	C	13.0	2,64N,17W	18,65N,18W	Putnam			x	x						
S. Bridges Cr.	C	4.0	17,22N,11W	13,22N,11W	Ozark			x	x						
S. Brush Cr.	C	2.0	Mouth	12,53N,9W	Monroe			x	x						
S. Davis Cr.	C	6.4	Mouth	22,48N,27W	Lafayette			x	x						
S. Deepwater Cr.	C	1.0	Mouth	20,40N,29W	Bates			x	x						
S. Dry Sac R.	P	1.5	Mouth	36,30N,22W	Greene			x	x						
S. Dry Sac R.	C	2.0	5,29N,20W	3,29N,20W	Greene			x	x						
S. Fabius R.	P	61.5	24,59N,6W	29,62N,11W	Marion	Knox	x	x	x						
S. Fk. Apple Cr.	P	5.0	Mouth	34,34N,10E	Cape Girardeau	Perry		x	x						
S. Fk. Apple Cr.	C	1.0	34,34N,10E	33,34N,10E	Perry			x	x						
Trib. to S. Fk. Apple Cr.	C	1.0	Mouth	5,33N,11E	Cape Girardeau			x	x						
Trib. to S. Fk. Apple Cr.	C	0.5	Mouth	34,34N,10E	Perry			x	x						
S. Fk. Blackwater R.	P	5.0	12,46N,27W	19,46N,27W	Johnson			x	x						
S. Fk. Blackwater R.	C	14.0	19,46N,27W	30,47N,28W	Johnson			x	x						
Trib. to S. Fk. Blackwater R.	C	3.5	Mouth	18,46N,28W	Johnson			x	x						
Trib. to S. Fk. Blackwater R.	C	1.0	Mouth	04,46N,23W	Pettis			x	x						
S. Fk. Brush Cr.	C	4.9	Mouth	03,34N,24W	Polk			x	x						
Trib. to S. Fk. Brush Cr.	C	1.7	Mouth	33,35N,24W	Polk			x	x						
S. Fk. Buffalo Cr.	P	2.0	20,24N,1E	30,24N,1E	Ripley			x	x	x					
S. Fk. Buffalo Cr.	C	4.0	30,24N,1E	34,24N,1W	Ripley			x	x	x					
S. Fk. Capps Cr.	C	4.0	17,25N,28W	27,25N,28W	Barry			x	x						
S. Fk. Clear Cr.	C	6.0	Mouth	21,65N,36W	Nodaway			x	x						
S. Fk. Gees Cr.	C	2.5	Mouth	2,59N,25W	Livingston			x	x						
S. Fk. Jonca Cr.	C	1.5	8,36N,7E	18,36N,7E	Ste. Genevieve			x	x						
S. Fk. Isle Du Bois Cr.	C	3.5	Mouth	36,39N,6E	Ste. Genevieve			x	x						
S. Fk. L. Meramec R.	P	3.5	7,41N,2E	19,41N,2E	Franklin			x	x						
S. Fk. L. Meramec R.	C	2.0	19,41N,2E	31,41N,2E	Franklin			x	x						
S. Fk. M. Fabius R.	P	11.0	22,64N,12W	31,65N,13W	Scotland	Schuyler		x	x						
S. Fk. M. Fabius R.	C	13.0	31,65N,13W	Hwy. 63	Schuyler			x	x						
S. Fk. S. Fabius R.	P	5.5	29,62N,11W	9,62N,12W	Knox			x	x						
S. Fk. S. Fabius R.	C	12.5	9,62N,12W	13,63N,14W	Knox	Adair		x	x						
S. Fk. N. Fabius R.	C	11.0	Mouth	34,67N,15W	Schuyler			x	x						
Trib. to S. Fk. N. Fabius R.	C	3.0	Mouth	30,67N,14W	Schuyler			x	x						
S. Fk. North R.	P	6.5	Mouth	13,57N,8W	Marion			x	x						
S. Fk. North R.	C	3.5	13,57N,8W	21,57N,8W	Marion			x	x						
S. Fk. Pomme de Terre	P	4.0	Mouth	25,30N,20W	Greene			x	x			x	x		
S. Fk. S. Grand R.	C	10.0	Mouth	34,44N,33W	Cass			x	x						
S. Fk. Saline Cr.	P	20.5	Mouth	28,35N,9E	Perry			x	x	x					
S. Fk. Saline Cr.	C	5.0	28,35N,9E	1,34N,8E	Perry	Ste. Genevieve		x	x						
Trib. to S. Fk. Saline Cr.	P	2.0	Mouth	3,34N,9E	Perry			x	x						
S. Fk. Salt R.	P	18.0	8,53N,8W	Audrain Co. Line	Monroe		x	x	x					x	
S. Fk. Salt R.	C	32.0	Audrain Co. Line	5,49N,4W	Audrain	Callaway		x	x					x	
Trib. to S. Fk. Salt R.	C	0.5	Mouth	35,52N,9W	Audrain			x	x						
S. Fk. Spring Cr.	C	1.0	Mouth	19,22N,14W	Ozark			x	x						
S. Fk. Spring R.	P	4.0	State Line	35,22N,8W	Howell			x	x						
S. Fk. Spring R.	C	11.0	35,22N,8W	32,23N,8W	Howell			x	x						
Trib. to S. Fk. Spring R.	P	1.0	Mouth	34,22N,8W	Howell			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
S. Fk. Weaubleau Cr.	C	5.0	Mouth	20,36N,24W	St. Clair			x	x				x		
Trib. to S. Fk. Weaubleau Cr.	C	6.0	Mouth	25,36N,24W	St. Clair	Hickory									
S. Flat Cr.	P	7.1	Mouth	27,43N,22W	Benton	Benton		x	x						
S. Flat Cr.	C	0.9	27,43N,22W	27,43N,22W	Benton			x	x						
Trib. to S. Flat Cr.	C	2.4	Mouth	24,43N,22W	Benton			x	x						
Trib. to S. Flat Cr.	C	1.1	Mouth	03,43N,21W	Pettis			x	x						
S. Grand R.	P	48.0	Mouth	2,44N,33W	Henry	Cass		x	x						x
S. Indian Cr.	P	9.0	24,24N,31W	1,23N,30W	Newton	McDonald		x	x		x				
S. Moreau Cr.	P	20.5	1,43N,13W	29,43N,14W	Cole	Miller		x	x				x	x	
S. Moreau Cr.	C	9.0	29,43N,14W	7,42N,15W	Moniteau	Miller		x	x				x	x	
S. Moreau Cr.	C	6.5	7,42N,15W	31,42N,15W	Miller			x	x						
Trib. to S. Moreau Cr.	C	0.5	Mouth	25,43N,14W	Cole			x	x						
Trib. to S. Moreau Cr.	C	0.5	Mouth	19,43N,13W	Cole			x	x						
Trib. to S. Moreau Cr.	C	1.5	Mouth	28,43N,15W	Moniteau			x	x						
Trib. to S. Moreau Cr.	P	1.0	Mouth	31,43N,15W	Moniteau			x	x						
Trib. to S. Moreau Cr.	C	1.0	31,43N,15W	25,43N,16W	Moniteau			x	x						
Trib. to S. Moreau Cr.	C	1.5	Mouth	29,42N,15W	Miller			x	x						
Trib. to S. Moreau Cr.	C	1.0	Mouth	30,43N,15W	Moniteau			x	x						
S. Mud Cr.	C	3.0	Mouth	2,54N,27W	Ray			x	x						
S. Prong Beaverdam Cr.	C	6.5	5,24N,4E	27,25N,3E	Ripley			x	x						
S. Prong Jacks Fk.	P	6.0	29,28N,7W	21,28N,8W	Texas			x	x						
S. Prong Jacks Fk.	C	4.0	21,28N,8W	14,28N,9W	Texas			x	x						
S. Prong L. Black R.	P	5.5	9,24N,3E	Hwy. 21	Ripley			x	x						
S. Prong L. Black R.	C	6.0	Hwy. 21	33,25N,2E	Ripley			x	x						
S. Rock Cr.	C	3.0	Mouth	14,35N,3W	Crawford			x	x						
S. Spencer Cr.	C	8.0	Mouth	6,53N,4W	Ralls	Pike		x	x						
S. Spring Cr.	P	5.0	Mouth	23,25N,16W	Douglas			x	x						
S. Wyaconda R.	P	9.0	26,65N,9W	4,65N,10W	Clark	Scotland		x	x						x
S. Wyaconda R.	C	17.5	4,65N,10W	32,67N,12W	Scotland			x	x						
Sac R.	P	40.0	23,37N,26W	Stockton Lake Dam	St. Clair	Cedar	x	x	x				x	x	
Sac R.	P	32.5	1,31N,26W	15,29N,24W	Dade	Greene	x	x	x				x	x	
Sac R.	C	3.0	15,29N,24W	19,29N,23W	Greene			x	x						
Sadler Br.	C	0.8	Mouth	17,35N,24W	Polk			x	x						
Salem Cr.	C	2.0	Mouth	26,37N,5E	St. Francois			x	x						
Salem Springs Cr.	C	1.0	Mouth	11,32N,17W	Laclede			x	x						
Saline Cr.	P	12.0	Mouth	Hwy. 54	Miller			x	x				x	x	
Saline Cr.	P	10.5	Mouth	13,36N,9E	Perry			x	x				x		
Saline Cr.	P	12.0	13,36N,9E	16,35N,8E	Ste. Genevieve			x	x	x			x		
Saline Cr.	C	3.0	16,35N,8E	11,35N,7E	Ste. Genevieve			x	x						
Saline Cr.	P	4.0	Mouth	32,35N,3E	Iron			x	x						
Saline Cr.	C	1.0	32,35N,3E	Hwy. 21	Iron			x	x						
Saline Cr.	P	1.0	Mouth	Sur 3011,43N,5E	Jefferson			x	x						
Saline Cr.	C	3.0	Sur 3011,43N,5E	Sur 3011,43N,5E	Jefferson			x	x						
Saline Cr.	P	5.5	Mouth	12,33N,7E	Madison			x	x						
Saline Cr.	C	0.5	12,33N,7E	7,33N,7E	Madison			x	x						
Salley Br.	C	0.1	Mouth	27,39N,22W	Benton			x	x						
Sals Cr.	C	1.5	Mouth	14,29N,13E	Scott			x	x						
Sals Cr. Div. Chan.	C	2.5	Mouth	3,29N,13E	Scott			x	x						
Salt Br.	C	4.0	Mouth	35,53N,21W	Saline			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Salt Br.	C	7.0	Mouth	20,50N,22W	Saline			x	x						
Salt Cr.	C	14.0	Mouth	25,55N,20W	Chariton			x	x						
Salt Cr.	P1	3.0	Mouth	33,49N,15W	Howard			x	x						
Salt Cr.	C	10.0	33,49N,15W	31,50N,15W	Howard			x	x						
Salt Cr.	P	2.0	Mouth	Sur. 3328,49N,17W	Howard			x	x						
Salt Cr.	C	3.0	Mouth	17,38N,26W	St. Clair			x	x						
Trib. to Salt Cr.	C	1.0	Mouth	9,38N,26W	St. Clair			x	x						
Salt Fk.	C	5.0	Mouth	2,51N,15W	Howard			x	x						
Salt Fk.	P	25.0	Mouth	Hwy. 65	Saline			x	x				x		
Salt Fk.	C	19.0	Hwy. 65	Hwy. 20	Saline	Lafayette		x	x						
Salt Pond Cr.	P	3.0	Mouth	25,49N,23W	Saline			x	x						
Salt Pond Cr.	C	3.0	25,49N,23W	14,49N,23W	Saline			x	x						
Salt R.	P1	15.0	Mouth	Hwy. 79	Pike		x	x	x			x	x		
Salt R.	P	29.0	Hwy. 79	Re-Reg Dam	Pike	Ralls	x	x	x			x	x	x	
Salt R.	P1	10.0	Re-Reg Dam	Cannon Dam	Ralls		x	x	x			x	x	x	
Sampson Cr.	P	13.0	Mouth	19,62N,29W	Daviess	Harrison		x	x						
Sampson Cr.	C	5.0	19,62N,29W	1,62N,30W	Gentry			x	x						
Sand Cr.	C	4.0	Mouth	11,64N,37W	Nodaway			x	x						
Sand Cr.	C	2.0	Mouth	36,65N,16W	Schuyler			x	x						
Sand Cr.	C	15.0	Mouth	12,43N,26W	Henry			x	x						
Sand Cr.	C	1.8	Mouth	34,36N,06E	St. Francois			x	x						
Sand Cr.	P	1.3	Mouth	18,42N,4E	Jefferson			x	x						
Sand Hollow	C	0.3	Mouth	24,31N,10W	Texas			x	x						
Sand Run	C	2.0	Mouth	24,48N,1W	Lincoln			x	x						
Sandy Cr.	C	8.0	Mouth	25,50N,1E	Lincoln			x	x						
Sandy Cr.	C	5.5	Mouth	33,52N,2W	Lincoln	Pike		x	x						
Sandy Cr.	C	6.0	Mouth	23,51N,5W	Montgomery	Audrain		x	x						
Sandy Cr.	C	10.0	Mouth	15,65N,25W	Harrison	Mercer		x	x						
Sandy Cr.	C	3.0	Mouth	19,66N,17W	Putnam			x	x						
Sandy Cr.	C	6.0	Mouth	Sur 1987,41N,5E	Jefferson			x	x						
Sandy Cr.	C	1.0	36,35N,10E	1,34N,10E	Perry			x	x						
Sandy Cr.	P	2.0	Mouth	11,33N,11E	Cape Girardeau			x	x						
Sandy Cr.	C	0.5	11,33N,11E	3,33N,11E	Cape Girardeau			x	x						
Trib. to Sandy Cr.	P	0.1	Mouth	33,42N,04E	Jefferson			x	x						
Trib. to Sandy Cr.	P	0.2	Mouth	32,42N,04E	Jefferson			x	x						
Sanford Cr.	C	1.0	Mouth	4,43N,10W	Cole			x	x						
Sara Br.	C	3.0	Mouth	01,32N,18W	Webster			x	x						
Sardine Cr.	C	1.5	Mouth	2,29N,25W	Lawrence			x	x						
Sawmill Hollow	C	2.0	Mouth	17,24N,11W	Ozark			x	x						
Sawyer Cr.	P	5.0	Mouth	12,28N,20W	Greene			x	x						
Schawanee Spr. Br.	C	2.0	Mouth	5,34N,11E	Perry			x	x						
Trib. to Schawanee Spr. Br.	C	1.0	Mouth	33,35N,11E	Perry			x	x						
School Hollow Cr.	P	1.0	Mouth	07,41N,09W	Osage			x	x						
Schoolhouse Hollow	C	0.3	Mouth	19,31N,09W	Texas			x	x						
Schuler Cr.	P	3.2	26,28N,23W	28,28N,23W	Greene			x	x						
Schuler Cr.	P	0.2	Mouth	Hwy 50	Gasconade			x	x						
Schulte Cr.	C	5.0	Mouth	10,32N,21W	Polk			x	x						
Scott Br.	C	0.5	Mouth	5,44N,15W	Moniteau			x	x						
Scott Br.	C	1.5	Mouth	21,37N,2W	Crawford			x	x						
Scott Br.	C	1.0	Mouth	5,37N,1E	Washington			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Second Cr.	C	8.0	Mouth	29,52N,33W	Clay	Platte		x	x						
Second Cr.	P	6.5	Mouth	12,43N,6W	Gasconade			x	x						
Second Cr.	C	6.5	12,43N,6W	Hwy. 19	Gasconade			x	x						
Second Nicolson Cr.	P	6.0	21,33N,33W	18,32N,33W	Barton			x	x						
Sees Cr.	P	1.0	Mouth	10,57N,7W	Marion			x	x						
Sees Cr.	C	2.0	10,57N,7W	22,57N,7W	Marion			x	x						
Self Br.	P	1.0	Mouth	15,31N,20W	Greene			x	x						
Sellars Cr.	C	3.5	20,37N,14W	6,36N,14W	Camden			x	x			x	x		
Trib. to Sellars Cr.	C	1.0	Mouth	31,37N,14W	Camden			x	x						
Sellers Hollow	C	5.0	Mouth	7,37N,15W	Camden			x	x						
Selvage Hollow	C	1.5	Mouth	21,33N,16W	Laclede			x	x						
Sewer Br.	C	1.0	Mouth	16,46N,21W	Pettis			x	x						
Shackelford Br.	C	4.0	Mouth	21,52N,29W	Ray			x	x						
Shady Cr.	C	6.0	Mouth	Audrain Co. Line	Pike			x	x						
Shain Cr.	C	12.0	Mouth	Hwy. 46	Harrison			x	x						
Shankton Cr.	C	4.0	Mouth	35,67N,22W	Putnam			x	x						
Sharpsburg Br.	C	1.5	21,57N,8W	28,57N,8W	Marion			x	x						
Shaver Cr.	P	14.4	Mouth	06,45N,20W	Pettis			x	x						
Trib. to Shaver Cr.	C	0.8	Mouth	06,45N,20W	Pettis			x	x						
Trib. to Shaver Cr.	C	0.9	Mouth	28,46N,20W	Pettis			x	x						
Trib. to Shaver Cr.	C	0.8	Mouth	11,46N,20W	Pettis			x	x						
Shaw Br.	C	2.0	Mouth	20,36N,5E	St. Francois			x	x						
Shawnee Cr.	P	4.5	Mouth	9,45N,7W	Osage			x	x						
Shawnee Cr.	C	1.5	9,45N,7W	16,45N,7W	Osage			x	x						
Shawnee Cr.	P	3.0	Mouth	8,33N,13E	Cape Girardeau			x	x						
Shawnee Cr.	P	2.0	Mouth	30,29N,3W	Shannon			x	x						
Shawnee Cr.	C	10.3	30,29N,03W	19,28N,03W	Shannon			x	x						
Shays Cr.	C	2.0	Mouth	33,34N,7E	Madison			x	x						
Sheep Cr.	C	1.0	Mouth	1,56N,29W	Caldwell			x	x						
Shell Br.	C	2.5	Mouth	Hwy. 107	Monroe			x	x						
Shetley Cr.	P	4.0	Mouth	12,31N,7E	Madison			x	x						
Shetley Cr.	C	3.0	12,31N,7E	2,31N,7E	Madison			x	x						
Shibboleth Cr.	P	1.0	Mouth	14,38N,3E	Washington			x	x						
Shibboleth Cr.	C	3.0	14,38N,3E	21,38N,3E	Washington			x	x						
Trib. to Shibboleth Cr.	C	1.0	Mouth	15,38N,3E	Washington			x	x						
ShIPLEY Slough	C	2.5	35,19N,9E	24,19N,9E	Dunklin			x	x						
Shoal Cr.	P	9.0	Mouth	Hwy. 69	Clay			x	x						
Shoal Cr.	C	6.0	Hwy. 69	Hwy. 152	Clay			x	x						
Shoal Cr.	P	55.0	Mouth	25,56N,28W	Livingston	Caldwell		x	x			x	x	x	
Shoal Cr.	C	33.0	25,56N,28W	5,55N,30W	Caldwell	Clinton		x	x				x		
Shoal Cr.	C	14.5	Mouth	5,66N,17W	Putnam			x	x						
Shoal Cr.	P	7.5	Mouth	27,36N,2W	Crawford			x	x			x			
Shoal Cr.	C	3.0	27,36N,2W	10,35N,2W	Crawford			x	x						
Trib. to Shoal Cr.	C	1.0	Mouth	34,37N,2W	Crawford			x	x						
Trib. to Shoal Cr.	C	0.5	Mouth	34,37N,2W	Crawford			x	x						
Shoal Cr.	C	2.0	Mouth	32,22N,17W	Taney			x	x			x	x		
Shoal Cr.	P	43.5	State Line	10,25N,29W	Newton		x	x	x	x		x	x	x	x
Shoal Cr.	P	0.5	10,25N,29W	Capps Cr.	Newton		x	x	x		x		x	x	
Shoal Cr.	P	13.5	Capps Cr.	12,23N,28W	Newton	Barry	x	x	x	x		x	x		
Shoal Cr.	C	4.0	12,23N,28W	Hwy. 86	Barry			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Shoal Cr.	P	1.0	Mouth	10,26N,32W	Newton			x	x						
Shoal Cr. Ditch	C	10.0	27,57N,24W	28,56N,25W	Livingston			x	x						
Shootman Cr.	C	1.5	Mouth	6,53N,22W	Carroll			x	x						
Short Cr.	P	2.9	Mouth	30,22N,21W	Taney			x	x						
Short Cr.	C	0.9	30,22N,21W	36,22N,21W	Taney			x	x						
Shrawn Cr.	P	1.5	Mouth	6,33N,10E	Bollinger			x	x						
Shrawn Cr.	C	1.0	6,33N,10E	County Line	Bollinger			x	x						
Shuld Br.	C	2.0	Mouth	26,28N,09W	Texas			x	x						
Shuteye Cr.	C	3.0	Mouth	31,64N,16W	Adair			x	x						
Shutin Cr.	P	2.0	Mouth	6,33N,2E	Reynolds			x	x						
Shutin Cr.	C	3.0	6,33N,2E	20,34N,2E	Iron			x	x						
Silver Cr.	C	11.0	Mouth	34,53N,15W	Chariton	Randolph		x	x						
Silver Cr.	P	2.5	Mouth	25,27N,33W	Newton			x	x						
Silver Cr.	C	1.6	Mouth	01,23N,21W	Taney			x	x						
Silver Fk.	C	16.5	Mouth	33,51N,11W	Boone			x	x					x	
Trib. to Silver Fk.	C	1.5	Mouth	19,51N,11W	Boone			x	x						
Trib. to Silver Fk.	C	1.0	Mouth	28,50N,13W	Boone			x	x						
Silver Lake Br.	C	1.5	Mouth	13,26N,23W	Stone			x	x						
Simms Cr.	C	2.0	Mouth	15,37N,27W	St. Clair			x	x						
Simpson Br.	C	2.0	Mouth	6,38N,2E	Washington			x	x						
Sims Br.	C	1.0	Mouth	23,31N,22W	Greene			x	x						
Sinking Cr.	P	1.0	Mouth	10,30N,26W	Dade			x	x						
Sinking Cr.	C	2.0	10,30N,26W	12,30N,26W	Dade			x	x						
Sinking Cr.	P	5.0	12,30N,26W	16,30N,25W	Dade			x	x						
Sinking Cr.	P	21.0	Mouth	8,32N,3W	Shannon	Dent		x	x	x				x	
Sinking Cr.	P	18.5	Mouth	19,31N,1E	Reynolds			x	x						
Skinner Cr.	C	0.8	Mouth	09,42N,03W	Franklin			x	x						
Skull Cr.	C	0.5	Mouth	10,47N,19W	Cooper			x	x						
Skullbones Cr.	C	1.1	Mouth	35,42N,03E	Jefferson			x	x						
Slabtown Br.	C	3.3	Mouth	23,33N,10W	Texas			x	x						
Slagle Cr.	P	7.0	Mouth	17,32N,22W	Polk			x	x						
Slagle Cr.	P	2.0	Mouth	18,28N,9E	Bollinger			x	x						
Slater Br.	C	2.0	Mouth	Sur 1852,33N,6E	Madison			x	x						
Slater Br.	C	3.0	Mouth	34,30N32W	Jasper			x	x						
Slaughter Br.	C	3.0	Mouth	4,43N,2W	Franklin			x	x						
Smiley Cr.	C	3.0	Mouth	36,46N,17W	Cooper			x	x						
Smith Br.	C	0.5	Mouth	16,47N,9W	Callaway			x	x						
Smith Cr.	C	1.5	Mouth	26,47N,11W	Callaway			x	x						
Smith Cr.	C	10.5	Mouth	2,43N,17W	Moniteau	Morgan		x	x					x	
Smith Cr.	C	7.0	Mouth	18,48N,5W	Montgomery			x	x						
Smith Fk.	C	2.0	Mouth	15,56N,31W	Clinton			x	x						
Smith Hollow	C	1.0	Mouth	30,23N,11W	Ozark			x	x						
Smith Hollow Cr.	P	1.1	Mouth	26,37N,10W	Phelps			x	x						
Smith Hollow Cr.	C	1.7	26,37N,10W	36,37N,10W	Phelps			x	x						
Snag Cr.	C	1.5	Mouth	21,34N,27W	Cedar			x	x						
Snapps Br.	C	1.5	Mouth	11,36N,1W	Washington			x	x						
Sni-a-bar Cr.	P	32.0	Mouth	30,48N,29W	Lafayette	Jackson		x	x					x	
Sni-a-bar Cr.	C	2.0	30,48N,29W	5,47N,29W	Jackson			x	x						
Snowden Cr.	C	2.0	Mouth	1,32N,7E	Madison			x	x						
Soap Cr.	P	1.0	Mouth	32,41N,17W	Morgan			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Soap Cr.	P	0.8	Mouth	19,42N,04W	Gasconade			x	x						
Soap Cr.	C	4.1	19,42N,04W	11,42N,05W	Gasconade			x	x						
Sons Cr.	P	3.0	Mouth	27,32N,27W	Dade			x	x						
Sons Cr.	C	9.0	27,32N,27W	31,31N,27W	Dade			x	x						
South Cr.	P	3.8	07,28N,22W	34,29N,22W	Greene			x	x						
South Dry Sac. Cr.	C	2.0	5,29N,20W	3,29N,20W	Greene			x	x						
South Dry Sac. R.	P	1.5	Mouth	36,30N,22W	Greene			x	x						
South Fk.	C	14.0	Mouth	08,46N,23W	Saline	Pettis		x	x						
South Fk.	C	4.5	Mouth	25,24N,15W	Ozark			x	x						
South R.	P1	2.0	Mouth	16,58N,5W	Marion			x	x						
South R.	C	15.0	16,58N,5W	Hwy. 36	Marion			x	x						
Sparrow Foot Cr.	C	2.0	Mouth	15,41N,25W	Henry			x	x						
Spence Cr.	C	3.0	1,28N,15W	19,28N,15W	Wright			x	x						
Spencer Cr.	P	11.0	Mouth	Sur 3177(31), 55N,4W	Ralls			x	x						
Spencer Cr.	C	18.0	Sur 3177(31), 55,4W	23,53N,6W	Ralls			x	x						
Spencer Cr.	C	1.5	Mouth	Sur 735,47N,4E	St. Charles			x	x						
Spencer Cr.	C	2.0	Mouth	14,37N,17W	Camden			x	x						
Spillway Ditch	P	13.5	29,23N,15E	33,25N,16E	New Madrid	Mississippi		x	x			x			
Splice Cr.	P	2.0	Mouth	7,47N,14W	Moniteau			x	x			x	x		
Splice Cr.	C	2.5	7,47N,14W	11,47N,15W	Moniteau			x	x						
Trib. to Splice Cr.	C	0.5	Mouth	5,47N,14W	Moniteau			x	x						
Spring Alec Hollow	P	1.5	Mouth	29,30N,2W	Shannon			x	x						
Spring Alec Hollow	C	1.0	29,30N,2W	21,30N,2W	Shannon			x	x						
Spring Br.	P	1.0	Mouth	19,41N,17W	Morgan			x	x		x				
Spring Br.	P	1.5	Mouth	4,29N,22W	Greene			x	x						
Spring Br.	P	10.0	Mouth	Hwy. 32	Dent			x	x						
Spring Cr.	P	18.0	Mouth	26,64N,18W	Adair	Sullivan	x	x	x				x		
Spring Cr.	C	5.0	26,64N,18W	Hwy. 129	Sullivan			x	x						
Spring Cr.	P	6.0	Mouth	8,34N,24W	Cedar	Polk		x	x						
Spring Cr.	P	5.0	Mouth	17,39N,8W	Maries			x	x						
Spring Cr.	P	6.5	Mouth	31,35N,9W	Phelps		x	x	x		x	x	x		
Spring Cr.	P	11.5	31,35N,9W	16,33N,9W	Phelps	Texas		x	x						
Spring Cr.	C	3.5	16,33N,9W	26,33N,9W	Texas			x	x						
Spring Cr.	P	2.5	Mouth	4,41N,2W	Franklin			x	x		x				
Spring Cr.	C	4.5	4,41N,2W	17,41N,2W	Franklin			x	x						
Spring Cr.	P	5.5	Mouth	12,26N,24W	Stone			x	x		x				
Trib. to Spring Cr.	P	1.0	Mouth	18,26N,23W	Stone			x	x						
Spring Cr.	C	4.0	Mouth	24,49N,01W	Lincoln			x	x						
Trib. to Spring Cr.	C	0.7	Mouth	26,35N,10W	Phelps			x	x						
Trib. to Spring Cr.	C	0.8	Mouth	14,38N,08W	Phelps			x	x						
Trib. to Spring Cr.	P	0.8	14,38N,08W	10,38N,08W	Phelps			x	x						
Spring Cr.	P	5.0	Mouth	14,23N,11W	Ozark			x	x					x	
Spring Cr.	P	7.5	14,23N,11W	17,23N,10W	Ozark	Howell		x	x			x	x		x
Spring Cr.	C	8.0	17,23N,10W	6,23N,9W	Howell			x	x						
Spring Cr.	P	16.0	Mouth	23,26N,10W	Douglas	Howell		x	x					x	
Spring Cr.	C	2.0	23,26N,10W	12,26N,10W	Howell			x	x						
Trib. to Spring Cr.	C	1.5	Mouth	13,26N,10W	Howell			x	x						
Spring Cr.	C	1.0	Mouth	30,23N,8W	Howell			x	x						
Spring Cr.	P	6.0	Mouth	6,24N,13W	Douglas	Ozark		x	x					x	
Spring Cr.	C	5.0	6,24N,13W	8,24N,13W	Ozark			x	x						
Spring Cr.	P	6.0	Mouth	24,25N,5W	Oregon			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life
and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Spring Cr.	C	6.0	24,25N,5W	3,25N,5W	Oregon			x	x						
Spring Cr.	C	4.0	27,25N,9E	10,25N,9E	Stoddard			x	x						
Spring Fk.	P	4.7	Mouth	16,44N,21W	Pettis			x	x						
Spring Fk.	C	6.3	16,44N,21W	01,43N,21W	Pettis	Benton		x	x						
Trib. to Spring Fk.	C	0.7	Mouth	36,44N,21W	Pettis			x	x						
Trib. to Spring Fk.	C	1.6	Mouth	02,43N,21W	Pettis	Benton		x	x						
Spring Hollow	C	10.0	Bennett Sprg.	27,34N,17W	LaClede			x	x		x				
Spring R.	P	0.5	22,28N,34W	15,28N,34W	Jasper		x	x	x	x		x	x		x
Spring R.	P	58.5	State Line	20,28N,27W	Jasper	Lawrence	x	x	x	x		x	x		x
Spring R.	P	9.5	20,28N,27W	13,27N,27W	Lawrence		x	x	x		x	x	x		x
Spring R.	P	10.0	13,27N,27W	28,26N,26W	Lawrence			x	x			x	x		
Spring R.	C	1.0	28,26N,26W	27,26N,26W	Lawrence			x	x						
Trib. to Spring R.	P	3.0	Mouth	5,28N,28W	Lawrence			x	x						
Trib. to Spring R.	C	3.5	Mouth	23,29N,33W	Jasper			x	x						
Trib. to Spring R.	C	1.0	Mouth	12,28N,28W	Lawrence			x	x						
Trib. to Spring R.	C	1.0	16,28N,28W	15,28N,28W	Lawrence			x	x						
Spring Valley Cr.	P	7.5	Mouth	35,30N,5W	Shannon			x	x						
Spring Valley Cr.	C	10.0	35,30N,5W	6,29N,5W	Shannon			x	x						
Spurlock Hollow	C	2.7	Mouth	15,30N,11W	Texas			x	x						
Squaw Cr.	P	21.0	11,60N,39W	33,64N,38W	Holt	Atchison		x	x						
St James Bayou	C	6.0	2,24N,16E	2,25N,16E	Mississippi			x	x						
St. Francis R.	P	128.0	State Line	Wappapello Dam	Dunklin	Wayne	x	x	x			x	x		
St. Francis R.	P	86.0	Sur 727,28N, 5E	16,35N,4E	Wayne	St. Francois	x	x	x	x		x	x		
St. Francis R.	C	3.0	16,35N,4E	Ozark Ore Lake Dam	St. Francois			x	x						
Old Ch. St. Francis R.	P	4.5	35,22N,8E	34,22N,8E	Dunklin			x	x						
Trib. to St. Francis R.	C	1.0	Mouth	33,31N,5E	Madison			x	x						
Trib. to St. Francis R.	C	1.0	Mouth	9,35N,4E	St. Francois			x	x						
Old Ch. St. Francis R.	C	8.0	32,22N,8E	15,22N,8E	Dunklin			x	x						
St. James Ditch	C	3.0	11,23N,15E	1,23N,15E	New Madrid			x	x						
St. Johns Bayou	P	4.0	Mouth	29,23N,15E	New Madrid			x	x						
St. Johns Cr.	P	15.0	Mouth	12,43N,2W	Franklin			x	x						
St. Johns Cr.	C	8.0	12,43N,2W	19,43N,2W	Franklin			x	x						
Trib. to St. John's Cr.	C	1.5	Mouth	18,43N,2W	Franklin			x	x						
Trib. to St. John's Cr.	C	2.0	Mouth	18,43N,1W	Franklin			x	x						
Trib. to St. John's Cr.	C	1.5	Mouth	25,44N,2W	Franklin			x	x						
St. Johns Ditch	P	35.0	29,23N,15E	25,28N,13E	New Madrid	Scott		x	x						
St. Johns Ditch	C	4.0	25,28N,13E	Sur 1014,28N,14E	Scott		x	x	x				x		
St. Johns Div. Ditch	C	5.0	11,23N,15E	16,23N,16E	New Madrid			x	x						
St. Johns Div. Ditch	C	3.5	4,23N,16E	12,23N,16E	Mississippi			x	x						
Stahl Cr.	P	6.5	Mouth	25,29N,27W	Lawrence			x	x						
Trib. to Stahl Cr.	C	2.0	Mouth	22,29N,27W	Lawrence			x	x						
Stanley Cr.	P	2.0	Mouth	18,27N,8E	Wayne			x	x						
Stanley Cr.	C	2.0	18,27N,8E	11,27N,7E	Wayne			x	x						
Starks Cr.	P	11.5	Mouth	12,37N,21W	Hickory			x	x	x					
Starks Cr.	C	3.0	12,37N,21W	31,37N,20W	Hickory			x	x	x					
Trib. to Starks Cr.	C	1.7	Mouth	18,38N,20W	Hickory			x	x						
Trib. to Starks Cr.	C	0.5	Mouth	18,37N,20W	Hickory			x	x						
Trib. to Starks Cr.	C	0.8	Mouth	19,37N,20W	Hickory			x	x						
Trib. to Starks Cr.	C	1.1	Mouth	32,38N,20W	Hickory			x	x						
Trib. to Starks Cr.	C	1.0	Mouth	02,37N,21W	Hickory			x	x						
Starvey Cr.	C	3.0	Mouth	15,32N,18W	Dallas			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Stater Cr.	P	2.0	Mouth	27,40N,2W	Crawford			x	x						
Stater Cr.	C	1.5	27,40N,2W	29,40N,2W	Crawford			x	x						
Steins Cr.	C	16.0	25,33N,15W	33,31N,15W	Laclede	Wright		x	x						
Sterett Cr.	C	1.5	Mouth	21,41N,22W	Benton	Wright		x	x						
Steuber Hollow Cr.	P	0.6	Mouth	13,41N,09W	Osage			x	x						
Stevens Br.	C	8.0	Mouth	29,47N,17W	Cooper			x	x						
Stevenson Bayou	C	14.0	33,25N,16E	31,27N,17E	Mississippi			x	x						
Stewart Cr.	P	1.0	Mouth	12,27N,19W	Christian			x	x						
Stewart Cr.	C	3.0	12,27N,19W	17,27N,18W	Christian			x	x						
Stick Br.	C	0.2	Mouth	21,36N,21W	Hickory			x	x						
Stillcamp Ditch	C	12.0	Mouth	35,24N,6E	Butler		x	x	x						
Stillhouse Br.	C	2.0	Mouth	26,62N,31W	Gentry			x	x						
Stinking Claude Cr.	C	1.0	Mouth	22,35N,22W	Polk			x	x						
Stinking Cr.	C	13.0	24,56N,16W	13,58N,16W	Macon			x	x						
Stinking Cr.	C	4.0	Mouth	5,34N,28W	Cedar			x	x						
Stinson Cr.	C	9.0	Mouth	16,47N,9W	Callaway			x	x						
Stoak Cr.	C	2.0	Mouth	14,45N,26W	Johnson			x	x						
Stockton Br.	C	5.0	Mouth	4,34N,26W	Cedar			x	x						
Trib. to Stockton Br.	C	1.5	Mouth	6,34N,26W	Cedar			x	x						
Stone Hill Br.	C	2.0	Mouth	Hwy. 72	Dent			x	x						
Stone Hill Br.	P	2.0	Hwy. 72	31,34N,3W	Dent			x	x						
Stories Cr.	C	2.5	Mouth	16,29N,4W	Shannon			x	x						
Stouts Cr.	P	9.0	Mouth	33,24N,4E	Madison	Iron	x	x	x	x				x	
Stouts Cr.	P	3.0	33,34N,4E	1,33N,3E	Iron			x	x						x
Stouts Cr.	C	0.5	1,33N,3E	2,33N,3E	Iron			x	x						
Trib. to Stouts Cr.	C	0.5	Mouth	6,33N,5E	Madison			x	x						
Trib. to Stouts Cr.	C	1.0	Mouth	5,33N,5E	Madison			x	x						
Trib. to Stouts Cr.	C	1.3	Mouth	36,34N,03E	Iron			x	x						
Straight Fk.	P	12.0	4,44N,16W	6,43N,17W	Moniteau	Morgan		x	x					x	
Straight Fk.	C	6.0	6,43N,17W	36,43N,18W	Morgan			x	x						
Stream Mill Hollow	P	3.0	Mouth	27,32N,10W	Texas			x	x						
Stream Mill Hollow	C	2.0	27,32N,10W	28,32N,10W	Texas			x	x						
String Cr.	C	2.0	Mouth	20,45N,14W	Moniteau			x	x						
Stringtown Br.	C	1.5	Mouth	12,36N,1W	Washington			x	x						
Strobel Br.	C	2.0	Mouth	24,44N,14W	Cole			x	x						
Strobel Br.	P	1.0	Mouth	12,44N,14W	Cole			x	x						
Strobel Br.	C	1.5	12,44N,14W	35,45N,14W	Cole			x	x						
Trib. to Strobel Br.	C	0.5	Mouth	36,45N,13W	Cole			x	x						
Trib. to Strobel Br.	C	0.5	Mouth	1,44N,14W	Cole			x	x						
Strother Cr.	P	7.0	Mouth	33,34N,1W	Reynolds	Iron		x	x	x					
Sugar Br.	P	2.0	Mouth	12,48N,14W	Boone			x	x						
Sugar Br.	C	2.0	12,48N,14W	I-70	Boone			x	x						
Sugar Camp Hollow	C	2.5	Mouth	17,23N,26W	Barry			x	x						
Sugar Cr.	P1	3.5	Mouth	17,64N,6W	Clark			x	x						
Sugar Cr.	C	10.0	17,64N,6W	29,65N,7W	Clark			x	x						
Sugar Cr.	C	7.0	Mouth	15,62N,7W	Lewis			x	x						x
Sugar Cr.	C	1.5	Mouth	36,55N,3W	Pike			x	x						
Sugar Cr.	C	11.0	Mouth	Sur 1683,50N,1E	Lincoln			x	x						
Sugar Cr.	P	3.0	Mouth	2,54N,37W	Platte			x	x						
Sugar Cr.	C	6.5	2,54N,37W	28,55N,36W	Platte	Buchanan		x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Sugar Cr.	P	8.0	Mouth	22,62N,26W	Grundy	Harrison		x	x						
Sugar Cr.	C	10.0	22,62N,26W	35,63N,27W	Harrison			x	x						
Sugar Cr.	C	4.0	Mouth	18,61N,15W	Adair			x	x						
Sugar Cr.	P	5.0	Mouth	Sugar Cr. Lake											
				Dam	Randolph			x	x						
Sugar Cr.	C	2.0	Mouth	17,51N,13W	Boone			x	x						
Sugar Cr.	P	5.5	Mouth	9,41N,11W	Miller	Osage		x	x					x	
Sugar Cr.	C	15.1	Mouth	33,44N,30W	Cass			x	x						
Sugar Cr.	C	4.0	Mouth	33,45N,6W	Gasconade			x	x						
Sugar Cr.	C	4.0	Mouth	20,43N,5E	Jefferson			x	x						
Sugar Cr.	P	8.8	Mouth	23,41N,11W	Miller	Maries			x		x				
Sugar Fk.	P	1.0	8,23N,33W	5,23N,33W	McDonald			x	x						
Sugar Tree Br.	C	3.0	Mouth	34,52N,15W	Howard			x	x						
Sulphur Cr.	P	1.5	Mouth	15,51N,2W	Lincoln			x	x						
Sulphur Cr.	C	7.5	15,51N,2W	19,52N,2W	Lincoln	Pike		x	x						
Sulphur Cr.	P	4.0	Mouth	30,49N,16W	Howard			x	x						
Sulphur Cr.	C	6.0	30,49N,16W	26,50N,17W	Howard			x	x						
Sulphur Cr.	C	1.5	Mouth	9,31N,4E	Iron			x	x						
Summers Cr.	C	1.0	Mouth	19,32N,9E	Bollinger			x	x						
Surratt Cr.	C	1.0	Mouth	26,25N,19W	Christian			x	x						
Sutton Br.	P	0.5	Mouth	12,50N,2W	Lincoln			x	x						
Sutton Br.	C	2.5	12,50N,2W	10,50N,2W	Lincoln			x	x						
Sutton Br.	P	0.5	Mouth	35,32N,2E	Reynolds			x	x						
Sutton Hollow	C	0.5	Mouth	36,31N,3E	Iron			x	x						
Swan Cr.	C	2.0	Mouth	8,42N,8W	Osage			x	x						
Sutton's Cr.	P	1.0	Mouth	12,29N,4W	Shannon			x	x						
Swan Cr.	P	29.5	Mouth	4,26N,18W	Taney	Christian	x	x	x	x			x	x	
Swan Cr.	C	2.0	4,26N,18W	34,27N,18W	Christian	Douglas		x	x						
Swede Br.	C	0.1	Mouth	32,37N,21W	Hickory			x	x						
Sweet Spring Cr.	C	11.0	Mouth	18,53N,14W	Randolph			x	x						
Sweeten Cr.	C	1.0	Mouth	26,22N,13W	Ozark			x	x						
Sweet Hollow	C	3.0	Mouth	27,36N,17W	Laclede			x	x						
Sweeten Hollow	C	4.0	Mouth	5,24N,11W	Ozark			x	x						
Sweetwater Br.	P	1.0	Mouth	30,34N,7E	Madison			x	x						
Sweetwater Br.	C	1.0	30,34N,7E	28,34N,7E	Madison			x	x						
Trib. to Sweetwater Br.	C	1.0	Mouth	19,34N,7E	Madison			x	x						
Sweetwater Cr.	P	3.5	Mouth	28,31N,2W	Reynolds			x	x						
Sweezer Cr.	C	4.0	Mouth	20,58N,15W	Macon			x	x						
Swift Cr.	C	1.0	Mouth	15,26N,5E	Butler			x	x						
Swift Ditch	C	4.0	26,23N,14E	2,23N,14E	New Madrid			x	x						
Sycamore Br.	P	4.0	Mouth	7,29N,26W	Lawrence			x	x						
Sycamore Cr.	P	3.5	Mouth	20,29N,24W	Greene			x	x						
Sycamore Cr.	C	1.0	Mouth	15,27N,3W	Shannon			x	x						
Trib. to Lake of Ozarks	C	1.0	Mouth	5,39N,19W	Camden			x	x						
Trib. to Lake of Ozarks	C	1.0	Mouth	17,40N,19W	Camden			x	x						
Trib. to Lake of Ozarks	C	0.5	Mouth	2,39N,19W	Camden			x	x						
Trib. to Lk. Wappapello	P	0.5	Mouth	8,27N,7E	Wayne			x	x						
Trib. to Lk. Wappapello	C	0.5	8,27N,7E	9,27N,7E	Wayne			x	x						
Trib. to Table Rock Lk.	C	2.5	Mouth	3,22N,25W	Barry			x	x						
Trib. to Lake Niangua	C	1.0	Mouth	19,37N,17W	Camden			x	x						
Tabo Cr.	P	11.0	Mouth	27,50N,26W	Lafayette			x	x						
Tabo Cr.	C	9.1	27,50N,26W	20,49N,26W	Lafayette			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Tabor Cr.	P	5.0	Mouth	9,24N,10W	Douglas	Howell		x	x						
Tabor Cr.	C	2.5	9,24N,10W	11,24N,10W	Howell			x	x						
Tanyard Cr.	C	3.5	Mouth	9,50N,16W	Howard			x	x						
Tarbutton Cr.	P	2.0	Mouth	4,26N,14W	Douglas			x	x						
Tarkio R.	P	33.0	Mouth	State Line	Holt	Atchison	x	x	x				x	x	
Tater Hill Cr.	C	8.0	Mouth	27,55N,24W	Carroll			x	x						
Trib. to Tater Hill Cr.	C	2.0	Mouth	22,55N,24W	Carroll			x	x						
Taum Sauk Cr.	C	4.5	Mouth	14,33N,2E	Reynolds			x	x						
Tavern Cr.	P	37.0	Mouth	5,38N,12W	Miller			x	x	x		x	x		
Tavern Cr.	C	8.0	5,38N,12W	12,37N,13W	Miller	Pulaski		x	x	x		x			
Trib. to Tavern Cr.	C	0.1	Mouth	01,44N,02E	Franklin			x	x						
Taylor Br.	C	1.2	Mouth	County Line	St. Francois			x	x						
Teague Br.	C	5.0	Mouth	1,33N,27N	Cedar			x	x						
Tebo Cr.	P	4.0	Mouth	6,42N,24W	Henry			x	x						
Tebo Cr.	C	0.5	6,42N,24W	31,43N,24W	Henry			x	x						
Tebo Cr.	C	3.5	Mouth	19,44N,21W	Pettis			x	x						
Teeter Cr.	C	3.0	Mouth	20,25N,14W	Douglas			x	x						
Ten Mile Cr.	P	8.0	Mouth	10,25N,4E	Butler			x	x			x	x		
Ten Mile Cr.	C	13.0	10,25N,4E	30,26N,3E	Butler	Carter		x	x			x	x		
Tenmile Pond	C	6.0	28,24N,16E	3,24N,16E	Mississippi			x	x						
Tennessee Cr.	C	7.0	Mouth	34,44N,31W	Cass			x	x						
Terre Bleue Cr.	P	4.5	Mouth	Sur 2107,37N,5E	St. Francois			x	x	x		x			
Terre Bleue Cr.	C	5.0	Sur 2107,37N,5E	Sur 3062,37N,6E	St. Francois			x	x						
Trib. to Terre Bleue Cr.	P	1.8	Mouth	32,38N,05E	St. Francois			x	x						
Trib. to Terre Bleue Cr.	C	0.9	32,38N,05E	28,38N,05E	St. Francois			x	x						
Terrell Br.	P	2.0	Mouth	17,28N,18W	Webster			x	x						
Terrell Cr.	P	1.0	Mouth	2,27N,23W	Christian			x	x		x				
Terrell Cr.	P	4.0	2,27N,23W	5,27N,23W	Christian			x	x						
Terrell Cr.	C	1.0	5,27N,23W	6,27N,23W	Christian			x	x						
Terrell Cr.	P	1.0	6,27N,23W	1,27N,24W	Christian			x	x						
Thief Cr.	C	3.0	16,66N,16W	12,66N,16W	Schuyler			x	x						
Third Cr.	P	4.5	Mouth	5,42N,6W	Osage	Gasconade		x	x						
Third Cr.	C	6.5	5,42N,6W	7,42N,5W	Gasconade			x	x						
Trib. to Third Cr.	C	0.5	Mouth	6,42N,6W	Gasconade			x	x						
Trib. to Third Cr.	C	1.0	Mouth	5,42N,6W	Gasconade			x	x						
Third Fk. Platte R.	C	31.5	Mouth	25,61N,33W	Buchanan	Gentry		x	x						
Thomas Cr.	C	7.0	Mouth	3,35N,20W	Hickory	Dallas		x	x						
Trib. to Thomas Cr.	C	0.5	Mouth	26,36N,20W	Dallas			x	x						
Thompson Br.	C	1.0	Mouth	1,62N,31W	Gentry			x	x						
Thompson Cr.	C	1.0	Mouth	13,59N,27W	Daviess			x	x						
Thompson R.	P	65.0	Mouth	State Line	Livingston	Harrison	x	x	x					x	
Old Chan. Thompson R.	C	1.0	32,63N,25W	29,63N,25W	Grundy			x	x						
Old Chan. Thompson R.	C	3.0	9,57N,24W	4,57N,24W	Livingston			x	x						
Old Chan. Thompson R.	C	1.0	2,61N,25W	35,62N,25W	Grundy			x	x						
Old Chan. Thompson R.	C	1.0	8,62N,25W	5,62N,25W	Grundy			x	x						
Old Chan. Thompson R.	C	6.5	34,62N,25W	8,62N,25W	Grundy			x	x						
Three Hill Cr.	C	4.0	Mouth	7,37N,4E	St. Francois			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW— Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF— Cool Water Fishery
 CDF— Cold Water Fishery
 WBC— Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Three Mile Cr.	C	2.0	Mouth	21,40N,4W	Franklin	Crawford		x	x						
Thurman Cr.	P	2.5	Mouth	30,27N,32W	Newton			x	x						
Tick Cr.	C	4.0	Mouth	28,38N,9W	Phelps			x	x						
Tiff Cr.	P	1.7	Mouth	04,38N,04E	Jefferson			x	x						
Tiger Fk.	C	12.5	Mouth	10,59N,10W	Shelby			x	x						
Tobin Cr.	C	6.0	Mouth	34,65N,12W	Scotland			x	x						
Toby Hollow	C	2.0	Mouth	Toby Sprg.	Camden			x	x						
Todd Cr.	C	9.5	Mouth	15,52N,34W	Platte			x	x						
Todd Hollow	C	1.0	Mouth	3,36N,2W	Crawford			x	x						
Tombstone Cr.	P	1.5	Mouth	26,62N,26W	Harrison			x	x						
Tombstone Cr.	C	3.0	26,62N,26W	28,62N,26W	Harrison			x	x						
Toms Cr.	C	1.5	Mouth	10,32N,2W	Reynolds			x	x						
Tory Cr.	P	2.5	Mouth	27,26N,22W	Stone	Christian		x	x			x			
Town Br.	P	1.0	Mouth	13,36N,1W	Washington			x	x						
Town Br.	C	1.0	13,36N,1W	18,36N,1E	Washington			x	x						
Townsend Slough	C	1.7	Mouth	21,37N,32W	Vernon			x	x						
Towstring Cr.	C	8.0	Mouth	20,56N,22W	Livingston			x	x						
Trace Cr.	P	1.0	Mouth	1,35N,1W	Washington			x	x						
Trace Cr.	C	1.0	1,35N,1W	6,35N,1E	Washington			x	x						
Trace Cr.	P	4.0	Mouth	4,30N,8E	Wayne	Bollinger		x	x		x				
Trace Cr.	C	3.0	4,30N,8E	26,31N,8E	Bollinger			x	x						
Trace Cr.	C	5.5	Mouth	29,32N,6E	Madison			x	x						
Trail Cr.	P	6.0	Mouth	Hwy. 136	Harrison			x	x						
Trail Cr.	C	5.0	Hwy. 136	19,64N,26W	Harrison			x	x						
Trail Cr.	C	4.0	Mouth	3,24N,12W	Ozark			x	x						
Troesser Cr.	C	0.2	Mouth	Hwy C	Osage			x	x						
Troublesome Cr.	P	3.5	Mouth	15,59N,7W	Marion			x	x						x
Troublesome Cr.	C	34.0	15,59N,7W	5,61N,10W	Marion	Knox		x	x						
Truitt Cr.	P	1.5	Mouth	23,28N,27W	Lawrence			x	x						
Truitt Cr.	C	5.0	23,28N,27W	32,29N,26W	Lawrence			x	x						
Tub Cr.	C	1.0	Mouth	31,56N,28W	Caldwell			x	x						
Tunas Br.	C	3.0	Mouth	33,36N,19W	Dallas			x	x						
Tuque Cr.	P	3.5	Mouth	16,45N,1W	Warren			x	x						
Tuque Cr.	C	3.5	16,45N,1W	3,45N,1W	Warren			x	x						
Turkey Cr.	C	1.5	Mouth	Sur 3243(3),55N,5W	Ralls			x	x						
Turkey Cr.	C	2.0	Mouth	Hwy. 15	Monroe			x	x						
Turkey Cr.	C	1.5	Mouth	21,49N,2W	Lincoln			x	x						
Turkey Cr.	P	5.0	Mouth	14,53N,25W	Carroll			x	x						
Turkey Cr.	C	3.5	14,53N,25W	34,54N,25W	Carroll			x	x						
Turkey Cr.	C	1.5	Mouth	26,62N,33W	Gentry			x	x						
Turkey Cr.	C	2.5	Mouth	33,57N,26W	Caldwell			x	x						
Turkey Cr.	P	2.4	Mouth	Hwy. 47	St. Francois			x	x						
Turkey Cr.	P	16.2	Mouth	05,38N,21W	Benton			x	x		x				
Turkey Cr.	C	5.8	05,38N,21W	22,38N,21W	Benton	Hickory		x	x						
Trib. to Turkey Cr.	C	1.9	Mouth	33,39N,21W	Benton			x	x						
Trib. to Turkey Cr.	C	1.8	Mouth	14,38N,21W	Hickory			x	x						
Trib. to Turkey Cr.	C	0.3	Mouth	09,38N,21W	Hickory			x	x						
Trib. to Turkey Cr.	C	1.0	Mouth	23,38N,21W	Hickory			x	x						
Trib. to Turkey Cr.	C	1.0	Mouth	29,57N,26W	Caldwell			x	x						
Turkey Cr.	C	12.0	Mouth	Hwy. 36	Chariton	Linn		x	x						
Turkey Cr.	C	3.0	Mouth	12,66N,17W	Putnam			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial

IRR—Irrigation
LWW—Livestock & Wildlife Watering
AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
CDF—Cold Water Fishery
WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
DWS—Drinking Water Supply
IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Turkey Cr.	C	2.0	Mouth	17,59N,16W	Macon			x	x						
Trib. to Turkey Cr.	C	0.5	Mouth	17,59N,16W	Macon			x	x						
Turkey Cr.	C	3.0	Mouth	3,44N,11W	Callaway			x	x						
Turkey Cr.	C	5.0	Mouth	Hwy. 63	Boone			x	x					x	
Turkey Cr.	C	2.6	Mouth	20,47N,21W	Pettis			x	x						
Trib. to Turkey Cr.	C	0.5	Mouth	20,47N,21W	Pettis			x	x						
Turkey Cr.	P	5.5	Mouth	Hwy. 215	Polk			x	x						
Turkey Cr.	C	2.5	Hwy. 215	2,31N,24W	Polk			x	x						
Turkey Cr.	C	15.0	Mouth	34,35N,25W	St. Clair	Cedar		x	x					x	
Turkey Cr.	P	2.0	Mouth	32,33N,14E	Cape Girardeau			x	x						
Turkey Cr.	C	2.0	32,33N,14E	36,33N,13E	Cape Girardeau			x	x						
Turkey Cr.	C	1.0	Mouth	Sur 3022,40N,2E	Washington			x	x						
Turkey Cr.	P	8.0	Mouth	21,30N,7E	Wayne			x	x						
Turkey Cr.	P	1.0	Mouth	32,34N,8E	Madison			x	x						
Turkey Cr.	P	2.0	Mouth	16,22N,21W	Taney			x	x			x		x	
Turkey Cr.	C	4.0	16,22N,21W	4,21N,21W	Taney			x	x						
Turkey Cr.	C	2.0	Mouth	22,22N,16W	Ozark			x	x						
Turkey Cr.	C	9.0	Mouth	15,24N,15W	Ozark			x	x						
Turkey Cr.	C	1.5	Mouth	9,26N,15W	Douglas			x	x						
Turkey Cr.	C	4.0	Mouth	36,34N,5E	Madison			x	x						
Turkey Cr.	C	2.5	Mouth	34,27N,8E	Stoddard			x	x						
Turkey Cr.	P	7.0	State Line	35,28N,33W	Jasper			x	x						
Turkey Cr.	P	5.0	35,28N,33W	9,27N,32W	Jasper			x	x					x	
Turnback Cr.	P	19.5	Mouth	35,30N,26W	Dade			x	x					x	
Turnback Cr.	P	14.0	35,30N,26W	24,28N,25W	Dade	Lawrence		x	x			x		x	x
Trib. to Turnback Cr.	P	1.0	Mouth	24,29N,26W	Lawrence			x	x						
Turnbo Cr.	P	6.5	Mouth	16,30N,18W	Webster			x	x						
Turner Cr.	P	4.0	Mouth	33,29N,20W	Greene			x	x						
Turtle Spr. Br.	C	3.0	Mouth	23,45N,14W	Moniteau			x	x						
Tutt Br.	C	2.0	Mouth	27,47N,17W	Cooper			x	x						
Twelve Mile Cr.	P	7.5	Mouth	12,31N,6E	Madison			x	x			x		x	
Twelve Mile Cr.	C	6.0	12,31N,6E	17,32N,7E	Madison			x	x			x			
Trib. to Twelve Mile Cr.	C	1.0	Mouth	6,31N,7E	Madison			x	x						
Twomile Cr.	C	2.0	Mouth	28,36N,32W	Vernon			x	x						
Tyler Br.	C	2.5	36,35N,10E	34,35N,10E	Perry			x	x						
Tyrey Cr.	P	0.8	12,40N,02E	11,40N,02E	Jefferson			x	x						
Upper Peavine Cr.	C	2.0	Mouth	15,40N,7W	Maries			x	x						
Van Meter Ditch	C	4.5	24,52N,22W	4,51N,22W	Saline			x	x						
Vance Br.	C	0.5	Mouth	05,39N,22W	Benton			x	x						
Varney R. Ditch	P	14.0	12,17N,7E	34,19N,9E	Dunklin			x	x						
Varney R. Ditch	C	8.0	34,19N,9E	35,20N,9E	Dunklin			x	x						
Village Cr.	P	1.5	Mouth	5,33N,7E	Madison			x	x						
Village Cr.	C	3.0	5,33N,7E	34,34N,7E	Madison			x	x						
Virgin Cr.	C	1.0	Mouth	15,29N,9E	Bollinger			x	x						
W. Fk. Big Cr.	P	18.0	9,63N,28W	34,65N,28W	Harrison			x	x						
W. Br. Clark Fk.	C	4.0	Mouth	8,47N,16W	Cooper			x	x						
W. Br. Crawford Cr.	C	12.2	Mouth	21,47N,30W	Jackson			x	x						
W. Br. Mill Cr.	C	0.5	18,37N,3E	19,37N,3E	Washington			x	x						
W. Cow Cr.	C	4.0	25,51N,21W	11,51N,21W	Saline			x	x						
W. Elk Fk.	C	2.5	Mouth	05,44N,28W	Pettis			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life
 and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
W. Fk. Bear Cr.	P	2.0	Mouth	9,29N,6E	Wayne			x	x						
W. Fk. Bear Cr.	C	1.0	9,29N,6E	8,29N,6E	Wayne			x	x						
W. Fk. Bee Br.	C	7.0	Mouth	21,56N,17W	Chariton			x	x						
W. Fk. Benton Cr.	C	2.5	Mouth	7,36N,5W	Crawford			x	x						
W. Fk. Big Cr.	C	14.0	34,65N,28W	22,66N,28W	Harrison			x	x						
W. Fk. Big Cr.	P	1.0	Mouth	31,31N,7E	Madison			x	x						
W. Fk. Big Cr.	C	1.5	31,31N,7E	36,31N,6E	Madison			x	x						
W. Fk. Big Cr.	C	3.0	Mouth	3,22N,17W	Taney			x	x						
W. Fk. Black R.	P	27.0	17,32N,2E	25,33N,3W	Reynolds			x	x	x			x		
W. Fk. Black R.	C	0.5	25,32N,3W	26,32N,3W	Reynolds			x	x						
W. Fk. Bull Cr.	C	4.0	Mouth	8,26N,20W	Christian			x	x						
W. Fk. Clear Cr.	C	12.1	Mouth	17,35N,30W	Vernon			x	x						
Trib. to W. Fk. Clear Cr.	C	0.8	Mouth	35,36N,30W	Vernon			x	x						
W. Fk. Crooked R.	P	5.0	Mouth	Hwy. 13	Ray		x	x	x						
W. Fk. Crooked R.	C	6.0	Hwy. 13	18,52N,28W	Ray			x	x						
W. Fk. Cuivre R.	P	35.0	11,49N,1W	Pike Co. Line	Lincoln	Montgomery		x	x				x		
W. Fk. Cuivre R.	C	17.0	Pike Co. Line	Hwy. 54	Pike	Audrain		x	x						
W. Fk. Drywood Cr.	C	5.5	Mouth	State Line	Vernon			x	x						
W. Fk. East Cr.	C	5.0	Mouth	26,46N,33W	Cass			x	x						
W. Fk. Finney Cr.	C	4.5	17,49N,21W	6,49N,21W	Saline			x	x						
Trib. to W. Fk. Finney Cr.	C	0.5	Mouth	7,49N,21W	Saline			x	x						
W. Fk. Fourche Cr.	P	9.0	Mouth	15,22N,1W	Ripley			x	x	x					
W. Fk. Fourche Cr.	C	2.0	15,22N,1W	Hwy. 142	Ripley			x	x	x					
W. Fk. Honey Cr.	C	12.5	29,63N,23W	34,65N,23W	Grundy	Mercer		x	x						
W. Fk. Huzzah Cr.	P	5.0	1,34N,3W	22,34N,3W	Dent			x	x					x	
W. Fk. Huzzah Cr.	C	2.0	22,34N,3W	28,34N,3W	Dent			x	x						
W. Fk. Jones Cr.	P	0.5	Mouth	16,41N,03E	Jefferson			x	x						
W. Fk. Limestone Cr.	C	3.0	Mouth	10,30N,27W	Dade			x	x						
W. Fk. Locust Cr.	P	17.0	Mouth	Hwy. 6	Linn	Sullivan		x	x						
W. Fk. Locust Cr.	C	17.0	Hwy. 6	33,64N,21W	Sullivan			x	x						
W. Fk. Lost Cr.	C	10.0	Mouth	27,58N,31W	Dekalb			x	x						
Trib. to W. Fk. Lost Cr.	C	2.0	Mouth	9,58N,31W	Dekalb			x	x						
Trib. to W. Fk. Lost Cr.	C	3.0	Mouth	4,58N,31W	Dekalb			x	x						
W. Fk. Lost Cr.	P	4.0	Mouth	25,28N,7E	Wayne			x	x						
W. Fk. Lost Cr.	C	4.0	25,28N,7E	16,28N,6E	Wayne			x	x						
Trib. to W. Fk. Lost Cr.	C	0.5	Mouth	13,28N,6E	Wayne			x	x						
W. Fk. Medicine Cr.	P	40.0	9,61N,22W	State Line	Grundy	Mercer		x	x						
W. Fk. Niangua R.	P	7.0	33,32N,18W	33,31N,18W	Webster			x	x						
Trib. to W. Fk. Niangua R.	P	1.5	Mouth	19,31N,18W	Webster			x	x						
W. Fk. Postoak Cr.	C	13.0	Mouth	22,45N,27W	Johnson			x	x						
Trib. to W. Fk. Postoak Cr.	C	1.0	Mouth	36,45N,27W	Johnson			x	x						
W. Fk. Roark Cr.	C	3.0	15,23N,22W	7,23N,22W	Taney	Stone	x	x	x						
W. Fk. Roubidoux Cr.	P	3.0	4,31N,11W	17,31N,11W	Texas			x	x						
W. Fk. Roubidoux Cr.	C	2.0	17,31N,11W	30,31N,11W	Texas			x	x						
Trib. to W. Fk. Roubidoux Cr.	C	2.0	Mouth	32,31N,11W	Texas			x	x						
W. Fk. Sni-a-bar Cr.	P	6.0	Mouth	Lake Lotawana Dam	Jackson			x	x						
W. Fk. Spring R.	P	2.5	Mouth	31,22N,8W	Howell			x	x						
W. Fk. Spring R.	C	9.5	31,22N,8W	10,22N,9W	Howell			x	x						
W. Fk. Tebo Cr.	C	7.0	Mouth	Hwy. 52	Henry			x	x						
W. Fk. Wakenda Cr.	P	3.0	Mouth	6,52N,25W	Carroll			x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
W. Fk. Wakenda Cr.	C	6.0	6,52N,26W	20,53N,26W	Ray			x	x						
W. High Cr.	C	3.0	Mouth	10,66N,41W	Atchison		x	x	x						
W. Lick Cr.	C	3.0	Mouth	27,53N,8W	Monroe			x	x						
W. Muddy Cr.	P	6.5	Mouth	6,63N,24W	Grundy	Mercer			x	x					
W. Muddy Cr.	C	7.5	6,63N,24W	31,65N,24W	Mercer				x	x					
Trib. to W. Muddy Cr.	P	0.5	Mouth	31,64N,24W	Mercer				x	x					
W. Piney Cr.	P	11.0	Mouth	33,30N,11W	Texas				x	x					
W. Piney Cr.	C	2.0	33,30N,11W	5,29N,11W	Texas				x	x					
W. Tarkio Cr.	P	1.0	Mouth	14,65N,40W	Atchison		x	x	x						x
W. Tarkio Cr.	C	10.0	14,65N,40W	State Line	Atchison		x	x	x						
W. Yellow Cr.	C	14.0	14,61N,19W	14,63N,19W	Sullivan				x	x					x
Wachita Cr.	C	0.5	Mouth	28,34N,5E	Madison				x	x					
Wades Cr.	C	8.0	Mouth	33,44N,25W	Henry				x	x					
Wakenda Cr.	P	28.0	Mouth	4,52N,25W	Carroll				x	x					
Wakenda Cr.	C	11.0	4,52N,25W	33,54N,26W	Carroll				x	x					
Old Chan. Wakenda Cr.	P	3.0	6,52N,23W	1,52N,24W	Carroll				x	x					
Wallace Cr.	P	3.0	Mouth	05,40N,06W	Gasconade				x	x					
Wallace Cr.	C	1.9	05,40N,06W	07,40N,06W	Gasconade				x	x					
Trib. to Wallace Cr.	P	1.8	Mouth	07,40N,06W	Gasconade				x	x					
Wallen Cr.	P	2.5	Mouth	9,36N,3E	Washington				x	x					
Wallen Cr.	C	2.0	9,36N,3E	6,36N,3E	Washington				x	x					
Wallen Cr.	C	1.5	Mouth	27,36N,3E	Washington				x	x					
Trib. to Wallen Cr.	P	1.0	Mouth	4,36N,3E	Washington				x	x					
Trib. to Wallen Cr.	C	2.0	4,36N,3E	32,37N,3E	Washington				x	x					
Walnut Cr.	C	14.0	Mouth	2,61N,17W	Macon	Adair			x	x					
Walnut Cr.	C	2.5	Mouth	20,55N,14W	Randolph				x	x					
Walnut Cr.	C	2.5	Mouth	12,45N,23W	Pettis				x	x					
Walnut Cr.	P	1.1	Mouth	25,45N,21W	Pettis				x	x					
Walnut Cr.	C	3.4	25,45N,21W	2,44N,21W	Pettis				x	x					
Walnut Cr.	C	1.6	Mouth	03,34N,30W	Vernon				x	x					
Walnut Cr.	C	2.0	Mouth	27,47N,26W	Johnson				x	x					
Walnut Cr.	C	11.0	Mouth	14,46N,24W	Johnson				x	x					
Walnut Cr.	C	9.0	Mouth	28,39N,33W	Bates				x	x					
Walnut Cr.	P	3.5	Mouth	17,36N,28W	St. Clair	Cedar			x	x					
Walnut Fk.	C	4.0	Mouth	22,62N,32W	Gentry				x	x					
Wamsley Cr.	C	1.5	Mouth	27,58N,30W	Dekalb				x	x					
Ward Br.	P	3.3	Mouth	13,28N,22W	Greene				x	x					
Wardens Br.	C	1.0	Mouth	18,46N,5W	Montgomery				x	x					
Warm Fk. Spring R.	P	12.0	State Line	25,23N,06W	Oregon		x	x	x			x	x		
Warm Fk. Spring R.	C	10.0	25,23N,06W	8,23N,6W	Oregon				x	x					
Warren Br.	P	1.5	State Line	36,26N,34W	Newton				x	x					
Warren Br.	C	1.5	36,26N,34W	Hwy. 43	Newton				x	x					
Wash Cr.	P	1.0	Mouth	27,32N,8E	Madison				x	x					
Wash Cr.	C	0.5	27,32N,8E	27,32N,8E	Madison				x	x					
Watery Fk.	P	5.0	Mouth	12,34N,4W	Dent				x	x					
Trib. to Watery Fk.	C	1.0	Mouth	5,34N,4W	Dent				x	x					
Watkins Cr.	C	3.5	Mouth	Hwy. 270	St. Louis City	St. Louis			x	x					
Watson Br.	C	1.0	Mouth	20,39N,1E	Washington				x	x					
Weaubleau Cr.	P	33.0	Mouth	03,35N,23W	St. Clair	Hickory			x	x			x	x	
Trib. to Weaubleau Cr.	C	0.5	Mouth	3,35N,23W	Hickory				x	x					

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Trib. to Weaubleau Cr.	C	1.3	Mouth	02,35N,23W	Hickory			x	x						
Trib. to Weaubleau Cr.	C	1.1	Mouth	26,36N,23W	Hickory			x	x						
Trib. to Weaubleau Cr.	C	1.5	Mouth	23,36N,23W	Hickory			x	x						
Trib. to Weaubleau Cr.	C	0.8	Mouth	15,36N,23W	Hickory			x	x						
Trib. to Weaubleau Cr.	C	0.5	Mouth	19,36N,23W	Hickory			x	x						
Web Cr.	P	5.5	Mouth	5,28N,2E	Reynolds			x	x						
Web Valley	P	3.0	Mouth	11,28N,2E	Reynolds			x	x						
Weidensaul Hollow	C	3.0	Mouth	27,23N,13W	Ozark			x	x						
Trib. to Weidensaul Holl.	C	1.0	Mouth	35,23N,13W	Ozark			x	x						
Weldon Br.	C	4.0	Mouth	8,63N,30W	Gentry			x	x						
Weldon R.	P	42.0	Mouth	State Line	Grundy	Mercer		x	x						
Old Chan. Weldon R.	C	4.0	Mouth	20,62N,24W	Grundy			x	x						
Wellson Slough	P	5.9	Mouth	Hwy. 45	Platte			x	x						
West Br.	P	1.0	21,33N,33W	29,33N,33W	Barton			x	x						
West Ditch	P	10.5	31,18N,10E	8,19N,10E	Dunklin			x	x						
West Fk.	P	1.0	Mouth	7,34N,23W	Polk			x	x						
West Fk.	C	3.0	Mouth	14,38N,5E	St. Francois	Jefferson		x	x						
West Fk.	C	5.0	Mouth	8,31N,31W	Barton			x	x						
West Prong	C	2.0	6,25N,7E	36,26N,6E	Butler			x	x						
Wet Fk.	C	1.0	Mouth	5,28N,5E	Wayne			x	x						
Wet Fk.	P	2.0	Mouth	32,27N,6E	Wayne			x	x						
Wet Glaize Cr.	P	10.0	24,38N,15W	20,37N,14W	Camden			x	x			x	x		
Wheeler Cr.	C	2.0	Mouth	31,58N,30W	Dekalb			x	x						
Whetstone Cr.	P	13.0	Mouth	21,29N,13W	Wright			x	x	x					
Whetstone Cr.	C	3.5	21,29N,13W	6,28N,12W	Wright			x	x						
Whetstone Cr.	P	1.5	Mouth	7,48N,6W	Montgomery			x	x						
Whetstone Cr.	C	8.0	7,48N,6W	1,48N,8W	Callaway			x	x						
Whippoorwill Cr.	C	2.0	Mouth	16,47N,5W	Montgomery			x	x						
Whitcomb Br.	C	2.5	Mouth	36,49N,1W	Lincoln			x	x						
White Br.	C	3.0	Mouth	32,36N,31W	Vernon			x	x						
White Cloud Cr.	P	11.0	Mouth	24,63N,36W	Andrew	Nodaway		x	x						
White Cloud Cr.	C	9.0	24,63N,36N	11,64N,36W	Nodaway			x	x						
White Cr.	P	2.5	Mouth	9,24N,2W	Oregon			x	x						
White Cr.	C	2.0	9,24N,2W	4,24N,2W	Oregon			x	x						
White Oak Cr.	C	2.0	Mouth	33,50N,5W	Montgomery			x	x						
White Oak Cr.	C	9.0	Mouth	Hwy. 136	Harrison			x	x						
White Oak Cr.	C	3.0	Mouth	30,42N,12W	Cole			x	x						
Trib. to White Oak Cr.	C	0.5	Mouth	25,42N,13W	Cole			x	x						
White Oak Cr.	C	3.0	Mouth	28,42N,28W	Henry			x	x						
White Oak Cr.	C	15.0	Mouth	Hwy. 97	Jasper	Lawrence	x	x	x			x			
Trib. to White Oak Cr.	C	5.0	Mouth	Hwy. 97	Lawrence			x	x						
White Oak Hollow	C	2.0	Mouth	28,32N,5W	Dent			x	x						
Whitener Cr.	P	0.5	Mouth	28,32N,8E	Madison			x	x						
Whitener Cr.	C	1.0	28,32N,8E	22,32N,8E	Madison			x	x						
Whites Cr.	P	2.0	Mouth	26,39N,2W	Crawford			x	x						
Whites Cr.	C	1.0	26,39N,2W	35,39N,2W	Crawford			x	x						
Whites Cr.	C	3.0	Mouth	33,26N,15W	Douglas			x	x						
Whitewater R.	P	35.0	Mouth	29,33W,11E	Cape Girardeau			x	x			x			
Whitewater R.	P	14.0	30,33N,11E	29,34N,9E	Bollinger	Perry		x	x	x		x	x		
Whitewater R.	C	6.5	29,34N,9E	10,34N,8E	Perry	St. Francois		x	x						
Whitewater R.	P	7.0	31,28N,12E	6,28N,12E	Scott		x	x	x						

IRR LWW AQL CLF CDF WBC BTG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BTG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BTG	DWS	IND
Whitewater R.	C	4.0	6,28N,12E	18,29N,12E	Scott	Cape Girardeau		x	x						
Trib. to Whitewater R.	C	1.5	Mouth	3,30N,11E	Cape Girardeau			x	x						
Whittenburg Cr.	P	2.5	Mouth	Hwy. 8	Crawford			x	x			x			
Whittenburg Cr.	C	5.0	Hwy. 8	Hwy. 19	Crawford			x	x						
Trib. to Whittenburg Cr.	C	1.0	Mouth	12,37N,4W	Crawford			x	x						
Wiemer Cr.	P	2.0	11,40N,12W	23,40N,12W	Miller			x	x						
Wiemer Cr.	C	4.0	23,40N,12W	Hwy. 42	Miller			x	x						
Wildcat Cr.	C	3.0	Mouth	3,62N,39W	Holt			x	x						
Wildcat Cr.	P	6.0	Mouth	6,62N,32W	Gentry			x	x						
Wildcat Cr.	C	7.0	6,62N,32W	8,63N,33W	Gentry	Nodaway		x	x						
Trib. to Wildcat Cr.	C	2.0	Mouth	30,63N,32W	Gentry			x	x						
Trib. to Wildcat Cr.	C	2.0	Mouth	32,63N,33W	Nodaway			x	x						
Wildhorse Cr.	C	2.0	Mouth	29,45N,3E	St. Louis			x	x						
Wilkerson Cr.	C	6.9	Mouth	07,52N,32W	Clay			x	x						
Wilkerson Ditch	C	4.0	16,23N,16E	28,24N,16E	Mississippi			x	x						
Williams Cr.	C	6.0	Mouth	21,53N,30W	Clay			x	x						
Williams Cr.	P	5.0	Mouth	11,42N,21W	Benton			x	x		x				
Williams Cr.	P	8.0	Mouth	Hwy. 55	Cape Girardeau			x	x						
Williams Cr.	C	2.0	Hwy. 55	Sur 800,32N,13E	Cape Girardeau			x	x						
Williams Cr.	C	4.5	Mouth	18,27N,5E	Wayne			x	x						
Williams Cr.	P	1.0	Mouth	28,28N,27W	Lawrence			x	x		x		x		
Williams Cr.	P	7.0	28,28N,27W	34,28N,26W	Lawrence			x	x					x	
Williams Cr.	C	1.5	34,28N,26W	35,28N,26W	Lawrence			x	x						
Williams Cr.	P	1.0	Mouth	I-44	St. Louis			x	x						
Williams Cr.	P	5.0	Mouth	11,42N,21W	Benton			x	x		x				
Williams Cr.	C	3.4	11,42N,21W	05,42N,20W	Benton			x	x						
Trib. to Williams Cr.	P	1.0	Mouth	Sur 256,30N,13E	Cape Girardeau			x	x						
Willow Br.	P	1.5	Mouth	2,25N,33W	Newton			x	x						
Willow Br.	C	1.9	Mouth	05,37N,31W	Vernon			x	x						
Willow Cr.	C	6.5	Mouth	16,51N,27W	Ray			x	x						
Willow Cr.	C	1.0	Mouth	35,61N,32W	Gentry			x	x						
Willow Cr.	C	1.5	Mouth	35,55N,26W	Caldwell			x	x						
Willow Cr.	C	2.0	Mouth	18,23N,10W	Ozark	Howell		x	x						
Willow Fk.	P	3.0	4,44N,16W	36,45N,17W	Moniteau			x	x					x	
Willow Fk.	C	6.5	36,45N,17W	29,45N,17W	Moniteau			x	x						
Trib. to Willow Fk.	C	0.5	Mouth	27,45N,17W	Moniteau			x	x						
Wilmore Cr.	C	1.0	Mouth	7,30N,6E	Wayne			x	x					x	
Wilson Cr.	P	18.0	Mouth	16,29N,22W	Christian	Greene		x	x						
Wilson Cr.	C	1.3	16,29N,22W	10,29N,22W	Greene			x	x						
Wilson Cr.	C	1.2	Mouth	12,35N,30W	Vernon			x	x						
Wilson Run	C	2.5	Mouth	17,24N,23W	Stone			x	x						
Winn's Cr.	C	5.0	15,56N,13W	21,57N,13W	Macon			x	x						
Winnegan Cr.	C	7.0	Mouth	5,59N,18W	Linn			x	x						
Wolf Cr.	C	4.0	Mouth	7,49N,4W	Montgomery			x	x						
Wolf Cr.	C	1.5	Mouth	32,48N,15W	Cooper			x	x						
Wolf Cr.	C	9.0	Mouth	16,28N,15W	Wright			x	x						
Wolf Cr.	C	4.5	Mouth	35,33N,10E	Cape Girardeau	Bollinger		x	x						
Wolf Cr.	C	2.0	Mouth	35,25N,5E	Butler			x	x						
Wolf Cr.	C	8.0	Mouth	29,36N,6E	St. Francois			x	x						
Wolf Cr.	C	4.0	Mouth	3,27N,10E	Stoddard			x	x						

IRR—Irrigation LWW—Livestock & Wildlife Watering AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption CLF—Cool Water Fishery CDF—Cold Water Fishery WBC—Whole Body Contact Recreation BTG—Boating and Canoeing DWS—Drinking Water Supply IND—Industrial



TABLE H—STREAM CLASSIFICATIONS AND USE DESIGNATIONS

WATERBODY	CLASS	MILES	FROM	TO	COUNTY	COUNTY 2	IRR	LWW	AQL	CLF	CDF	WBC	BIG	DWS	IND
Wolf Cr.	C	3.0	Mouth	14,45N,1W	Warren			x	x						
Wolf Cr.	C	5.2	Mouth	10,27N,08W	Texas	Howell		x	x						
Trib. to Wolf Cr.	P	1.1	Mouth	Hwy. 32	St. Francois			x	x						
Trib. to Wolf Cr.	C	1.5	Hwy. 32	Hwy. D	St. Francois			x	x						
Trib. to Trib. to Wolf Cr.	C	0.8	Mouth	Hwy. 32	St. Francois			x	x						
Wolf Hole Lateral	C	8.0	Mouth	29,26N,16E	Mississippi			x	x						
Wolf Island Chute	P	11.5	5,24N,18E	11,23N,17E	Mississippi			x	x						
Woods Fk.	C	5.5	Mouth	3,25N,21W	Christian			x	x						
Woods Fk.															
Gasconade R.	P	11.0	6,29N,14W	2,29N,16W	Wright			x	x						
Woods Fk.															
Gasconade R.	C	4.0	2,29N,16W	6,29N,16W	Wright	Webster		x	x						
Tr. to Woods Fk.															
Gasconade	C	2.5	2,29N,16W	15,29N,16W	Wright			x	x						
Woolly Cr.	C	1.5	Mouth	7,23N,24W	Stone			x	x						
Woolsey Cr.	C	4.0	Mouth	5,36N,17W	Camden	Laclede		x	x						
Workman Br.	C	1.0	22,28N,22W	15,28N,22W	Greene			x	x						
Workman Cr.	P	1.5	Mouth	Hwy. 179	Cole			x	x						
Trib. to Workman Cr.	P	0.5	Mouth	13,45N,13W	Cole			x	x						
Wright Br.	P	2.0	Mouth	6,29N,25W	Lawrence			x	x						
Wyaconda R.	P1	8.0	Mouth	15,61N,6W	Lewis			x	x				x	x	
Wyaconda R.	P	32.0	15,61N,6W	26,65N,9W	Lewis	Clark		x	x				x		
Wyrick Br.	C	1.3	Mouth	10,28N,09W	Texas			x	x						
Yadkin Cr.	C	3.0	Mouth	9,37N,4W	Crawford			x	x		x				
Trib. to Yadkin Cr.	C	3.5	Mouth	7,37N,4W	Crawford			x	x						
Yankee Br.	P	1.0	Mouth	10,36N,4W	Crawford			x	x		x				
Yankee Br.	C	1.0	10,36N,4W	15,36N,4W	Crawford			x	x						
Yantz Cr.	C	1.0	Mouth	1,32N,9E	Bollinger			x	x						
Yeater Br.	C	2.0	Mouth	30,48N,2W	Warren			x	x						
Yellow Cr.	P	25.0	Mouth	20,56N,19W	Chariton			x	x						
Yellow Cr.	C	2.0	Mouth	29,38N,26W	St. Clair			x	x						
Trib. to Yellow Cr.	C	1.0	Mouth	32,38N,26W	St. Clair			x	x						
Yoga Spring	P	0.1	Mouth	29,30N,07W	Texas			x	x						
Youngs Cr.	C	9.5	Mouth	11,52N,10W	Monroe	Audrain		x	x						
Youngs Cr.	C	1.5	Mouth	3,46N,9W	Callaway			x	x						
Zadie Cr.	C	4.0	Mouth	State Line	Harrison			x	x						
Zounds Br.	C	3.0	Mouth	35,64N,33W	Gentry			x	x						

IRR LWW AQL CLF CDF WBC BIG DWS IND

IRR—Irrigation
 LWW—Livestock & Wildlife Watering
 AQL—Protection of Warm Water Aquatic Life and Human Health—Fish Consumption

CLF—Cool Water Fishery
 CDF—Cold Water Fishery
 WBC—Whole Body Contact Recreation

BIG—Boating and Canoeing
 DWS—Drinking Water Supply
 IND—Industrial

Table I
Biocriteria Reference Locations

STREAMS	COUNTIES	LOCATIONS
White Cloud Creek	Nodaway	Sec 18 & 19, T62N, R35W
Honey Creek	Nodaway	Sec 13 & 24, T65N, R34W
East Fork Grand River	Worth	N1/2, Sec 32, T66N, R30W
Grindstone Creek	DeKalb	NW1/4, Sec 2, T58N, R30W
Long Branch Platte River	Nodaway	E1/2, Sec 19, T62N, R34W
West Fork Big Creek	Harrison	SW1/4, Sec 22, T64N, R28W
Marrowbone Creek	Davies	Sec. Line 5 & 8, T58N, R27W
No Creek	Livingston	T59N, R24W & 23W
West Locust Creek	Sullivan	S1/2, Sec 14, T61N, R21W
Spring Creek	Adair	NE, S30, T63N, R16W
East Fork Crooked River	Ray	E1/2, Sec 27, T53N, R27W
Petite Saline Creek	Cooper	NE1/4, Sec 13, T48N, R16W
Burris Fork	Moniteau	NW1/4, Sec 5, T43N, R15W
Little Dry Wood Creek	Vernon	NE, S30, T35N, R31W
Cedar Creek	Cedar	N1/2, Sec 9, T34N, R27W
Pomme de Terre River	Polk	Sec Line 21 & 22, T32N, R21W
Deer Creek	Benton	NE1/4, Sec 31, T40N, R20W
Little Niangua River	Hickory	NW1/4, Sec 2, T37N, R20W
Little Maries River	Maries	W1/2, Sec 34, T41N, R10W
Big Sugar Creek	McDonald	N1/2, Sec 21, T22N, R30W
Bull Creek	Taney	E1/2, Sec 36, T25N, R21W
Spring Creek	Douglas	SW1/4, Sec 23, T25N, R11W
North Fork River	Douglas	Sec 30, T26N, R11W
Jacks Fork River	Shannon	Sec Line 31 & 32, T28N, R6W
Sinking Creek	Shannon	Sec 28, T31N, R4W
Big Creek	Shannon	NW1/4, Sec 7, T30N, R3W
Little Black River	Ripley	N1/2, Sec 25, T24N, R3E
West Piney Creek	Texas	NW1/4, Sec 20, T30N, R10W
Little Piney Creek	Phelps	SW1/4, Sec 32, T36N, R8W
Meramac River	Crawford	SW1/4, Sec 35, T36N, R5W
Huzzah Creek	Crawford	S1/2, Sec 20, T36N, R2W
Marble Creek	Madison	S1/2, Sec 18, T32N, R5E
East Fork Black River	Reynolds	W1/2, Sec 16, T33N, R2E
Sinking Creek	Reynolds	NE1/4, Sec 20, T30N, R2E
Boeuf Creek	Franklin	W1/2, Sec 30, T44N, R3W
River Aux Vases	Ste. Genevieve	SE1/4, Sec 27, T37N, R8E
Saline Creek	Ste. Genevieve	W1/2, Sec 28, T36N, R9E
Apple Creek	Cape Girardeau/Perry	NW1/4, Sec 4, T33N, R11E
Little Whitewater River	Bollinger	N1/2, Sec 1, T32N, R9E
Middle Fabius River	Lewis	NE1/4, Sec 5, T61N, R8W
North River	Marion	E1/2, Sec 32, T58N, R7W
Loutre River	Montgomery	N1/2, Sec 28, T48N, R6W
Huffstetter Lateral Ditch	Stoddard	Sec Corner 17, 18, 19, 20, T24N, R11E
Ash Slough Ditch	New Madrid	TS. Line 24N & 25N, R13E
Maple Slough Ditch	Mississippi	TS. Line 24N & 25N, R15E



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Note: The losing streams' beginning and ending locations in the FROM and TO columns are expressed in conventional "Section, Township, Range" format. For example, the FROM location for the first "Clear Creek" listing below should read as follows: "The southeast quarter of the northeast quarter of the northwest quarter of Section 10 in Township 25 North, Range 27 West."															
Calton Cr.	Barry	2.5	SE	SE	SE	18	25N	26W	SE	SE	SE	25	25N	27W	
Calton Cr.	Barry	4.0	NE	NE	SE	12	25N	26W	SW	SW	NW	16	25N	26W	
Clear Cr.	Barry	4.0	SE	NE	NW	10	25N	27W	SE	SE	SW	31	26N	27W	
Trib. to Clear Cr.	Barry	0.5	SE	SW	SW	35	26N	28W	NE	SW	NE	35	26N	28W	
L. Flat Cr.	Barry	3.0	SE	SE	NE	36	25N	27W	NW	NE	NW	01	24N	27W	
L. Flat Cr.	Barry	3.0	NW	NW	NW	35	25N	27W	SE	SE	NE	36	25N	27W	
Trib. to Clear Cr.	Barry	0.5	SE	SE	NW	02	25N	28W	SE	NE	SE	35	26N	28W	
Trib. to Clear Cr.	Barry	1.0	NW	SE	SW	01	25N	28W	NE	SE	SW	36	26N	28W	
Trib. to Clear Cr.	Barry	Lawrence	1.0	SW	SE	SW	34	26N	28W	NW	NW	SE	27	26N	28W
Trib. to Clear Cr.	Barry	1.0	SE	NE	SE	09	25N	27W	SW	NW	NW	09	25N	27W	
Trib. to Clear Cr.	Barry	1.0	NW	SW	NW	08	25N	27W	NW	NW	SW	05	25N	27W	
Hudson Cr.	Barry	4.0	SW	SW	SE	13	25N	28W	SW	NW	NW	16	25N	28W	
Hudson Cr.	Barry	3.0	SW	SE	SE	29	25N	27W	SW	SW	SE	13	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	NW	NE	SE	20	25N	27W	SE	SW	SE	19	25N	27W	
Trib. to Hudson Cr.	Barry	1.0	NW	SE	SW	30	25N	27W	NE	SW	SW	19	25N	27W	
Trib. to Hudson Cr.	Barry	1.0	SW	NE	NE	23	25N	28W	NE	NW	SW	13	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	SW	NW	SE	18	25N	27W	NE	SW	NW	13	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	NE	NE	NE	12	25N	28W	NE	SE	SE	11	25N	28W	
Trib. to Hudson Cr.	Barry	1.0	NE	NW	SW	14	25N	28W	SW	NE	SE	10	25N	28W	
Flat Cr.	Barry	3.0	SW	SW	NW	23	22N	28W	SW	SE	NW	06	22N	27W	
Trib. to Flat Cr.	Barry	1.5	SE	SW	NE	09	22N	27W	SE	SE	NE	05	22N	27W	
Trib. to Flat Cr.	Barry	1.0	NE	NW	SE	22	23N	27W	NW	SE	SE	21	23N	27W	
Dry Hollow	Barry	7.0	SW	SW	SW	10	21N	28W	NE	SE	NE	33	22N	27W	
Browning Hollow	Barry	Lawrence	3.0	SE	NW	SE	36	26N	27W	NE	SW	NE	20	26N	26W
Kelly Cr.	Barry	5.0	SE	SE	SW	02	25N	27W	SW	SW	SE	31	26N	27W	
Spring R.	Barry	Lawrence	2.0	NE	SE	SE	36	26N	26W	NW	SE	NE	20	26N	26W
S. Indian Cr.	Barry	Newton	2.0	NE	SW	NE	33	24N	29W	NW	NW	SE	31	24N	29W
Trib. to L. Crane Cr.	Barry	2.0	SW	SW	SW	08	25N	25W	NW	SW	SE	04	25N	25W	
Trib. to L. Crane Cr.	Barry	1.5	NW	NE	NW	17	25N	25W	SW	SW	SE	04	25N	25W	
Trib. to L. Crane Cr.	Barry	4.0	SE	SE	NW	32	26N	25W	SW	NW	SE	35	26N	25W	
Trib. to L. Crane Cr.	Barry	2.0	NW	SE	NW	06	25N	25W	SW	NE	NE	05	25N	25W	
Dodge Hollow	Barry	3.0	SW	SE	SW	09	25N	25W	NW	SE	NE	12	25N	25W	
Trib. to Dodge Hollow	Barry	0.5	SE	NW	NW	19	25N	24W	NW	NW	NE	24	25N	25W	
Trib. to Dodge Hollow	Barry	2.0	NW	SW	NE	25	25N	25W	SW	SE	SE	12	25N	25W	
Trib. to Dodge Hollow	Barry	1.5	NW	SE	NE	22	25N	25W	NW	NW	NW	13	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SE	SE	NE	31	26N	25W	NE	NE	NW	05	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SE	SW	SW	05	25N	25W	SE	SW	SE	05	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SE	SE	NE	07	25N	25W	SW	NW	SE	08	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	NW	NW	SW	08	25N	25W	NE	SE	NW	08	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	NE	SW	SE	32	26N	25W	SW	NE	NW	04	25N	25W	
Trib. to L. Crane Cr.	Barry	1.5	SE	SE	NW	09	25N	25W	NE	NW	SE	03	25N	25W	
Trib. to L. Crane Cr.	Barry	0.5	SW	NW	SE	09	25N	25W	SW	SE	NE	09	25N	25W	
Stream Name	Counties	Miles	From						To						

Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to L. Crane Cr.	Barry	0.5	SE	SW	SW	10	25N	25W	NW	NW	SE	10	25N	25W
Capps Cr.	Barry	5.0	SW	SW	SW	03	24N	28W	NW	SE	NW	21	25N	28W
Trib. to Capps Cr.	Barry	1.0	NE	SE	SE	22	25N	28W	NW	SE	NE	28	25N	28W
Trib. to Capps Cr.	Barry	1.5	NW	SW	SE	23	25N	28W	NE	NE	SE	28	25N	28W
Trib. to Capps Cr.	Barry	1.5	NE	NE	SE	36	25N	28W	SE	SE	NW	35	25N	28W
Trib. to Capps Cr.	Barry	2.0	NE	NW	SE	05	24N	28W	SW	SW	SE	27	25N	28W
Trib. to Capps Cr.	Barry	4.0	NW	NE	SW	03	25N	28W	SW	SE	NW	12	25N	29W
Joyce Cr.	Barry	2.0	SW	SE	NE	10	24N	28W	NE	SW	NW	16	24N	28W
Joyce Cr.	Barry	2.0	SW	SE	SE	14	24N	28W	SW	NW	NE	16	24N	28W
Trib. to Joyce Cr.	Barry	2.5	SE	SE	NE	26	24N	28W	NW	SE	SW	15	24N	28W
Trib. to Joyce Cr.	Barry	1.0	NE	SW	NW	14	24N	28W	NW	NW	NW	15	24N	28W
Calls Hollow	Barry	2.0	NW	SE	SE	13	24N	28W	SW	NW	SW	16	24N	27W
Trib. to L. Flat Cr.	Barry	1.0	SE	SW	SE	12	24N	28W	NW	NW	NE	12	24N	28W
Trib. to L. Flat Cr.	Barry	1.5	NE	NW	SW	07	24N	27W	NW	SW	NW	06	24N	27W
Trib. to L. Flat Cr.	Barry	1.0	SW	SE	NE	06	24N	27W	SE	SW	SE	33	25N	27W
Poque Cr.	Barry	3.0	SE	SE	SE	36	24N	28W	NW	NE	SE	33	24N	28W
Trib. to Poque Cr.	Barry	1.5	NW	SW	SW	01	23N	28W	NE	SW	SW	35	24N	28W
Trib. to Poque Cr.	Barry	1.5	SW	SE	SE	02	23N	28W	SW	SE	SE	34	24N	28W
Trib. to Poque Cr.	Barry	1.0	SE	SE	SE	26	24N	28W	NE	NE	SW	35	24N	28W
Dog Hollow	Barry	3.0	NE	SW	NW	33	24N	27W	SW	SE	NE	26	24N	27W
Gunter Hollow	Barry	2.5	SW	SE	SE	01	23N	28W	SE	SE	NW	29	24N	27W
Gunter Hollow	Barry	4.0	NW	SW	SW	16	24N	27W	NW	SE	NW	12	24N	27W
Trib. to Gunter Hollow	Barry	1.0	SE	SE	SE	36	24N	28W	NE	NE	SE	31	24N	27W
Trib. to Gunter Hollow	Barry	1.5	SW	SW	SE	05	24N	27W	NW	SE	SE	09	24N	27W
Trib. to Gunter Hollow	Barry	1.0	SW	SE	SW	08	24N	27W	SE	NE	NW	16	24N	27W
Trib. to L. Flat Cr.	Barry	2.0	SE	SW	SW	21	25N	26W	NW	SW	SW	33	25N	26W
Trib. to L. Flat Cr.	Barry	1.5	SW	NE	SE	21	25N	26W	SE	NW	NE	32	25N	26W
Prairie Run Hollow	Barry	5.0	SW	NE	SW	01	25N	27W	SW	SE	SW	25	25N	27W
Trib. to Prairie Run Hollow	Barry	1.5	NE	NE	SE	07	25N	28W	NW	SW	NE	13	25N	27W
Trib. to L. Flat Cr.	Barry	2.0	NE	SW	SE	11	25N	27W	SW	SE	SW	13	25N	27W
Todd Hollow	Barry	3.0	SW	NW	NW	14	25N	27W	NW	NE	SE	26	25N	27W
Woodward Cr.	Barry	3.0	SE	NE	NE	11	23N	28W	SW	SE	SW	04	23N	28W
Trib. to Woodward Cr.	Barry	1.0	SW	NE	NW	14	23N	28W	SE	NW	NW	10	23N	28W
Trib. to Woodward Cr.	Barry	0.5	NE	NW	SW	09	23N	28W	SW	SE	SW	04	23N	28W
Zerbert Branch	Barry	4.0	SW	SE	SW	33	25N	28W	SE	NE	NW	24	25N	29W
Trib. to Zerbert Br.	Barry	2.0	NW	NE	NE	33	25N	28W	NW	SW	SE	29	25N	28W
Ledgerwood Hollow	Barry	0.5	NE	NW	SW	10	22N	25W	NE	SE	SE	09	22N	25W
Trib. to Mill Cr.	Barry	0.5	NW	SE	SE	10	22N	25W	NE	NW	NW	15	22N	25W
Trib. to Mill Cr.	Barry	0.5	NW	SW	SE	10	22N	25W	NE	NW	NW	15	22N	25W
Trib. to L. Bonne Femme Cr.	Boone	13W	1.0	SE	SE	NW	01	47N	13W	SE	NE	NW	12	47N
Trib. to Clear Cr.	Boone	1.0	SE	SW	SW	31	48N	12W	SW	SE	SW	30	48N	12W
Trib. to Gans Cr.	Boone	1.0	SE	SW	NE	06	47N	12W	NE	NE	NW	07	47N	12W
Slate Cr.	Boone	1.5	SE	SW	SE	34	46N	12W	NW	NE	SE	09	45N	12W
Trib. to Jamerson Cr.	Boone	2.0	NE	SE	SE	21	46N	12W	SW	NE	SW	29	46N	12W
Bonne Femme Cr.	Boone	4.0	NW	NE	NW	10	47N	12W	NE	NE	SW	20	47N	12W
Trib. to Bonne Femme Cr.	Boone	1.5	SW	NE	SE	29	47N	12W	SE	SE	NW	30	47N	12W
Stream Name	Counties	Miles	From						To					

Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Trib. to Fowler Cr.	Boone	1.5	SW SW NW 13 46N 12W	SE NE SW 24 46N 12W
Bass Cr.	Boone	0.5	SW NW NE 28 47N 12W	SE NW NW 28 47N 12W
Fox Hollow Br.	Boone	1.5	NE NW SE 07 46N 12W	NW SW NW 12 46N 13W
Cane Cr.	Butler	4.0	NW NW SW 23 26N 04E	SE SE NE 36 26N 04E
Cane Cr.	Butler	1.0	NW NE SW 25 26N 04E	SE SE NE 36 26N 04E
Trib. to Missouri R.	Callaway	0.5	NE SE NE 11 44N 11W	SW SE SW 12 44N 11W
Trib. to Missouri R.	Callaway	0.5	NE SE NE 11 44N 11W	NE SE SW 12 44N 11W
Prairie Hollow	Camden	2.0	NW NW NW 27 38N 18W	NW NE NW 14 38N 18W
Trib. to Linn Cr.	Camden	1.0	NE NE SW 19 38N 16W	SE NW SW 17 38N 16W
Libby Hollow	Camden	2.0	SE SW SE 15 38N 17W	NE SW SW 02 38N 17W
Murphy Cr.	Camden	1.0	NE SW NW 33 37N 14W	NE NW NE 29 37N 14W
Conns Cr.	Camden	3.5	SW NW SE 26 37N 14W	NE SW SE 17 37N 14W
Deberry Cr.	Camden	2.0	SE SW SE 13 37N 14W	NW SW NW 26 37N 14W
Forbes Br.	Camden	2.5	NW SW SW 09 37N 16W	NE SE NW 11 37N 16W
Mill Cr.	Camden	4.5	SW NW NE 28 36N 15W	SW SW SE 35 37N 15W
Racetrack Hollow	Camden	5.5	NE NW NW 09 37N 16W	SW SW NW 35 38N 17W
Racetrack Hollow and trib.	Camden	1.5	SW SE NW 25 38N 17W	SW SW NW 35 38N 17W
Trib. to Racetrack Hollow	Camden	0.3	NW NW NW 31 38N 16W	SW SW NW 31 38N 16W
Sweezy Hollow	Carter	0.5	SW SW NE 31 27N 01E	SW SE SE 31 27N 01E
Bear Spring Hollow	Carter	1.0	SW NW NE 02 27N 01E	SW SW NE 03 27N 01E
Right Fk.	Carter	2.0	SE NE SE 02 27N 01E	NE NE SW 04 27N 01E
Carter Cr.	Carter	7.0	NE 03 27N 01E	NE NE NW 32 27N 01E
Trib. to S. Fk. Big Brushy Cr.	Carter	2.0	NE NE SW 01 27N 01E	NE NE NE 07 27N 02E
Middle Fk.	Carter	3.0	SW SW SW 28 26N 02E	NE NW SE 10 25N 02E
Middle Brushy Cr.	Carter Wayne	3.5	NW SE SW 21 27N 03E	NE SW NW 12 27N 03E
L. Pike Cr.	Carter	5.0	SW NE NW 18 26N 02W	NE NW NW 01 26N 02W
Buchanan Valley	Carter Reynolds	4.0	NW SW NE 20 28N 01E	NE NE SW 04 27N 01E
Big Brushy Cr.	Carter Wayne	3.5	NE NE SE 08 27N 03E	NE SW NW 12 27N 03E
Big Barren Cr.	Carter Ripley	16.0	NE NW SW 06 25N 02W	NW SE NW 28 25N 01E
Big Barren Cr.	Carter	1.5	NE SW NE 30 26N 02W	SE SW SE 32 26N 02W
Trib. to Snag Br.	Cedar	0.5	SE SW NE 31 34N 26W	SW NE SW 31 34N 26W
Terrell Cr.	Christian	2.5	NW SE NW 05 27N 23W	SW NE NE 03 27N 23W
Terrell Cr.	Christian	1.0	SW NW SE 01 27N 24W	SW NW SE 06 27N 23W
Tory Cr.	Christian	3.0	SE NW NW 12 25N 22W	NE NW SE 27 26N 22W
Finley Cr.	Christian	1.0	SE SW NW 13 27N 21W	SE NW SW 18 27N 20W
Finley Cr.	Christian	2.5	NW NW SE 18 27N 19W	SE NE NW 14 27N 20W
Trib. to Finley Cr.	Christian	0.7	SW SE SW 26 27N 21W	NW SW NW 26 27N 21W
Trib. to Finley Cr.	Christian	0.5	SE SE NW 21 27N 21W	SW NE NW 28 27N 21W
Trib. to Finley Cr.	Christian	1.5	SW SE NW 18 26N 21W	NE SE NW 01 26N 22W
Trib. to Finley Cr.	Christian	1.5	SW NE NW 24 27N 22W	SE SE NW 30 27N 21W
Trib. to Finley Cr.	Christian	1.0	NE SW SE 01 27N 21W	NW NW SE 12 27N 21W
Trib. to Finley Cr.	Christian	0.5	NE SE NE 26 27N 22W	SE SW NE 35 27N 22W
Elk Valley	Christian	0.5	NE SE NE 32 27N 21W	SE NE NW 32 27N 21W
Trib. to McCafferty Hollow	Christian	2.0	NE NE SW 22 27N 22W	NE SW NE 33 27N 22W
Trib. to Pickerel Cr.	Christian	1.5	NE SW SW 04 27N 24W	NW SW NE 33 28N 24W

Stream Name	Counties	Miles	From	To
-------------	----------	-------	------	----



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Turnback Cr.	Christian	3.0	SE	NE	NE	17	27N	24W	SW	SE	NW	31	28N	24W	
Saunders Valley	Christian	1.5	NW	NW	NE	09	27N	22W	SW	SW	NW	33	28N	22W	
Trib. to Spring Cr.	Christian	3.0	NE	NW	NW	19	27N	23W	NW	SW	NW	36	27N	24W	
Carter Hollow	Christian	2.0	NE	SE	SW	26	27N	20W	NE	NE	NW	22	27N	20W	
Trib. to Hog Cr.	Christian	0.5	SE	SE	NW	09	26N	21W	SW	SW	NW	09	26N	21W	
Trib. to E. Prong Goff Cr.	Christian	2.0	SW	SE	SW	13	25N	22W	SE	SE	NW	15	25N	22W	
Trib. to E. Prong Goff Cr.	Christian	1.5	SW	SE	NE	23	25N	22W	NE	NW	SE	15	25N	22W	
Trib. to W. Prong Goff Cr.	Christian	Stone	2.0	SW	NE	NW	34	25N	22W	SE	NE	NW	29	25N	22W
Trib. to W. Prong Goff Cr.	Christian	Stone	2.0	SW	SE	NW	27	25N	22W	NE	SW	NW	20	25N	22W
Silver Lake Br.	Christian	Stone	2.0	SW	NE	SW	35	27N	23W	NE	NE	NE	14	26N	23W
Dry Crane Cr.	Christian	Stone	5.0	SW	SE	NE	32	27N	23W	NE	NW	NE	34	26N	23W
Trib. to Dry Crane Cr.	Christian	Stone	2.0	SE	NE	SE	34	27N	23W	NE	SW	NW	10	26N	23W
Wolfden Cr.	Christian		1.0	SW	NW	SE	35	27N	23W	NW	SE	SE	36	27N	23W
McCullah Hollow	Christian	Stone	7.0	NE	SW	NW	21	27N	24W	NW	NE	SE	13	26N	24W
Terrell Cr.	Christian		2.0	NW	NW	SW	14	27N	24W	SE	SW	SW	01	27N	24W
Trib. to Terrell Cr.	Christian		0.3	NW	SW	NE	04	27N	23W	SE	NW	NE	04	27N	23W
Spring Cr.	Christian	Stone	4.0	NE	NE	NE	26	27N	24W	SW	NW	NE	12	26N	24W
Trib. to Wilson Cr.	Christian		1.0	SW	NW	NW	31	28N	22W	SE	SW	SW	25	28N	23W
Green Valley Cr.	Christian		4.5	NW	SW	SW	27	27N	23W	SW	NW	SE	12	27N	23W
Trib. to Green Valley Cr.	Christian		1.5	NE	SW	SW	21	27N	23W	SE	NE	NW	27	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	SE	NE	NE	21	27N	23W	NE	SW	SE	22	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	NW	SE	SE	27	27N	23W	SW	SW	SE	22	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	NE	SW	NW	35	27N	23W	NW	SE	NE	26	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	NW	SE	SE	23	27N	23W	NW	NE	SE	23	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	SE	SW	SW	24	27N	23W	SW	NE	NW	24	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	SE	SE	SW	14	27N	23W	SW	SW	NW	13	27N	23W
Trib. to Green Valley Cr.	Christian		1.0	NE	NW	NW	14	27N	23W	NE	NW	NW	13	27N	23W
Trib. to Green Valley Cr.	Christian		0.5	NW	SE	SW	11	27N	23W	NW	NE	NE	14	27N	23W
Luce Br.	Christian		1.5	NW	SW	NW	21	27N	23W	NE	SW	SW	09	27N	23W
Luce Br.	Christian		1.0	SE	NE	NW	09	27N	23W	NW	NE	SE	04	27N	23W
Trib. to Luce Br.	Christian		0.5	SW	NW	SW	16	27N	23W	SE	NW	NW	16	27N	23W
Trib. to Luce Br.	Christian		1.5	NW	NW	NE	20	27N	23W	NW	SW	SW	09	27N	23W
Trib. to Luce Br.	Christian		1.0	NW	NW	NW	15	27N	23W	SE	SW	SE	04	27N	23W
Trib. to Luce Br.	Christian		0.5	SE	NW	NE	16	27N	23W	NE	NE	SE	09	27N	23W
Trib. to Spring Cr.	Christian		1.0	NW	SW	SW	20	27N	23W	NW	NE	NW	30	27N	23W
Trib. to James R.	Christian		0.5	SW	NW	SW	31	28N	22W	NE	NW	NE	06	27N	22W
Trib. to James R.	Christian		2.5	NW	SW	SE	36	28N	21W	NW	NE	SE	04	27N	21W
Trib. to James R.	Christian		0.5	NE	NW	SW	02	27N	21W	NW	NW	NE	10	27N	21W
Trib. to James R.	Christian		0.5	SW	SW	NW	11	27N	21W	SW	NE	NE	10	27N	21W
Trib. to James R.	Christian		1.5	SW	SW	NE	10	27N	21W	NW	NE	SE	04	27N	21W
Trib. to Hunt Br.	Christian		1.0	SW	SW	NE	36	28N	21W	NW	NW	SW	24	28N	21W
Farmer Br.	Christian	Greene	2.0	SE	SE	NW	36	28N	21W	SE	SW	SW	27	28N	21W
Trib. to Farmer Br.	Christian		1.0	SE	NW	SW	35	28N	21W	NW	NW	NW	34	28N	21W
Trib. to James R.	Christian		2.0	NE	SE	NE	15	27N	22W	NE	NE	NE	03	27N	22W
Trib. to James R.	Christian		2.0	NE	SE	NW	09	27N	21W	NE	SE	NW	05	27N	21W
Stream Name	Counties	Miles	From						To						



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to James R.	Christian	1.5	SW	SE	SW	04	27N	22W	NE	NE	SE	32	28N	22W
Trib. to James R.	Christian	0.5	NW	SW	SW	34	28N	22W	SE	NW	NE	33	28N	22W
Trib. to James R.	Christian	0.5	SW	NW	NE	34	28N	22W	SW	NW	NW	34	28N	22W
Trib. to James R.	Christian	3.0	NW	SE	NW	15	27N	22W	NW	NW	SE	20	27N	22W
Trib. to James R.	Christian	1.0	NE	SE	NW	09	27N	22W	SE	SW	NW	16	27N	22W
Trib. to James R.	Christian	0.5	NE	SE	SE	08	27N	22W	NE	SE	NE	17	27N	22W
Trib. to James R.	Christian	0.5	SE	NW	SE	08	27N	22W	NW	SE	NE	17	27N	22W
Trib. to James R.	Christian	0.5	NW	NW	NE	21	27N	22W	NE	NW	SW	21	27N	22W
Trib. to James R.	Christian	1.5	NE	SW	SE	15	27N	22W	NW	NW	SW	21	27N	22W
McCafferty Hollow	Christian	1.0	NE	NW	SW	26	27N	22W	SW	NE	NE	33	27N	22W
McCafferty Hollow	Christian	0.5	SW	NE	NE	33	27N	22W	SW	SE	NW	33	27N	22W
Trib. to McCafferty Hollow	Christian	0.5	SW	NW	SW	22	27N	22W	SE	SE	NE	28	27N	22W
Trib. to McCafferty Hollow	Christian	1.0	NE	NE	SW	22	27N	22W	NE	SW	NW	27	27N	22W
Spout Spring Hollow	Christian	1.0	NE	NW	NW	20	27N	21W	NW	NE	NW	29	27N	21W
Spout Spring Hollow	Christian	0.5	NE	SE	SE	12	27N	22W	SW	NE	NW	18	27N	21W
Trib. to Spout Spring Hollow	Christian	0.5	SE	SW	NE	13	27N	22W	SE	NE	SW	18	27N	21W
Trib. to Spout Spring Hollow	Christian	0.5	SW	NE	SE	07	27N	21W	SE	NE	SW	18	27N	21W
Trib. to Spout Spring Hollow	Christian	0.5	NE	NW	NE	18	27N	21W	SE	NE	SE	18	27N	21W
Trib. to sink to James R.	Christian	2.0	SW	SE	NW	14	27N	22W	NE	SE	NW	02	27N	22W
Trib. to sink to James R.	Christian	1.0	SE	SE	NE	11	27N	22W	NW	SW	SE	02	27N	22W
Trib. to sink to James R.	Christian	0.5	NE	SE	SE	02	27N	22W	SW	NW	SE	02	27N	22W
Trib. to James R.	Christian	1.5	SE	NW	NW	07	27N	21W	SE	NE	NW	06	27N	21W
Trib. to James R.	Christian	3.0	NE	SE	NW	07	27N	21W	SE	SE	NW	31	28N	21W
Trib. to James R.	Christian	1.0	SE	SW	NW	08	27N	21W	NE	SE	NW	05	27N	21W
Trib. to James R.	Christian	0.5	SE	SE	NW	08	27N	21W	SW	SW	SE	05	27N	21W
Trib. to James R.	Christian	0.5	SE	SW	NE	08	27N	21W	SW	SW	SE	05	27N	21W
Trib. to James R.	Christian	1.0	NW	SE	SE	09	27N	22W	NE	SW	NW	16	27N	22W
Trib. to James R.	Christian	0.5	SE	NW	SE	09	27N	22W	SE	NE	NW	16	27N	22W
Trib. to James R.	Christian	0.5	NE	NE	SE	35	28N	22W	NW	SW	NE	35	28N	22W
Trib. to McCullah Hollow	Christian	0.5	SE	NW	SW	33	27N	24W	SE	SW	SE	34	27N	24W
Trib. to McCullah Hollow	Christian	1.5	SW	NW	SE	34	27N	24W	NE	SW	SE	34	27N	24W
Terrell Cr.	Christian	1.0	SE	SW	SE	15	27N	24W	SE	SE	SW	22	27N	24W
Terrell Cr.	Christian	1.0	NW	NE	NE	32	27N	24W	SW	NW	SE	28	27N	24W
Pedelo Cr.	Christian	0.5	NW	NW	NE	35	28N	19W	SE	NW	SW	26	28N	19W
Squaw Run Cr.	Christian	3.5	SW	SW	SW	20	27N	18W	SE	SW	NE	14	27N	19W
Trib. to Squaw Run Cr.	Christian	1.0	NW	SE	SE	19	27N	18W	NW	NE	NE	25	27N	19W
Trib. to Squaw Run Cr.	Christian	0.5	NW	NE	SW	19	27N	18W	SE	SW	SE	24	27N	19W
Trib. to Squaw Run Cr.	Christian	1.0	NE	SE	SE	13	27N	19W	SE	SE	SE	14	27N	19W
Trib. to James R.	Christian	1.0	SW	SW	SW	04	27N	22W	NE	SW	SE	32	28N	22W
Carter Hollow	Christian	0.5	NE	NE	NW	22	27N	20W	NW	NW	SW	15	27N	20W
Carter Hollow	Christian	0.5	NW	SE	SE	26	27N	20W	NE	SE	SW	26	27N	20W
Trib. to Mooney Hollow	Christian	0.5	SE	NE	NW	35	28N	20W	SE	SE	NE	34	28N	20W
Trib. to Big Hollow	Christian	1.5	SW	NE	NE	35	28N	20W	NW	SW	NE	02	27N	20W
Drainage to sinkhole	Christian	1.0	NW	SW	NE	01	27N	21W	SW	NW	NW	12	27N	21W
Trib. to Parched Corn Br.	Christian	1.0	NE	SE	NW	06	27N	20W	SE	SE	SW	06	27N	20W
Stream Name	Counties	Miles	From						To					

Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to Parched Corn Br.	Christian	0.5	SE	NE	NW	07	27N	20W	SE	SE	SW	07	27N	20W
Trib. to Parched Corn Br.	Christian	0.5	NE	SW	SE	07	27N	20W	SE	SE	SW	07	27N	20W
Trib. to Parched Corn Hollow	Christian	1.0	NW	SW	SE	04	27N	20W	NW	NW	SW	08	27N	20W
Trib. to Parched Corn Hollow	Christian	0.5	NE	SW	NW	05	27N	20W	NW	NE	NW	08	27N	20W
Trib. to Parched Corn Hollow	Christian	3.0	NE	NW	NE	33	28N	20W	SW	NE	SE	05	27N	20W
Trib. to Parched Corn Hollow	Christian	1.0	NE	SW	NW	33	28N	20W	NW	NE	SE	32	28N	20W
Trib. to Parched Corn Hollow	Christian	1.5	NW	NE	SE	31	28N	20W	NE	SE	SW	32	28N	20W
Trib. to Finley Cr.	Christian	0.5	NW	NW	SE	20	27N	20W	NW	SW	SE	17	27N	20W
Trib. to Finley Cr.	Christian	0.5	NE	SE	SE	20	27N	20W	NE	NE	SE	17	27N	20W
Trib. to Finley Cr.	Christian	1.0	NW	SW	NW	30	27N	20W	SW	NE	NW	24	27N	21W
Trib. to Finley Cr.	Christian	1.0	NW	SE	SW	19	27N	20W	NE	SE	NW	24	27N	21W
Trib. to Finley Cr.	Christian	0.5	SE	SW	SE	13	27N	21W	SW	NE	NW	24	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NE	NE	23	27N	21W	SW	NW	SE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	SE	NE	NE	27	27N	21W	SE	SE	SE	22	27N	21W
Trib. to Finley Cr.	Christian	1.0	SW	SE	SE	16	27N	21W	NW	NE	NE	28	27N	21W
Trib. to Finley Cr.	Christian	0.5	SE	NE	NE	15	27N	21W	SW	SW	NE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NW	NW	14	27N	21W	NE	SE	NW	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NE	SW	11	27N	21W	SW	NE	NE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NE	NE	SE	11	27N	21W	SW	NE	NE	14	27N	21W
Trib. to Finley Cr.	Christian	0.5	NW	NW	SE	12	27N	21W	SE	NE	NW	13	27N	21W
Trib. to Finley Cr.	Christian	0.5	NW	SE	SE	14	27N	22W	SE	NW	NW	24	27N	22W
Drainage to sinkhole	Christian	0.5	SE	SE	NW	28	27N	20W	NW	SE	SE	29	27N	20W
Drainage to sinkhole	Christian	0.5	NW	NE	NE	30	27N	20W	SW	SW	NE	30	27N	20W
Garrison Br.	Christian	0.5	SW	SE	SW	24	27N	21W	NW	SW	SW	24	27N	21W
Garrison Br.	Christian	0.2	SE	NW	SE	23	27N	21W	NE	NE	SW	23	27N	21W
Richwood Br.	Christian	0.5	NW	SW	NW	16	27N	21W	SE	NE	SE	17	27N	21W
Trib. to Richwood Br.	Christian	1.0	SW	SW	SW	10	27N	21W	SW	SW	SW	16	27N	21W
Elk Valley	Christian	5.0	SE	NW	NE	13	26N	21W	NE	SW	NW	33	27N	21W
Trib. to Elk Valley	Christian	2.5	NW	NW	NE	29	27N	20W	SW	SW	SE	35	27N	21W
Trib. to Elk Valley	Christian	0.5	NE	NW	NW	29	27N	20W	SE	SW	NW	29	27N	20W
Trib. to Elk Valley	Christian	1.0	SE	NW	SE	25	27N	21W	NE	SW	SE	36	27N	21W
Trib. to Elk Valley	Christian	0.2	SE	NE	NW	31	27N	20W	NW	NE	NW	31	27N	20W
Trib. to Elk Valley	Christian	0.5	SE	SE	SE	32	27N	21W	SE	SW	NW	33	27N	21W
Trib. to Elk Valley	Christian	1.0	SW	SE	NW	04	26N	21W	NW	NW	SE	33	27N	21W
Trib. to Elk Valley	Christian	1.0	NE	SE	NE	34	27N	21W	SE	NW	NW	03	26N	21W
Trib. to Elk Valley	Christian	0.5	NW	NW	SW	35	27N	21W	NW	SE	SE	34	27N	21W
Trib. to Elk Valley	Christian	1.0	SW	SW	SE	35	27N	21W	NE	SW	NE	03	26N	21W
Trib. to Elk Valley	Christian	0.5	SW	SE	NW	36	27N	21W	NE	SW	SW	36	27N	21W
Trib. to Elk Valley	Christian	1.0	NE	NW	NE	06	26N	20W	SW	NE	SE	36	27N	21W
Trib. to Elk Valley	Christian	2.0	SW	NE	NW	07	26N	20W	SW	SW	SE	35	27N	21W
Trib. to Elk Valley	Christian	0.5	SE	NW	SW	01	26N	21W	SW	NW	NW	01	26N	21W
Trib. to Elk Valley	Christian	1.5	NE	NE	SW	10	26N	21W	NE	SW	NE	03	26N	21W
Trib. to Elk Valley	Christian	1.5	NE	NW	NE	15	26N	21W	NE	SW	NE	03	26N	21W
Trib. to Elk Valley	Christian	0.5	NE	NE	NE	15	26N	21W	SW	SE	SE	10	26N	21W
Trib. to Elk Valley	Christian	1.0	NW	SW	NW	14	26N	21W	SW	NW	SE	11	26N	21W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From	To	
Trib. to Elk Valley	Christian	0.5	SE SE NW 14 26N 21W	SW SE SE 11 26N 21W	
Trib. to Elk Valley	Christian	0.2	NE NW SE 14 26N 21W	NW SE NE 14 26N 21W	
Trib. to Elk Valley	Christian	0.5	SW NE SE 14 26N 21W	NW NE NE 14 26N 21W	
Trib. to Elk Valley	Christian	0.5	NE NW SW 13 26N 21W	NW NW NW 13 26N 21W	
Trib. to Elk Valley	Christian	0.5	NE NE NW 13 26N 21W	NW NW NW 13 26N 21W	
Trib. to Elk Valley	Christian	0.5	SE NE SW 12 26N 21W	NW SE SE 11 26N 21W	
Trib. to Elk Valley	Christian	0.5	SW NW NW 12 26N 21W	NW SE NE 11 26N 21W	
Trib. to Elk Valley	Christian	0.5	SW NE SW 35 27N 21W	SW NW NW 02 26N 21W	
Hog Cr.	Christian	2.0	SE SW NW 22 26N 21W	SE SE NE 08 26N 21W	
Trib. to Hog Cr.	Christian	1.0	NW NE NW 15 26N 21W	SE NE NW 16 26N 21W	
Trib. to Hog Cr.	Christian	0.5	SW NE NE 22 26N 21W	NE NE NW 22 26N 21W	
Trib. to Hog Cr.	Christian	0.5	NE NE SE 15 26N 21W	SE SE SW 15 26N 21W	
Trib. to Hog Cr.	Christian	0.5	SE SW NE 15 26N 21W	NW NW SW 15 26N 21W	
Trib. to Hog Cr.	Christian	0.5	NE NE SE 09 26N 21W	SE SW SW 09 26N 21W	
Trib. to Hog Cr.	Christian	0.5	SE NE SE 09 26N 21W	NW SW SE 09 26N 21W	
Trib. to Hog Cr.	Christian	0.5	NE NE NW 21 26N 21W	NW SW NE 16 26N 21W	
Trib. to Hog Cr.	Christian	1.0	SE NE SE 17 26N 21W	SE SW SW 09 26N 21W	
Trib. to Hog Cr.	Christian	1.0	NW NE NE 09 26N 21W	NE NE NE 08 26N 21W	
Trib. to Spring Cr.	Christian	1.0	NW NE SE 31 27N 23W	SW NW SW 06 26N 23W	
Turnback Cr.	Christian	7.0	NW NE SW 20 27N 24W	NW NE NE 25 28N 25W	
Woods Fk.	Christian	2.0	SW NE NW 30 26N 21W	SE SE NW 32 26N 21W	
Trib. to Clarks Fk.	Cooper	1.5	NW SW NW 24 47N 16W	NW NW SW 14 47N 16W	
Cherry Valley	Crawford	8.0	NE SW SW 08 36N 03W	NE SE SE 03 37N 03W	
Trib. to Cherry Valley	Crawford	2.0	NE NE NE 13 36N 04W	NE SW NW 05 36N 03W	
Trib. to Yadkin Cr.	Crawford	4.0	SE NW SE 24 37N 05W	SW NE NW 05 37N 04W	
Whittenburg Cr.	Crawford	4.0	SE SE NE 34 37N 04W	SE SE NW 11 37N 04W	
Black Jack Cr.	Crawford	2.5	NW SE NW 25 37N 04W	NE NE NW 28 37N 03W	
Black Jack Cr.	Crawford	2.0	NW SE SW 35 37N 04W	NE SW NE 30 37N 03W	
Dry Cr.	Crawford	11.5	NW NW NW 14 35N 03W	NE NE SW 14 37N 03W	
Sinking Cr.	Dade	2.5	SW NW NE 12 30N 26W	NE SW NE 10 30N 26W	
Fourmile Cr.	Dallas	0.5	NE NE 05 33N 18W	NE NE SW 32 34N 18W	
Rocky Pond Hollow	Dent	3.0	NE NW SE 22 34N 06W	SW SW SE 08 34N 06W	
Trib. to Simmons Br.	Dent	1.0	SW NE NE 22 34N 05W	NW NE NW 14 34N 05W	
Trib. to Spring Cr.	Dent	1.0	SE SW NW 23 34N 06W	SW SE NE 14 34N 06W	
Hyer Br.	Dent	1.0	SE SE NW 20 35N 07W	NE NE SW 17 35N 07W	
Gladden Cr.	Dent	Shannon	11.0	SE NE SW 05 32N 05W	SE SW SW 13 31N 06W
Dry Valley Cr.	Dent		7.0	NE SW NW 23 33N 05W	NW SE SW 13 34N 05W
Standing Rock Cr.	Dent	Phelps	5.0	SW NW NE 30 33N 04W	NE NE SW 05 32N 05W
Orchard Mill Hollow	Dent		2.0	NW NW NE 32 33N 04W	SW SW NW 09 32N 04W
Black Oak Cr.	Dent		2.0	SE SW NE 10 34N 08W	SE SE NW 04 34N 08W
Hodge Cr.	Dent	Shannon	2.5	SW SW NW 09 32N 04W	SE NW NW 28 32N 04W
Pankey Br.	Dent		3.0	SW NW NW 19 32N 04W	NW SE SW 06 31N 04W
Stringer Br.	Dent	Phelps	2.0	NE NE SE 06 32N 04W	SW NW NW 19 32N 04W
Finn Br.	Dent		4.5	NE NE NE 06 35N 07W	SW NW SE 04 35N 08W
Minning Haw Hollow	Dent		1.5	NE NE SW 01 32N 04W	NW SE NE 14 32N 04W
Stream Name	Counties	Miles	From	To	

Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Barren Fk.	Dent	Shannon	9.0	SW	SE	NE	13	32N	04W	SE	SE	SE	18	31N	04W
Dry Fk.	Dent		8.0	NE	NE	NE	24	33N	07W	SW	NE	NE	14	34N	07W
Trib. to Dry Fk.	Dent		2.0	SW	NE	NW	09	33N	07W	SW	NE	NW	02	33N	07W
Pigeon Cr.	Dent		9.0	SW	NE	NW	31	33N	07W	SE	SE	NE	22	32N	07W
Rocky Pond Hollow	Dent		2.0	SW	NE	NE	21	34N	06W	SW	SW	SE	08	34N	06W
Norman Cr.	Dent	Phelps	15.0	NW	SW	NE	07	35N	05W	SE	NW	SW	16	37N	06W
Dry Br.	Dent		3.0	NW	SW	SW	07	33N	03W	NW	SW	SW	09	33N	04W
Trib. to Dry Br.	Dent		3.5	SW	NE	SW	18	33N	03W	NE	NW	NE	16	33N	04W
Meramec R.	Dent		8.0	NW	NW	NW	34	33N	04W	NE	SW	SE	19	34N	04W
Stone Hill Br.	Dent		4.0	NW	NW	NW	31	34N	03W	NE	NE	NW	04	33N	04W
Horse Cr.	Dent		5.0	NW	SE	SW	32	35N	07W	NE	NE	NW	22	35N	08W
Dry Fk.	Dent	Phelps	19.0	SW	SE	SE	19	35N	06W	NE	SW	SW	13	37N	07W
Big Cr.	Dent	Reynolds	2.5	SE	SE	NE	24	32N	03W	SW	SE	SE	31	32N	02W
L. Sinking Cr.	Dent		2.0	NE	SW	NE	24	32N	03W	SW	NW	NE	26	32N	03W
Gorden Hollow	Dent		2.0	NW	SE	NE	13	32N	03W	NE	SE	SW	11	32N	03W
Roney Hollow	Dent		2.0	SE	SE	SE	13	32N	03W	SW	NE	SW	14	32N	03W
Prairie Cr.	Douglas		2.5	SW	NW	SE	16	26N	16W	SE	SW	SW	18	26N	16W
Bryant Cr.	Douglas		8.0	SE	SW	NE	23	27N	15W	SW	SW	SW	21	26N	14W
Browning Hollow	Douglas	Ozark	2.5	SW	NE	NW	27	25N	14W	NE	NE	SE	01	24N	14W
Clifty Cr.	Douglas		5.5	NW	NE	SE	28	27N	12W	SE	NE	SE	14	26N	12W
Brush Cr.	Douglas		4.0	NE	NW	SE	21	26N	12W	NW	NW	SE	36	26N	13W
Smith Hollow	Douglas	Ozark	4.0	SE	NW	NE	31	25N	14W	SE	NE	SE	02	24N	14W
Spring Cr.	Douglas	Ozark	12.0	NE	SW	SW	22	25N	15W	SE	SW	NW	05	24N	13W
Trib. to Prairie Cr.	Douglas		0.8	NE	NW	NE	21	26N	16W	NW	SE	SW	16	26N	16W
Dry Cr. and trib.	Franklin		1.0	NE	SW	NE	08	41N	01W	SW	NW	NW	05	41N	01W
Dry Cr.	Franklin		1.5	NE	NE	NW	05	41N	01W	SE	SE	SW	30	42N	01W
Trib. to Dry Cr.	Franklin		3.5	SW	NW	NW	33	42N	01W	SE	SE	SW	30	42N	01W
Trib. to Boone Cr.	Franklin		2.0	NE	NW	NW	12	40N	03W	NW	NE	NW	15	40N	03W
Lollar Br.	Franklin		1.0	SE	SW	SE	23	41N	02W	NE	NE	SE	22	41N	02W
Trib. to Bourbeuse R.	Franklin		0.8	SW	SW	SW	04	42N	01E	NW	NE	NE	09	42N	01E
Iron Hollow	Franklin		2.0	NE	NW	NW	25	41N	02W	SE	NE	NW	31	41N	01W
Trib. to Fiddle Cr.	Franklin		1.0	NE	NW	NW	25	44N	02E	NW	NW	SW	23	44N	02E
Winsel Cr.	Franklin		7.0	SW	NE	SW	08	40N	02W	SW	SE	SW	18	41N	02W
Pickrel Cr.	Greene		4.0	NE	NW	SE	28	28N	24W	NW	NW	NW	11	28N	24W
Pickrel Cr.	Greene		4.0	SW	SW	SW	02	28N	24W	NW	NW	NE	22	29N	24W
Trib. to Pickrel Cr.	Greene		2.0	NE	SE	SE	29	29N	24W	NW	NE	NW	22	29N	24W
Trib. to Pearson Cr.	Greene		0.5	SE	NW	NE	34	29N	21W	SE	NW	NE	35	29N	21W
Asher Cr.	Greene		0.5	SE	SE	SW	14	30N	23W	NE	SW	NW	14	30N	23W
Broad Cr.	Greene		2.0	NW	NW	SW	03	29N	20W	NE	NE	NW	15	29N	20W
Trib. to L. Sac R.	Greene		0.5	NW	NW	SW	30	30N	22W	NE	NW	NE	30	30N	22W
Pond Cr.	Greene		2.0	NW	SW	NE	35	29N	23W	NE	NE	NE	04	28N	23W
Pond Cr.	Greene		1.5	SE	SW	SW	30	29N	23W	NW	SW	SW	24	29N	24W
Davis Cr.	Greene		0.7	NW	SW	NE	12	29N	20W	NE	NW	NE	13	29N	20W
Wilson Cr.	Greene		3.5	NE	NW	NE	29	29N	22W	SE	SW	NE	07	28N	22W
Trib. to Wilson Cr.	Greene		3.0	SE	SE	SE	03	28N	22W	SE	NE	NE	07	28N	22W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Sugar Cr.	Greene	1.5	NE	SW	SW	26	31N	24W	SW	NW	SW	02	30N	24W
Rainer Br.	Greene	2.0			SW	02	29N	23W	NE	SE	SE	35	30N	23W
Mt. Pleasant Br.	Greene	2.0	NE	NE	NW	26	30N	23W	SW	SE	SE	21	30N	23W
S. Dry Sac R.	Greene	6.0		NE	NE	03	29N	21W	NE	NE	NE	03	29N	22W
Sac R.	Greene	5.0	SE	SW	SE	22	29N	23W	NW	SW	SW	24	29N	24W
Dry Br.	Greene	5.0	NW	NW	SE	18	28N	23W	NW	SE	SW	26	29N	24W
Trib. to Turkey Cr.	Greene	0.2	NW	NE	NE	15	31N	24W	SW	NE	SE	10	31N	24W
Trib. to Sac R.	Greene	2.0			SW	02	29N	24W	SW	NW	SE	09	29N	24W
Shuyler Cr.	Greene	2.5	NW	NE	NW	27	28N	23W	SW	NE	SW	26	28N	23W
Shuyler Cr.	Greene	1.0	SE	SE	SE	19	28N	23W	NW	SE	NW	28	28N	23W
Trib. to Shuyler Cr.	Greene	1.0	NE	NE	NE	21	28N	23W	SW	SW	SE	22	28N	23W
Trib. to Shuyler Cr.	Greene	1.0	NW	NW	SW	16	28N	23W	NW	NE	SW	22	28N	23W
Trib. to Shuyler Cr.	Greene	0.5	NE	NE	NW	22	28N	23W	SE	NE	SW	22	28N	23W
McElhaney Br.	Greene	2.0	SE	SW	NW	11	28N	23W	SE	NE	SE	23	28N	23W
Trib. to Wilson Cr.	Greene	1.0	SE	NW	SW	12	28N	23W	NW	SE	NE	13	28N	23W
Trib. to Wilson Cr.	Greene	1.0	SE	SW	SW	30	28N	22W	SE	SW	SW	25	28N	23W
Trib. to Hunt Br.	Greene	0.5	NW	NW	NW	23	28N	21W	SW	SE	NE	22	28N	21W
Trib. to Hunt Br.	Greene	0.5	NW	SW	SE	13	28N	21W	NW	SE	NW	24	28N	21W
Trib. to Hunt Br.	Greene	0.5	NW	SW	SE	24	28N	21W	NW	NW	SW	24	28N	21W
Trib. to Hunt Br.	Greene	1.5	SW	NE	NW	30	28N	20W	SW	SW	NW	25	28N	21W
Trib. to Hunt Br.	Greene	1.5	SE	NW	SE	30	28N	20W	NW	SE	SW	25	28N	21W
Unnamed perched stream	Greene	0.5	NW	NW	NE	19	28N	20W	NE	NW	SE	18	28N	20W
Parched Corn Hollow	Greene	3.0	NE	SE	SW	27	28N	20W	NW	NW	SW	08	27N	20W
Pearson Cr.	Greene	1.0	SE	NW	SW	23	29N	21W	SE	SE	NW	26	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NW	SE	NW	24	29N	21W	NE	NE	NW	26	29N	21W
Trib. to Pearson Cr.	Greene	0.5	NW	SE	NE	23	29N	21W	SE	SW	NW	23	29N	21W
Trib. to Pearson Cr.	Greene	1.0	SE	NW	NW	04	29N	20W	NE	SE	SW	05	29N	20W
Trib. to Pearson Cr.	Greene	0.2	NE	NW	NE	05	29N	20W	SW	SE	NW	05	29N	20W
Trib. to Pearson Cr.	Greene	0.2	NE	NE	SW	05	29N	20W	SE	SW	SW	05	29N	20W
Trib. to Pearson Cr.	Greene	0.5	NW	NW	NW	05	29N	20W	NE	NW	SW	05	29N	20W
Trib. to Pearson Cr.	Greene	1.0	NE	SE	NE	07	29N	20W	SW	SW	NW	09	29N	20W
Trib. to Pearson Cr.	Greene	0.5	NW	SE	SE	08	29N	20W	SE	SE	NW	08	29N	20W
Trib. to Pearson Cr.	Greene	0.5	SE	SE	SW	08	29N	20W	NW	SW	NW	08	29N	20W
Trib. to Pearson Cr.	Greene	1.5	SW	NW	SE	01	29N	21W	SW	SW	NE	07	29N	20W
Trib. to Pearson Cr.	Greene	0.5	NE	SE	NE	12	29N	21W	SE	SW	SE	12	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NW	NW	NW	12	29N	21W	NW	NW	NE	13	29N	21W
Trib. to Pearson Cr.	Greene	2.5	NW	SE	SE	02	29N	21W	SE	SE	SW	14	29N	21W
Trib. to Pearson Cr.	Greene	0.5	SE	NW	SE	10	29N	21W	NE	NE	NE	15	29N	21W
Trib. to Pearson Cr.	Greene	0.5	SE	NE	NW	15	29N	21W	NW	NW	NW	14	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NW	NE	SW	15	29N	21W	NE	NE	NE	22	29N	21W
Trib. to Pearson Cr.	Greene	1.0	NE	SW	SW	15	29N	21W	NW	SW	NW	23	29N	21W
Turner Cr.	Greene	4.0	SE	NE	NE	14	28N	20W	NE	SE	NW	33	29N	20W
Trib. to Turner Cr.	Greene	1.0	SW	SW	NE	04	28N	20W	SW	SE	NW	33	29N	20W
Trib. to Turner Cr.	Greene	1.0	NE	NW	NW	07	28N	20W	NW	SW	NW	01	28N	21W
Big Hollow	Greene	0.5	SW	NE	NW	12	28N	21W	SW	NW	SW	12	28N	21W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--

Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to James R.	Greene	5.0	SW	SE	SW	10	28N	20W	SW	NE	SW	11	28N	21W
Trib. to James R.	Greene	0.5	NE	NE	SW	15	28N	20W	NW	NE	NE	16	28N	20W
Trib. to James R.	Greene	1.0	NE	SW	NE	19	29N	20W	NW	SE	SW	20	29N	20W
Trib. to James R.	Greene	2.0	NE	SW	NW	04	28N	20W	SE	NE	SE	31	29N	20W
Trib. to James R.	Greene	1.0	NE	NE	NW	08	28N	20W	NW	SE	SE	31	29N	20W
Trib. to James R.	Greene	1.0	SW	NE	SE	20	28N	20W	NE	NE	SW	17	28N	20W
Trib. to James R.	Greene	0.7	NE	SW	NE	21	28N	22W	SE	NE	NW	27	28N	22W
Trib. to James R.	Greene	1.0	NW	NE	SW	20	28N	22W	NE	SE	SE	29	28N	22W
Trib. to James R.	Greene	1.0	NE	NW	NW	13	28N	21W	SW	NW	SW	11	28N	21W
Trib. to James R.	Greene	0.5	NW	NE	NE	17	28N	20W	NW	NE	SW	16	28N	20W
Trib. to James R.	Greene	0.5	SE	SW	SE	09	28N	21W	NE	NE	SE	16	28N	21W
Trib. to James R.	Greene	0.5	NW	SW	NW	10	28N	21W	NW	SW	SE	10	28N	21W
Trib. to James R.	Greene	1.0	NW	NW	SW	03	28N	21W	SE	SW	NE	10	28N	21W
Trib. to James R.	Greene	0.5	SW	SW	SE	03	28N	21W	SE	SW	NE	10	28N	21W
Trib. to James R.	Greene	1.5	SW	NE	NW	03	28N	21W	NE	NE	NE	10	28N	21W
Trib. to James R.	Greene	1.5	SE	SW	SW	28	29N	21W	SE	NE	NW	09	28N	21W
Trib. to James R.	Greene	0.5	NW	SE	NE	04	28N	21W	NW	NE	SW	04	28N	21W
Trib. to James R.	Greene	0.5	NE	NW	NE	05	28N	21W	NE	SW	NW	04	28N	21W
Trib. to James R.	Greene	1.5	SW	SE	SW	16	28N	22W	NW	NE	SW	28	28N	22W
Trib. to James R.	Greene	1.5	SE	NW	SE	17	28N	22W	NW	SW	SW	21	28N	22W
Trib. to James R.	Greene	0.5	NE	SW	SW	20	28N	22W	SE	NE	NW	29	28N	22W
Trib. to James R.	Greene	0.5	SE	SE	NW	29	28N	22W	NE	NE	SE	29	28N	22W
Trib. to James R.	Greene	0.5	NW	NE	SW	29	28N	22W	NE	NE	SE	29	28N	22W
Trib. to James R.	Greene	0.2	NW	SE	SW	24	28N	22W	SW	NE	NW	25	28N	22W
Trib. to Jones Br.	Greene	0.5	NW	NW	NW	27	29N	21W	SW	NW	NE	27	29N	21W
Trib. to Jones Br.	Greene	0.5	SW	NE	SW	22	29N	21W	SW	SW	NE	27	29N	21W
Ward Br.	Greene	2.0	SE	NW	NW	08	28N	21W	NW	SW	SW	13	28N	22W
Ward Br.	Greene	2.0	SW	NE	SW	23	28N	22W	SE	NW	NW	27	28N	22W
Trib. to Ward Br.	Greene	0.5	SE	NW	NE	12	28N	22W	NW	SE	SE	12	28N	22W
Trib. to Ward Br.	Greene	1.5	NW	NE	NW	12	28N	22W	NW	SW	SW	13	28N	22W
Trib. to Ward Br.	Greene	1.5	NE	NE	NW	16	28N	22W	NE	SE	SW	22	28N	22W
Workman Br.	Greene	0.5	SW	NE	SW	11	28N	22W	SW	SW	NW	14	28N	22W
Trib. to Workman Br.	Greene	1.0	NW	NE	SE	10	28N	22W	NE	NE	SE	15	28N	22W
South Cr.	Greene	2.5		NW	SE	31	29N	21W	NE	NE	NE	03	28N	22W
Jordan Cr.	Greene	2.0	NW	SE	NW	17	29N	21W	NW	NE	NW	24	29N	22W
Trib. to Jordan Cr.	Greene	2.0	NW	SW	SE	08	29N	21W	NW	NE	NW	24	29N	22W
Fassnight Cr.	Greene	2.0		NW	SE	30	29N	21W	NE	SE	NE	26	29N	22W
Wilson Cr.	Greene	2.5	NE	SE	SW	09	29N	22W	NW	SE	SE	20	29N	22W
Wilson Cr.	Greene	1.0	SW	SE	NE	07	28N	22W	SE	NE	NW	18	28N	22W
Trib. to Wilson Cr.	Greene	1.5	SW	NE	SW	15	29N	22W	SE	NW	SW	21	29N	22W
Trib. to Wilson Cr.	Greene	1.5	SW	NW	SE	18	29N	22W	NW	NE	NE	20	29N	22W
Trib. to Wilson Cr.	Greene	1.0	SE	NW	NW	17	29N	22W	NE	NE	NW	20	29N	22W
Trib. to Wilson Cr.	Greene	1.5	NE	NW	NE	19	29N	22W	NE	NW	NW	20	29N	22W
Trib. to Wilson Cr.	Greene	0.5	NW	NW	SW	20	29N	22W	NE	NE	NW	29	29N	22W
Trib. to Wilson Cr.	Greene	0.5	SW	SW	NE	30	29N	22W	NW	SW	SW	29	29N	22W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to Wilson Cr.	Greene	1.0	SW	SW	SW	28	29N	22W	SW	NW	SW	29	29N	22W
Trib. to Wilson Cr.	Greene	0.5	NE	SW	NE	32	29N	22W	NE	NE	SE	31	29N	22W
Trib. to Wilson Cr.	Greene	0.5	SE	NW	NW	10	28N	22W	SE	SW	SW	03	28N	22W
Trib. to Wilson Cr.	Greene	0.5	SW	SE	NE	17	28N	22W	NW	NW	NE	17	28N	22W
Trib. to Wilson Cr.	Greene	2.0	SW	SW	SE	09	28N	22W	NE	NW	SE	07	28N	22W
Trib. to Wilson Cr.	Greene	1.0	NW	SW	SE	17	28N	22W	NE	NW	NE	18	28N	22W
Trib. to Wilson Cr.	Greene	1.0	SE	NE	NE	01	28N	23W	SW	NW	SE	06	28N	22W
Trib. to Wilson Cr.	Greene	1.0	NE	NW	SE	36	29N	23W	SE	SW	SE	31	29N	22W
Trib. to Wilson Cr.	Greene	1.5	NE	SW	SE	13	29N	23W	NW	NW	NW	30	29N	22W
Trib. to Wilson Cr.	Greene	0.3	SW	NE	SW	19	29N	22W	NE	NW	NW	30	29N	22W
Trib. to Wilson Cr.	Greene	1.9	NE	NE	NE	20	29N	22W	SW	SW	SW	21	29N	22W
Mooney Hollow	Greene	3.5	SW	SW	NE	26	28N	20W	SE	NW	NW	04	27N	20W
Drainage to sinkhole	Greene	1.0	NW	NE	NE	27	28N	20W	NW	SW	NW	27	28N	20W
Drainage to sinkhole	Greene	2.0	SW	NW	SE	23	28N	20W	SE	NW	SW	22	28N	20W
Sawyer Cr.	Greene	1.0	SE	SE	SE	01	28N	20W	NE	SW	SE	36	29N	20W
Trib. to Broad Cr.	Greene	1.0			SW	02	29N	20W	SW	NW	SE	10	29N	20W
Trib. to Broad Cr.	Greene	0.5	NW	SW	NW	11	29N	20W	SW	NW	SE	10	29N	20W
Trib. to Broad Cr.	Greene	0.5	NE	NE	NE	09	29N	20W	SW	SW	NW	10	29N	20W
Davis Cr.	Greene	0.5			NE	02	29N	20W			SE	02	29N	20W
Hunt Br. and Farmer Br.	Greene	5.0	NE	NE	SE	23	28N	21W		SW	SE	30	28N	21W
Trib. to Farmer Br.	Greene	1.0	NW	NW	SE	26	28N	21W	NW	SW	SE	27	28N	21W
Spring Cr. and trib.	Greene	2.0	NW	SW	NE	17	30N	20W	SW	NW	SE	05	30N	20W
Trib. to Little Cr.	Howell	2.0		NW	NE	04	25N	08W	SW	NE	NE	10	25N	08W
Horton Hollow	Howell	2.0	NW	SW	NE	05	25N	10W	SW	NE	SW	18	25N	10W
Moss Hollow	Howell	4.0	NE	SE	NW	34	26N	10W	SW	SE	SE	18	25N	10W
Lee Hollow	Howell	6.0	SW	SE	NW	35	27N	07W	NW	SW	NW	34	26N	07W
Kenaga Hollow	Howell	8.0	NE	SE	NW	28	27N	07W	SE	NW	NE	33	26N	07W
Middle Fk.	Howell	10.0	NW	NW	SW	35	25N	07W	NW	NW	NE	05	24N	05W
Jam Up Cr.	Howell	5.0	SW	NE	SE	22	27N	07W	NW	SE	SE	04	27N	06W
Crooked Br.	Howell	5.0	NW	SW	SE	21	24N	10W	SE	NW	SE	22	24N	11W
Spring Cr.	Howell	10.5	NW	NW	NW	06	23N	09W	SW	SW	SW	15	23N	11W
Tabor Cr.	Howell	5.0	NW	SE	SW	19	24N	09W	SE	SW	SW	34	24N	10W
Tabor Cr.	Howell	10.0	SE	NE	NW	34	25N	09W	SE	NE	SW	35	25N	11W
Trib. to Tabor Cr.	Howell	2.0	NW	SE	NE	35	25N	10W	NE	NW	SW	11	24N	10W
Davis Cr.	Howell	2.0	NE	NE	SW	19	23N	09W	NE	NW	SW	14	23N	10W
Kenyon Hollow	Howell	2.5	SW	SE	NW	02	25N	10W	NE	NE	NE	21	25N	10W
Elk Cr.	Howell	4.0	SW	SE	SE	24	24N	07W	SE	NE	NW	08	23N	06W
Big Greasy Cr.	Howell	3.0	SW	NE	SW	28	24N	07W	NW	NW	NW	02	23N	07W
Spring Cr.	Howell	5.0			NW	23	24N	09W	NW	NW	NW	06	23N	09W
Trib. to Spring Cr.	Howell	4.0	SW	SE	NW	02	23N	09W	SW	NW	SW	32	24N	09W
Mustion Cr.	Howell	3.5	NE	NE	SE	32	24N	08W	SW	NW	SE	36	24N	08W
Mustion Cr.	Howell	2.0	NW	NE	SE	36	24N	09W	NW	SE	NE	32	24N	08W
Chapin Br.	Howell	3.0	SW	NW	NW	14	23N	08W	NE	NW	SE	06	23N	07W
L. Greasy Cr.	Howell	5.0		SE	NE	13	24N	08W	NW	SW	SE	05	23N	07W
Bay Cr.	Howell	2.5	NE	SW	NE	32	22N	09W	SE	SW	NW	10	21N	09W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--

Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Myatt Cr.	Howell	13.0	SW	SE	NW	14	23N	08W	SE	SE	NW	33	22N	07W
Bennetts R.	Howell	6.0		NE	SW	01	22N	10W	NE	NW	NE	02	21N	10W
Ray Br.	Howell	2.5	NE	SW	SW	32	22N	09W	SE	SW	NE	02	21N	10W
N. Fk. Dry Cr.	Howell	3.5	NE	NE	NE	30	26N	09W	NW	NW	NW	18	25N	09W
Dry Cr.	Howell	6.0	NW	NE	SE	20	26N	09W	NW	NW	NW	18	25N	09W
Lost Camp Cr.	Howell	12.0	SW	SW	SE	08	26N	09W	SE	NW	SE	24	26N	08W
Trib. to Lost Camp Cr.	Howell	6.0	NW	NE	NW	28	26N	09W	NE	NW	SE	20	26N	08W
Eleven Point R.	Howell	32.0	NW	SE	SW	29	27N	09W	SW	SE	SE	31	25N	05W
Trib. to Eleven Point R.	Howell	2.5	SE	SW	SW	36	27N	08W	SE	NW	NW	13	26N	08W
Gunters Valley	Howell	8.0	SW	SW	NW	03	24N	08W	NE	NE	SE	34	25N	07W
Little Cr.	Howell	9.0	NW	SW	SW	16	25N	08W	SE	NW	SW	02	25N	07W
Dry Cr.	Howell	8.0	NW	NW	NW	18	25N	09W	SW	SE	SW	23	25N	11W
Trib. to Dry Cr.	Howell	7.0	NW	NE	SW	14	25N	09W	SW	NE	NW	23	25N	10W
Howell Cr.	Howell	16.0	NE	SW	NW	35	25N	09W	NE	NE	NE	12	23N	07W
Spradlin Cr.	Howell	3.0	NE	NW	NW	10	24N	08W	SE	NE	SW	26	24N	08W
Galloway Cr. and trib.	Howell	0.5		SW	SW	04	24N	08W		SW	NE	08	24N	08W
Trib. to Lost Camp Cr.	Howell	12.8	SW	SW	SE	27	26N	09W	SE	SW	SW	19	26N	07W
Trib. to Blue Br.	Jackson	0.2	SE	SE	SW	28	49N	30W	SE	SE	SW	28	49N	30W
Short Cr.	Jasper	1.5	NE	NW	NE	12	27N	34W	NE	NE	SW	02	27N	34W
Spring Br.	Jasper	3.0	NE	NE	SW	18	27N	33W	SE	SE	SW	02	27N	34W
Fidelity Br.	Jasper	1.5	NW	SE	SW	15	27N	31W	NE	NW	NE	03	27N	31W
Fidelity Br.	Jasper	2.5	NW	SE	NW	22	27N	31W	SE	NE	NE	09	27N	31W
Grove Cr.	Jasper	1.0	SW	SW	NE	11	27N	32W	NW	SE	NW	01	27N	32W
Trib. to Jenkins Cr.	Jasper	1.0	SW	SW	SW	05	27N	30W	NW	SE	SE	07	27N	30W
Trib. to Center Cr.	Jasper	2.0	SE	NW	SW	09	27N	31W	NE	NW	SW	33	28N	31W
Trib. to Center Cr.	Jasper	2.5	SE	SW	NW	23	28N	33W	SW	SW	NE	09	28N	33W
Buck Cr.	Jefferson	1.5	SE	NE	SE	27	40N	05E	NE	NE	NW	23	40N	05E
Williams Cr.	Jefferson	3.0		NW	NE	14	43N	04E	NE	NE	NE	36	44N	04E
L. Antire Cr.	Jefferson	1.0	NW	NE	NW	14	43N	04E	SE	SW	NW	11	43N	04E
Glaize Cr.	Jefferson	5.0	NE	NW	SW	32	42N	05E	NW	SW	NW	23	42N	05E
Bear Cr.	Jefferson	2.0	SE	SE	SW	25	43N	04E	NW	SE	SW	34	43N	04E
Rock Cr.	Jefferson	1.2	NE	NW	NW	32	43N	05E	NW	NW	NE	33	43N	05E
Romaine Cr.	Jefferson	2.0	SE	NW	NE	29	43N	05E	SE	NE	SE	16	43N	05E
Heads Cr.	Jefferson	5.0	SW	SW	NE	36	42N	04E	NW	NW	SW	03	42N	04E
Trib. to Heads Cr.	Jefferson	1.0	NE	NW	SW	02	42N	04E	NE	SE	SW	03	42N	04E
Trib. to Heads Cr.	Jefferson	0.5	SE	SE	SW	18	42N	05E	NE	NW	SW	18	42N	05E
Trib. to Heads Cr.	Jefferson	1.5		SW	SW	35	43N	04E	NE	NE	NE	04	42N	04E
McMullen Br.	Jefferson	1.5		SE	SE	28	39N	05E	NW	NW	SE	21	39N	05E
Murril Br.	Jefferson	0.5	NE	NE	SW	15	40N	04E	SE	SW	SE	15	40N	04E
Moss Hollow	Jefferson	2.0	SW	NW	NE	05	41N	05E			SE	34	42N	05E
Trib. to Moss Hollow	Jefferson	0.5	NE	SE	NW	33	42N	05E	SE	NW	SE	33	42N	05E
Trib. to Moss Hollow	Jefferson	1.0	SE	NE	NE	04	41N	05E			SE	34	42N	05E
Trib. to Moss Hollow	Jefferson	0.5	SW	NE	NE	03	41N	05E			SE	34	42N	05E
Trib. to Sandy Cr.	Jefferson	1.0			NE	08	41N	05E			NE	09	41N	05E
Trib. to Sandy Cr.	Jefferson	1.0	NE	SE	SW	05	41N	05E	NW	SE	SW	04	41N	05E

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Trib. to Sandy Cr.	Jefferson	0.5	NW	NW	SE	05	41N	05E	SE	NE	SE	05	41N	05E	
Trib. to Sandy Cr.	Jefferson	1.0			NW	09	41N	05E			NW	10	41N	05E	
Trib. to Mississippi R.	Jefferson	1.5	SW	NE	NE	11	41N	05E	NE	NW	NW	07	41N	06E	
Trib. to Mississippi R.	Jefferson	0.5			NE	12	41N	05E	SE	NE	SW	07	41N	06E	
Williams Cr.	Jefferson	3.5	St. Louis	SE	NE	NE	11	43N	04E	SW	SE	SE	24	44N	04E
Prairie Hollow	Jefferson	2.5	SE	SE	SE	34	43N	05E	NW	NE	NE	13	42N	05E	
Dulin Cr.	Jefferson	1.0	NE	NW	SW	09	42N	04E	SW	NW	SW	04	42N	04E	
Bourne Cr.	Jefferson	2.0	NE	NW	SW	15	42N	04E	NE	SE	NE	04	42N	04E	
Trib. to Meramec R.	Jefferson	1.0	NE	NW	NW	27	43N	05E	SE	SE	NE	22	43N	05E	
Trib. to Hocum Hollow	Jefferson	1.5	SW	NW	NW	33	40N	06E			NE	31	40N	06E	
Isum Cr.	Jefferson	1.0		SW	NE	29	42N	04E	SE	SW	NE	30	42N	04E	
Scullbones Cr.	Jefferson	1.0	NE	NE	SW	35	42N	03E	SE	SW	SE	26	42N	03E	
Glaize Cr.	Jefferson	2.5	SW	NW	NW	28	42N	05E	NW	SW	NW	23	42N	05E	
Trib. to Glaize Cr.	Jefferson	1.5	NW	SE	NW	29	42N	05E	NE	NW	NE	20	42N	05E	
Trib. to Glaize Cr.	Jefferson	1.5	SE	NE	SE	18	42N	05E			NW	21	42N	05E	
Trib. to Glaize Cr.	Jefferson	0.2	SE	SW	SW	17	42N	05E	SE	SE	SW	17	42N	05E	
Trib. to Glaize Cr.	Jefferson	0.5	NE	NW	NW	20	42N	05E	NW	NW	NE	20	42N	05E	
Trib. to Glaize Cr.	Jefferson	0.5	NE	NE	NE	30	42N	05E	SW	NE	SW	20	42N	05E	
Trib. to Glaize Cr.	Jefferson	1.5	SW	NE	NE	16	42N	05E	NW	SE	NW	23	42N	05E	
Trib. to Black Cr.	Jefferson	0.5		NE	SW	07	42N	06E		NE	SE	07	42N	06E	
Hocum Hollow	Jefferson	1.0	SE	SE	SE	04	39N	06E	NW	SE	NW	04	39N	06E	
L. Antire Cr.	Jefferson	3.0	NW	NE	NW	14	43N	04E	NW	SW	SE	34	44N	04E	
Trib. to Meramec R.	Jefferson	0.5	SE	NE	SW	22	43N	05E	SE	SE	NE	22	43N	05E	
Haverstick Cr.	Jefferson	1.0		NW	SE	05	39N	05E	NW	NE	NE	05	39N	05E	
Antire Cr.	Jefferson	2.0	NW	NW	NW	23	43N	04E	NE	NW	SW	10	43N	04E	
N. Cobb Cr.	Laclede	6.0			SE	18	34N	15W	SE	SW	NE	02	33N	15W	
Bennett Spring Cr.	Laclede	Dallas	10.8	NE	NE	NE	34	34N	17W	SE	NE	NE	01	34N	18W
Woodward Hollow	Laclede	6.8	SW	SE	NW	11	34N	17W	NW	SW	NW	06	34N	17W	
Dousinbury Cr.	Laclede	Dallas	3.1	SE	SW	SE	08	33N	17W	SW	NW	SE	12	33N	18W
Trib. to Dousinbury Cr.	Laclede	Dallas	2.0	NE	SE	NE	18	33N	17W	SW	NW	SE	12	33N	18W
Pig Pen Hollow	Laclede	1.0	NE	SW	SE	04	34N	15W	SW	SW	SW	03	34N	15W	
Trib. to N. Cobb Cr.	Laclede	2.5	NW	NW	NE	26	34N	16W	NE	SW	SW	20	34N	15W	
Mountain Cr.	Laclede	7.6	NE	NE	NW	31	35N	16W	SW	SE	SW	04	35N	17W	
Mill Cr.	Laclede	3.0	SW	SW	SW	09	34N	15W	SW	NW	SE	02	34N	15W	
Dog Wood Cr. and trib.	Laclede	2.5	NW	NW	SE	33	34N	17W	NE	NW	NW	21	34N	17W	
Bear Cr.	Laclede	1.5	NE	SW	NW	08	35N	14W	NE	NW	NW	04	35N	14W	
Gasconade R.	Laclede	Pulaski	26.0	NW	NW	NE	11	35N	14W	SE	SE	NE	15	36N	12W
Steins Cr.	Laclede	2.0	SW	NW	NW	02	32N	15W	SE	NE	SW	25	33N	15W	
Osage Fork	Laclede	6.0	NE	NW	SW	07	32N	15W	NE	NW	NW	33	33N	15W	
Woolsey Cr.	Laclede	Camden	10.0	SW	SE	SE	24	36N	17W	SW	NE	NE	36	37N	18W
Goodwin Hollow	Laclede	20.0	SW	SW	SW	16	34N	16W	NE	NE	SW	14	36N	16W	
Dry Auglaize Cr.	Laclede	Camden	25.0	SE	SE	SE	02	34N	16W	NE	NE	NE	13	38N	16W
Trib. to Woodward Hollow	Laclede	3.8		SE	SE	01	34N	17W	SE	NW	SE	04	34N	17W	
Stream Name	Counties	Miles	From						To						

Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Mill Cr.	Laclede	2.5	NW	NW	NW	10	34N	15W					01	34N	15W
Trib. to Spring R.	Lawrence	0.5	SE	SE	SE	05	26N	26W	NE	SE	SW	05	26N	26W	
Trib. to Clear Cr.	Lawrence	Barry	3.0	SE	NW	SE	20	26N	27W	NW	SE	NE	35	26N	28W
Pruitt Br.	Lawrence		2.5	NW	NW	SW	11	26N	28W	SW	NE	SW	26	27N	28W
Hewlett Br.	Lawrence		4.0	SW	NW	SE	18	26N	27W	SW	SW	SW	25	27N	28W
Browning Hollow	Lawrence	4.0	SE	SW	SE	34	27N	26W	SW	SW	NW	30	27N	26W	
Honey Cr.	Lawrence	9.0	NE	NE	SE	13	27N	26W	SW	NE	SW	02	27N	27W	
Trib. to Honey Cr.	Lawrence	2.0	NW	NE	SW	03	27N	26W	SW	SE	SW	16	27N	26W	
Trib. to Honey Cr.	Lawrence	1.0	NW	NW	NE	33	27N	25W	SE	NW	NE	27	27N	25W	
Trib. to Honey Cr.	Lawrence	1.5	NW	NE	NE	12	27N	26W	NE	NW	SE	13	27N	26W	
Trib. to Honey Cr.	Lawrence	2.0	NW	NE	SW	05	27N	25W	NE	NE	SE	13	27N	26W	
Trib. to Honey Cr.	Lawrence	1.0	NW	SW	NW	09	27N	25W	SE	SW	NE	17	27N	25W	
Trib. to Honey Cr.	Lawrence	1.5	SW	NE	SW	09	27N	25W	NE	NW	SE	17	27N	25W	
Dry Hollow	Lawrence	8.0	SW	SE	NW	24	27N	28W	NE	SE	SW	15	28N	28W	
Trib. to Spring R.	Lawrence	6.0	NE	SE	SE	29	27N	27W	NW	SE	SE	29	28N	27W	
Trib. to Spring R.	Lawrence	2.0	SW	SW	SW	18	26N	26W	NE	NE	NW	08	26N	26W	
Hillhouse Br.	Lawrence	3.0	NE	NE	NE	15	26N	27W	NW	NE	NE	01	26N	27W	
Douger Br.	Lawrence	2.0	NW	NE	SW	11	26N	26W	SW	NW	SW	09	26N	26W	
Goose Cr.	Lawrence	3.0	NW	NE	NW	11	27N	25W	NE	SW	NW	26	28N	25W	
Trib. to Goose Cr.	Lawrence	2.0	SW	NW	SE	02	27N	25W	NE	SW	NW	26	28N	25W	
Trib. to Stahl Cr.	Lawrence	0.8	SE	SW	SW	24	29N	27W	SE	SW	NW	25	29N	27W	
Hickory Hollow	Lawrence	2.0	SW	SE	SW	29	26N	25W	NE	SW	NW	22	26N	25W	
Hemphill Br.	Lawrence	2.0	NW	SE	NW	09	26N	25W	SW	NW	NW	22	26N	25W	
Hemphill Br.	Lawrence	2.0	NE	SE	SW	22	26N	25W	SW	SW	NE	24	26N	25W	
Hemphill Br.	Lawrence	0.5	NE	SW	SE	09	26N	25W	NE	NE	NW	16	26N	25W	
Trib. to Hemphill Br.	Lawrence	2.0	NW	NW	SE	11	26N	25W	NE	SW	NE	23	26N	25W	
Trib. to Hemphill Br.	Lawrence	1.0	SE	NE	NW	17	26N	25W	NW	SW	SE	16	26N	25W	
Trib. to Hemphill Br.	Lawrence	1.5	NW	SW	SE	10	26N	25W	NW	NE	SE	16	26N	25W	
Hickory Hollow	Lawrence	1.0	SE	SE	SE	30	26N	25W	SE	NE	NW	29	26N	25W	
Trib. to Hickory Hollow	Lawrence	0.5	SE	SW	SE	29	26N	25W	SE	SW	NE	29	26N	25W	
Trib. to Crane Cr.	Lawrence	Stone	0.5	NE	NE	SE	12	26N	25W	NW	NW	NW	18	26N	24W
Trib. to Crane Cr.	Lawrence		0.5	SE	SE	SE	11	26N	25W	SE	NW	SW	13	26N	25W
Trib. to Crane Cr.	Lawrence		0.3	NE	NW	NE	14	26N	25W	NW	SE	NE	14	26N	25W
Trib. to L. Crane Cr.	Lawrence	Barry	0.2	NW	SE	SE	27	26N	25W	SE	NE	NE	34	26N	25W
Dry Hollow	Lawrence		2.0		SE	SE	35	28N	28W		SE	SE	22	28N	28W
Bear Cr.	Mc Donald	3.0	SE	SE	SE	28	21N	30W	SW	NW	NE	35	21N	31W	
Big Sugar Cr.	Mc Donald	1.0	NE	SE	SW	01	21N	30W	SE	NE	NW	35	22N	30W	
Missouri Cr.	Mc Donald	4.0			NW	16	21N	30W	SE	NW	NW	22	21N	31W	
Yarnell Br.	Mc Donald	2.0	SE	SE	SW	28	21N	33W	NE	NE	SE	16	21N	33W	
Trib. to Elk R.	Mc Donald	1.0		NE	SW	17	21N	33W	NE	NE	NW	16	21N	33W	
Cave Spring Br.	Mc Donald	1.0			SW	15	21N	34W	NW	NE	NW	21	21N	34W	
Sugar Fk.	Mc Donald	1.5	NE	SE	SW	05	23N	32W	SE	NE	NE	01	23N	33W	
Beaver Br.	Mc Donald	1.0	SW	SW	SE	08	23N	32W	SW	SW	SW	17	23N	32W	
Beaver Br.	Mc Donald	2.5	NE	SW	SW	30	23N	32W	SE	NW	NE	12	22N	33W	
Trib. to Indian Cr.	Mc Donald	1.5			NW	09	23N	32W	SW	NE	SE	03	23N	32W	

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Dry Fk.	Maries	Gasconade	11.0 SE SE SE 25 40N 08W	SE SW NW 29 41N 06W
Klein Br.	Maries		0.8 SE SE SE 29 41N 07W	NE NW SW 33 41N 07W
Middle Indian Cr.	Newton		2.0 NW NW SW 08 24N 29W	NE NW SW 12 24N 30W
Spring Cr.	Newton		1.5 SE NE SW 04 26N 33W	NE SW SE 34 27N 33W
Buffalo Cr.	Newton		4.0 SW SE NE 16 24N 32W	NW NW NE 14 24N 33W
L. Lost Cr.	Newton		4.0 NE NW SW 31 25N 32W	SW NE NE 32 25N 33W
Fivemile Cr.	Newton		1.0 NW NE NW 34 26N 33W	NE NE NW 28 26N 33W
Unnamed trib.	Newton		3.0 NW SE SW 35 25N 33W	SE SE NE 32 25N 33W
Jones Cr.	Newton	Jasper	2.5 NE SW NE 24 27N 31W	SW NE SE 02 27N 31W
Unnamed trib.	Newton		3.0 NE SE NW 27 27N 32W	NW NW NE 31 27N 32W
Thurman Cr.	Newton		3.0 NW SE 21 27N 32W	SE SE NW 31 27N 32W
Trib. to Hickory Cr.	Newton		2.0 03 24N 32W	SW NW NE 30 25N 31W
Lost Cr.	Newton		2.0 SE NE NW 27 25N 32W	SE NE SW 20 25N 32W
Rock Br.	Newton		2.0 SW SE NE 05 26N 33W	SE SE NE 12 26N 34W
Bullskin Cr.	Newton		2.0 NE NE NW 23 24N 32W	SW SW SW 35 24N 32W
Elm Spring Br.	Newton		4.0 SE SE NW 19 24N 31W	NE NE NE 33 25N 31W
Frederick Cr.	Oregon		6.5 NE SW SW 02 22N 03W	SW NW NW 15 22N 02W
Frederick Cr.	Oregon		20.0 SE NE SW 26 24N 05W	NE SW SW 02 22N 03W
Dry Cr.	Oregon		9.0 SW SW NW 28 24N 03W	SE SW SE 01 22N 03W
School House Hollow	Oregon		3.0 SW SE SE 36 24N 02W	SW SW SW 10 23N 02W
Greenbriar Hollow	Oregon		4.0 SE NW NE 36 24N 02W	NE SE SE 32 24N 02W
Freeman Hollow	Oregon		3.0 SW NW NE 14 24N 02W	NE NW NE 32 24N 02W
Unnamed trib.	Oregon		1.5 SE NW SE 14 24N 02W	NW SW SW 22 24N 02W
Spring R.	Oregon		2.0 SW SE SE 20 22N 05W	SE SE SW 29 22N 05W
Sitton Valley	Oregon	Carter	4.0 NE SW NE 17 25N 02W	SW NE SE 04 24N 02W
Dry Prong	Oregon		2.0 SE NE NW 02 24N 02W	SW NE SE 09 24N 02W
Whites Cr.	Oregon		7.0 NE SE NE 21 25N 02W	NE SW NW 20 24N 02W
Warm Fork	Oregon		6.0 NW NW NW 07 23N 06W	NW NE SW 23 23N 06W
Watered Fork	Oregon		4.0 SE SE NW 16 24N 06W	SW SE SW 35 25N 06W
Water Br.	Oregon		2.0 NW NE SE 19 24N 06W	SW SW NE 31 24N 06W
L. Hurricane Cr.	Oregon		4.5 SW SW NE 22 24N 04W	SE SE NW 07 24N 03W
Piney Cr.	Oregon		15.0 NW SW SW 20 24N 04W	SE SW NW 03 22N 03W
English Cr.	Oregon		2.5 SW SW SW 16 22N 06W	SE SE NE 33 22N 06W
Rover Br.	Oregon		4.0 NE 27 24N 06W	SE SE SE 31 24N 06W
Bussell Br.	Oregon	Howell	5.0 NW SE 01 22N 07W	SW SW SE 20 22N 06W
Trib. to Bussell Cr.	Oregon		1.5 NW SW 05 22N 06W	NW SE SW 07 22N 06W
Unnamed trib.	Osage		3.0 SW NE SW 01 41N 11W	NE NW NW 26 42N 11W
Unnamed trib.	Osage		3.0 NW SE NE 05 41N 10W	NW NW NW 30 42N 10W
Pointers Cr.	Osage		3.0 NW SE SW 22 43N 08W	SW SW SW 31 43N 07W
Owens Cr.	Osage		2.0 NW SE SW 28 43N 08W	NW SW SE 03 42N 08W
Owens Cr.	Osage		5.0 SW NW SE 21 43N 08W	NW SW SE 03 42N 08W
Elk Cr.	Osage		4.0 NW SW SE 17 41N 07W	NW NW SE 10 41N 08W
Unnamed trib.	Ozark		3.0 SW SE SW 01 24N 15W	NE SE SW 15 24N 15W
Turkey Cr.	Ozark		11.0 SE NW SE 02 24N 15W	SW NE NE 17 23N 15W
Unnamed trib.	Ozark		3.5 SE SE NW 13 24N 15W	NW NE NE 34 24N 15W

Stream Name Counties

Miles From

To

Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Unnamed trib.	Ozark	2.5	SE	NW	SE	32	24N	14W	NW	NW	NE	35	24N	15W
South Fk.	Ozark	5.5	NE	SW	NW	28	24N	14W	SW	NW	SE	33	24N	15W
Thompson Hollow	Ozark	3.0	SE	NE	SW	01	23N	15W	SW	NE	NE	17	23N	15W
Smith Hollow	Ozark	2.0	NE	NW	SW	18	24N	14W	NE	NE	NE	17	24N	14W
Gardner Hollow	Ozark	4.0	NW	SW	SW	24	24N	14W	NE	NE	SE	01	24N	14W
Unnamed trib.	Perry	3.0	SW	NW	NW	27	34N	13E	SE	SW	NW	03	33N	13E
Trib. to Blue Spring Br.	Perry	1.0	S	NE	NE	33	36N	10E	NW	SW	SE	26	36N	10E
Bradford Br.	Phelps	2.0	SE	SE	SE	05	34N	09W	SE	NW	NE	06	34N	09W
Corn Cr.	Phelps	8.0	NE	SE	SE	02	34N	09W	NE	NE	SE	35	36N	09W
Mill Cr.	Phelps	1.5	NW	NW	NW	04	35N	09W	SE	NW	SE	29	36N	09W
Deep Hollow	Phelps	3.0	SW	NW	SE	18	35N	09W	NE	SE	NW	32	36N	09W
Unnamed trib.	Phelps	2.0	NW	NE	NW	27	37N	06W	NW	NW	SW	15	37N	06W
L. Piney Cr.	Phelps	10.0	SE	SW	SE	06	34N	08W	SW	NW	SE	04	35N	08W
Hardester Hollow	Phelps	2.0	SW	NW	SE	23	36N	10W	NE	NW	NE	18	36N	09W
Peno Cr.	Pike	1.0	SW	NW	NE	20	53N	03W	NE	NW	SW	17	53N	03W
Burchard Hollow	Pulaski	1.5	NW	NE	NE	32	36N	11W	SW	NE	NW	31	36N	11W
York Hollow	Pulaski	2.5	SW	NW	SE	08	35N	12W	SW	SW	SE	15	35N	12W
Weeks Hollow	Pulaski	3.0	SW	NW	SW	23	36N	11W	SW	SW	SW	02	36N	11W
Unnamed trib.	Pulaski	1.0	SW	NE	SW	18	36N	11W	NE	NW	SW	07	36N	11W
Collie Hollow	Pulaski	7.0	SE	NW	NE	24	35N	13W	SE	NW	SE	17	36N	12W
Sawmill Hollow	Pulaski	3.0	SE	NE	NE	29	36N	11W	SE	NE	SE	07	36N	11W
Smith Br.	Pulaski	9.0	SW	SE	NE	08	34N	11W	SE	NW	SW	07	35N	11W
Roubidoux Cr.	Pulaski	17.0	SE	NE	SW	03	34N	12W	SE	NE	SE	25	36N	12W
Unnamed trib.	Pulaski	1.0	NE	NE	NW	13	36N	12W	NE	NE	NE	12	36N	12W
Unnamed trib.	Pulaski	2.0	SE	SW	SW	23	35N	11W	NE	SE	NE	25	35N	11W
Dry Br.	Pulaski	4.0			SE	11	35N	11W			C	25	36N	11W
Weeks Hollow	Pulaski	2.0	NE	SW	SE	14	36N	11W	SW	SW	SW	02	36N	11W
Trib. to Big Piney R.	Pulaski	2.0	NW	NE	NW	34	35N	11W	NW	NW	SW	36	35N	11W
Round Pound Hollow	Pulaski	3.0	SW	SW	NE	33	36N	11W	SE	SE	NW	25	36N	11W
Gillis Hollow	Pulaski	1.0	SW	SE	NE	21	36N	11W	NE	SW	NW	15	36N	11W
Trib. to Gasconade R.	Pulaski	1.0		NE	NW	11	35N	13W	NW	SE	NE	03	35N	13W
Jug Run	Ralls	1.5	NW	SE	SW	36	55N	06W	SW	SW	SW	06	54N	05W
Unnamed trib.	Reynolds	1.0	NE	SW	SE	16	32N	01E	SE	SW	SE	20	32N	01E
Logan Cr.	Reynolds	13.0	NW	SW	SE	02	30N	02W	SW	NW	NE	32	30N	01E
Logan Cr.	Reynolds	8.0	SE	SE	NW	36	32N	02W	NE	SW	SE	02	30N	02W
W. Fk. Huzzah Cr.	Reynolds	4.0	SW	NW	SW	04	33N	03W	NE	NW	NW	22	34N	03W
Ellington Hollow	Reynolds	2.0	NE	SW	SE	05	31N	01E	NE	SE	SE	29	32N	01E
Harrison Valley	Reynolds	5.0	NE	SE	SW	03	31N	01E	NW	SW	SW	36	31N	01E
Sinking Cr.	Reynolds	14.0	NE	SE	SW	02	31N	01W	SW	SE	SW	22	30N	02E
Dry Valley	Reynolds	10.0	SE	SW	NE	17	31N	01W	NW	NW	NW	29	30N	01E
Dickens Valley	Reynolds	10.0	SE	NE	SW	29	31N	01W	SE	NE	NW	01	29N	01W
Tom's Cr.	Reynolds	5.5	NW	SE	SE	07	32N	02W	NW	NW	SE	01	32N	02W
Bee Fk.	Reynolds	6.0	NE	SW	SE	21	32N	02W	SW	SE	SE	24	32N	02W
Bee Fk.	Reynolds	2.0	NW	NE	SE	19	32N	02W	NE	SW	SE	21	32N	02W
Big Cr.	Reynolds	3.5	NW	NW	SE	19	32N	02W	SW	NE	NE	06	31N	02W
Stream Name	Counties	Miles	From						To					



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Toms Cr.	Reynolds	10	SW SW SW 18 32N 02W	NE SE SE 07 32N 02W
Smalls Cr.	Reynolds	1.5	NW SW SW 07 32N 02W	SE SE SW 06 32N 02W
Kitchell Cr.	Reynolds	2.0	SE SW SW 17 32N 02W	NE SW SW 15 32N 02W
L. Barren Cr.	Ripley	12.0	NW NW NW 30 25N 01W	SE SW NW 11 24N 01E
N. Fk. Buffalo Cr.	Ripley	5.0	SW SW NW 19 24N 01W	NW NE NE 23 24N 01W
Unnamed trib.	St. Charles	1.0	SE SE SW 01 45N 01E	SE NW NW 18 45N 02E
Callaway Fk.	St. Charles	3.5	NW SW NE 01 45N 01E	SE SE NW 21 45N 02E
Note: Three of the following four streams are located in areas covered by old French surveys where projections onto section/township/range are difficult to interpret and generally not useful for locational purposes. As an alternative the geographic coordinates are included. LA is latitude and LO is longitude. This method of listing would allow an easier comparison with topographic maps.				
Trib. to Kraut Run	St. Charles	0.5	LA 38 43 6 LO 90 46 30	LA 38 43 52 LO 90 46 30
Trib. to Dardenne Cr.	St. Charles	1.0	SE SW SE 27 46N 02E	46N 02E
Schote Cr.	St. Charles	1.0	LA 38 42 19	LO 90 45 0 LA 38 42 48 LO 90 43 51
Trib. to Schote Cr.	St. Charles	0.7	LA 38 41 56	LO 90 44 14 LA 38 42 29 LO 90 44 10
Trib. to Missouri R.	St. Charles	1.0	SW SW SE 31 46N 03E	SW NE NW 08 45N 03E
Trib. to Missouri R.	St. Charles	1.0	NE NW SW 32 46N 03E	SE SE NW 05 45N 03E
Trib. to Missouri R.	St. Charles	1.0	NE NE SW 06 45N 03E	SW NE NE 07 45N 03E
Trib. to Missouri R.	St. Charles	0.5	NE SE NW 34 46N 03E	NE NE NE 03 45N 03E
Trib. to Missouri R.	St. Charles	1.0	NW SE NW 04 45N 03E	NW SE NE 04 45N 03E
Trib. to Missouri R.	St. Charles	0.5	NE SE SE 33 46N 03E	SW NW NW 03 45N 03E
L. Femme Osage Cr.	St. Charles	0.5	NE NE SE 03 45N 02E	NW NE SW 03 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	1.0	SW NE NW 01 45N 02E	SW SW SW 06 45N 03E
Trib. to L. Femme Osage Cr.	St. Charles	0.5	NW NW NW 01 45N 02E	SE SE SE 01 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	0.5	NW SW SE 01 45N 02E	SE NW NE 12 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	1.0	SW NE SE 34 46N 02E	NE NE SE 03 45N 02E
Trib. to L. Femme Osage Cr.	St. Charles	1.5	SW SE NE 09 45N 02E	SE NE NW 11 45N 02E
Trib. to Callaway Cr.	St. Charles	1.5	SE SE NW 04 45N 02E	SE NW NW 08 45N 02E
Trib. to Callaway Cr.	St. Charles	1.5	NW SW SW 32 46N 02E	SE NW NW 08 45N 02E
Trib. to Callaway Cr.	St. Charles	1.5	NW NE NE 05 45N 02E	NW SE NW 05 45N 02E
Trib. to Big R.	St. Francois	0.2	SW SW SE 24 38N 04E	SW NE NW 25 38N 04E
Keifer Cr.	St. Louis	3.0	NE NW NW 04 44N 04E	NW SE SE 14 44N 04E
Trib. to Keifer Cr.	St. Louis	1.0	SE NE NE 05 44N 04E	NW SW NE 09 44N 04E
Fishpot Cr.	St. Louis	5.0	NW NE SW 01 45N 04E	NE NE SW 13 44N 04E
Fishpot Cr.	St. Louis	5.0	NW NE SW 01 45N 04E	NE NW NW 13 44N 04E
Trib. to Fishpot Cr.	St. Louis	2.0	NW NW SE 03 44N 04E	NW NW NW 13 44N 04E
Trib. to Wildhorse Cr.	St. Louis	0.5	SE SE SE 32 45N 03E	NW SW NE 32 45N 03E
Bonhomme Cr.	St. Louis	0.7	SE NW NE 11 44N 03E	SE SW NE 02 44N 03E
Trib. to Bonhomme Cr.	St. Louis	1.0	NW SW NW 02 44N 03E	NE SW SW 35 45N 03E
Trib. to Bonhomme Cr.	St. Louis	1.0	SE NE SE 03 44N 03E	SE SW SW 35 45N 03E
Hamilton Cr.	St. Louis	0.5	SW NW SE 10 44N 03E	NE NW NW 14 44N 03E
Hamilton Cr.	St. Louis	0.5	NE SE NW 14 44N 03E	NW SE NE 14 44N 03E
Trib. to Hamilton Cr.	St. Louis	1.0	SW NE NW 12 44N 03E	SE SE NE 14 44N 03E
Caulks Cr.	St. Louis	0.5	NE SW NE 06 44N 04E	NE NE SW 31 45N 04E
Caulks Cr.	St. Louis	3.0	NW NW SW 06 44N 04E	NE SE SE 13 45N 03E
Trib. to Caulks Cr.	St. Louis	1.0	NW SW NW 32 45N 04E	NW SE SW 30 45N 04E
Trib. to Mississippi R.	St. Louis	0.2	NW NW SE 24 43N 06E	NW NW SE 24 43N 06E
Trib. to Fox Cr.	St. Louis	2.0	SW SW NW 16 44N 03E	SE NW SE 19 44N 03E
S. Fk. Saline Cr.	Ste. Genevieve Perry	5.0	SE NW SW 30 35N 09E	NE SW SE 35 35N 09E

Stream Name	Counties	Miles	From	To
-------------	----------	-------	------	----

Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Anderson Hollow	Ste. Genevieve	3.0	SE	NE	SW	34	35N	08E	SE	NW	SW	30	35N	09E	
Birch Cr.	Shannon	7.0		SE	SE	21	27N	05W	SW	NE	SW	20	26N	05W	
Unnamed trib.	Shannon	1.5	NE	SW	SW	08	29N	06W	SE	SW	NE	16	29N	06W	
Johnny Hollow	Shannon	1.0	SW	NE	SE	06	27N	05W	SW	NW	SE	36	28N	06W	
Black Valley Cr.	Shannon	6.0	SW	NW	NW	27	30N	06W	NE	SE	NW	05	29N	05W	
Birch Cr.	Shannon	6.0	NW	NE	SW	32	27N	05W	SW	NE	SW	20	26N	05W	
Unnamed trib.	Shannon	3.0	NW	SE	SE	31	27N	05W	NW	SW	NW	18	26N	05W	
Unnamed trib.	Shannon	4.0	NE	NW	NW	34	27N	06W	NE	SE	NW	12	26N	06W	
Spring Cr.	Shannon	Oregon	18.0	NE	SE	NW	08	26N	06W	NE	NW	NW	27	25N	04W
Sycamore Cr.	Shannon	6.0	SW	NW	NW	01	27N	04W	NW	SE	SE	22	27N	03W	
Pike Cr.	Shannon	Carter	24.0	SW	SE	SW	16	27N	04W	NW	NW	SW	24	27N	01W
Pine Hollow	Shannon	2.0	SW	NW	NW	30	28N	04W	NE	NW	NE	17	28N	04W	
L. Hurricane Cr.	Shannon	4.5	SE	NW	NW	21	27N	04W	SW	NW	SE	10	26N	04W	
Hurricane Cr.	Shannon	Oregon	15.0	SW	NW	SE	10	26N	04W	NE	NE	SW	34	25N	03W
Bee Fork Cr.	Shannon	Oregon	7.0	SW	SW	SW	11	26N	05W	SE	SE	NW	11	25N	05W
Young Hollow	Shannon	Carter	3.5	SW	SE	SW	10	26N	03W	SW	NE	NW	18	26N	02W
Unnamed trib.	Stone	0.8	NE	NW	SW	20	23N	22W	NW	NW	NE	30	23N	22W	
Indian Cr.	Stone	1.5	SW	NW	SW	18	23N	22W	NW	NW	NE	30	23N	22W	
Unnamed trib.	Stone	1.5	NE	SW	SW	35	24N	23W	NW	NE	SE	26	24N	23W	
Devil Den Hollow	Stone	1.5	NE	SE	NW	27	23N	23W	SE	NE	SE	20	23N	23W	
Schooner Cr.	Stone	0.5	SW	SW	NW	26	23N	23W	NW	NE	NE	34	23N	23W	
W. Prong Goff Cr.	Stone	3.5	NW	NW	SE	06	24N	22W	NW	SE	NW	29	25N	22W	
Trib. to W. Prong Goff Cr.	Stone	2.0	SE	NE	NE	06	24N	22W	SE	NE	NW	32	25N	22W	
Trib. to W. Prong Goff Cr.	Stone	2.0	NW	SW	SE	30	25N	22W	NE	SE	SE	13	25N	23W	
Cave Spring Hollow	Stone	1.5	SE	NW	NW	25	25N	24W	NW	SE	SW	19	25N	23W	
Wheeler Br.	Stone	2.0	NE	SW	SE	14	25N	24W	SW	NE	SW	19	25N	23W	
Hilton Hollow	Stone	1.5	NE	NE	NW	20	25N	24W	NW	SE	NE	17	25N	24W	
Unnamed Trib.	Stone	1.5	NE	SE	SE	15	25N	24W	SE	SW	NW	10	25N	24W	
Pine Run	Stone	3.0	NW	NE	NW	23	25N	24W	SE	NW	SW	31	25N	23W	
Unnamed trib.	Stone	2.5	NW	NE	SE	13	25N	24W	SW	SE	SW	01	25N	24W	
Rickman Spring Hollow	Stone	1.5	NW	NE	NW	26	26N	24W	NW	SE	NE	25	26N	24W	
McCord Br.	Stone	6.0	NW	SE	SW	05	26N	24W	NE	NE	SW	02	25N	24W	
Dodge Hollow	Stone	1.5	SW	NW	SE	06	25N	24W	SW	SE	NW	04	25N	24W	
L. Crane Cr.	Stone	1.5	SE	NW	SW	31	26N	24W	SW	SE	SW	29	26N	24W	
Right Hand Hollow	Stone	1.0	SW	NW	SE	29	24N	23W	NW	NW	SE	19	24N	23W	
Wilson Run	Stone	1.0	NE	SW	SE	21	24N	23W	SW	SE	SE	17	24N	23W	
Horse Cr.	Stone	2.0	SW	SE	NW	31	25N	22W	SW	NE	NE	26	25N	23W	
Trib. to Horse Cr.	Stone	0.5	SE	SE	NE	36	25N	23W	NE	NW	SE	27	25N	23W	
John Hollow	Stone	2.0	SW	NW	SE	31	25N	22W	SE	SE	SE	04	24N	23W	
L. John Hollow	Stone	1.5	NW	SW	SE	36	25N	23W	NE	SE	SW	04	24N	23W	
Smith Brown Hollow	Stone	2.0	NW	SW	SE	23	26N	23W	SE	SE	SW	36	26N	23W	
Wilson Run	Stone	1.5	SE	NE	SE	33	24N	23W	SE	SE	NE	28	24N	23W	
Trib. to Hilton Hollow	Stone	1.5	NE	SW	NW	22	25N	24W	NW	NE	NW	15	25N	24W	
Trib. to Hilton Hollow	Stone	1.5	NW	NE	SW	18	25N	24W	SW	NW	NE	17	25N	24W	
Trib. to Hilton Hollow	Stone	0.5	SW	SW	SE	18	25N	24W	NE	SW	NW	17	25N	24W	

Stream Name Counties

Miles From

To



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Trib. to McCullah Hollow	Stone	0.5	NE SE NW 03 26N 24W	SW NE NE 03 26N 24W
Trib. to McCullah Hollow	Stone	1.5	SW NE NW 05 26N 24W	NW NW SE 04 26N 24W
Trib. to McCullah Hollow	Stone	0.5	NE SE NW 05 26N 24W	NW SW NW 04 26N 24W
Trib. to Railey Cr.	Stone	1.0	SW NE NE 02 23N 23W	SW NW SW 25 24N 23W
Trib. to Railey Cr.	Stone	1.0	N SE SE 35 24N 23W	SW NW SW 25 24N 23W
Trib. to Railey Cr.	Stone	1.5	NW NW NE 07 24N 22W	NE SW SW 12 24N 23W
Trib. to Railey Cr.	Stone	2.5	NW NE NE 19 24N 22W	NE SW SW 12 24N 23W
Trib. to Railey Cr.	Stone	1.5	NE NW SE 19 24N 22W	NE SE NE 26 24N 23W
Trib. to Railey Cr.	Stone	1.5	NW SE NW 19 24N 22W	NW SE NE 23 24N 23W
Trib. to Railey Cr.	Stone	0.3	NW SW NE 23 24N 23W	NW SE NW 23 24N 23W
Trib. to McCord Cr.	Stone	0.3	NW SE SE 08 26N 24W	SE NW NW 16 26N 24W
Trib. to McCord Cr.	Stone	1.0	NW NE NW 17 26N 24W	NE SW NE 16 26N 24W
Trib. to McCord Cr.	Stone	1.0	NE NE NW 15 26N 24W	NW SW SW 15 26N 24W
Trib. to Spring Cr.	Stone	0.5	SE SW NE 26 26N 24W	SE NW NW 25 26N 24W
Trib. to Spring Cr.	Stone	0.5	SW SE NE 26 26N 24W	SE SE NW 25 26N 24W
Trib. to Spring Cr.	Stone	1.0	SE NE SE 26 26N 24W	NW SW NE 25 26N 24W
Trib. to Spring Cr.	Stone	1.0	NE NW NW 05 26N 23W	SW SW SE 31 27N 23W
Trib. to Spring Cr.	Stone	1.0	SW NE NW 05 26N 23W	SW SE NW 06 26N 23W
Trib. to Spring Cr.	Stone	1.5	NE SE NW 05 26N 23W	NW SE SW 07 26N 23W
Trib. to Spring Cr.	Stone	1.5	NW NE NE 08 26N 23W	NW SE SW 07 26N 23W
Trib. to Spring Cr.	Stone	1.0	NE NE SE 08 26N 23W	SE NE SE 07 26N 23W
Trib. to Spring Cr.	Stone	1.0	NW SE NW 17 26N 23W	NW SW SE 07 26N 23W
Trib. to Crane Cr.	Stone	0.5	SW NE SW 09 26N 23W	SE NE NW 15 26N 23W
Crane Cr.	Stone	0.5	SE NE NW 32 26N 24W	SW NE SE 32 26N 24W
Trib. to Crane Cr.	Stone	2.0	NW NW SE 06 26N 24W	SE SW NW 18 26N 24W
Trib. to Crane Cr.	Stone	1.0	NE NE NW 16 26N 23W	SE SE NW 15 26N 23W
Trib. to Crane Cr.	Stone	1.5	NE SW NW 16 26N 23W	SE NW NE 22 26N 23W
Trib. to Crane Cr.	Stone	1.0	NE SW SW 21 26N 23W	NE NW SW 27 26N 23W
Trib. to Crane Cr.	Stone	1.0	NE SE NW 32 26N 23W	SE NE SW 33 26N 23W
Trib. to Crane Cr.	Stone	0.5	SE SW NW 07 25N 23W	NW NW NE 07 25N 23W
Old Stillhouse Hollow	Stone	1.0	NE NE NW 35 26N 23W	SW NE SE 35 26N 23W
Trib. to Old Stillhouse Hollow	Stone	0.5	NW SW SW 35 26N 23W	NW NW SE 35 26N 23W
Trib. to Wheeler Br.	Stone	1.0	NE NE SE 13 25N 24W	SW SW NW 19 25N 23W
Trib. to Swan Cr.	Taney	0.5	SE NE NE 13 24N 20W	NE NW NE 13 24N 20W
Trib. to Swan Cr.	Taney	0.5	NW NW NW 27 24N 19W	SW NE SE 21 24N 19W
Trib. to Silver Cr.	Taney	0.5	NW SE SE 16 23N 20W	SW NE SW 16 23N 20W
Brushy Cr.	Texas	2.5	SW NW SW 07 32N 08W	SW NW SE 10 32N 09W
Spring Cr.	Texas	2.0	NE NE NW 32 33N 08W	NW SW SE 36 33N 09W
Musgrave Hollow	Texas	1.0	SE SE SE 09 33N 11W	NW SE SE 04 33N 11W
Spring Cr.	Texas	17.0	NE NE SE 01 32N 09W	SE NW SE 36 35N 10W
Big Cr.	Texas	13.0	SE NE SE 17 30N 07W	NE NW SW 04 31N 06W
Kelly Hollow	Texas	3.0	NW SW SE 32 31N 08W	SE SW NW 25 31N 09W
L. Paddy Cr.	Texas	1.5	NW NE NW 03 32N 11W	NW SE SE 35 33N 11W
B. Paddy Cr.	Texas	3.0	SW NW SW 24 32N 11W	NE NE NE 18 32N 10W
Bald Ridge Cr.	Texas	5.5	SW SE NW 22 33N 11W	NW SW NE 36 34N 11W
Stream Name	Counties	Miles	From	To

Table J—Losing Streams

Stream Name	Counties	Miles	From						To						
Castro Valley	Texas	Shannon	8.0	NE	SE	NW	01	29N	07W	NW	SE	NW	06	29N	05W
Mooney Br.	Texas		2.0	NE	NE	NE	19	33N	09W	NE	SW	NW	12	33N	10W
Van Zant Cr.	Texas		2.5	SW	NE	SW	19	29N	11W	NE	SW	NE	14	29N	12W
Spring Valley	Texas	Shannon	29.0	SW	SW	SE	13	29N	08W	SE	SE	NW	20	30N	04W
Dry Bone Cr.	Texas		1.0	NW	SW	SW	21	30N	07W	SE	NE	SE	17	30N	07W
S. Ashley Cr.	Texas	Dent	6.0	NE	SE	NW	18	31N	07W	SW	SE	NE	34	32N	07W
Trib. to Piney Cr.	Texas		1.5	SE	SE	SW	04	29N	10W	NE	NE	NE	03	29N	10W
Trib. to N.Fk. Charrette Cr.		Warren		0.5			S2	33	47N	02W	SE	SE	NE	04	46N
02W															
Unnamed Trib. to Smoot Hollow	Wayne		2.0	NE	SE	SE	34	28N	05E	NW	SW	SE	07	27N	06E
Pleasant Valley	Wayne		2.5	SW	SW	SW	34	28N	05E	SE	SE	NW	23	28N	05E
Barren Fk.	Wayne		3.0	NW	SE	NW	03	28N	04E	SW	NE	SE	21	28N	04E
Smoot Hollow	Wayne		4.0	SE	SW	SE	33	28N	05E	NE	NE	SW	07	27N	06E
Otter Cr.	Wayne		16.0	NE	NE	NW	05	28N	04E	SW	NW	NW	18	27N	06E
Unnamed Trib.	Wayne		1.0	SW	SW	SW	32	29N	04E	SW	SW	SW	31	29N	04E
Terrel Br.	Webster		2.0	NE	SW	NE	08	28N	18W	NW	SW	NE	20	28N	18W
Burks Hollow	Webster		2.5	SE	SE	SE	36	29N	19W	NW	NE	SE	23	29N	19W
White Oak Cr.	Webster		1.0	NW	NW	NW	16	28N	19W	NW	NE	NE	18	28N	19W
Davis Br.	Webster		0.5	SW	SE	NE	21	28N	18W	SE	NW	SE	21	28N	18W
Pedelo Cr.	Webster	Christian	4.5	NE	SW	SW	22	28N	19W	NW	NW	SE	06	27N	19W
Pedelo Cr.	Webster		3.0	SW	SE	NW	24	28N	19W	NE	SW	SW	22	28N	19W
Trib. to Pedelo Cr.	Webster		0.5	NW	NW	SE	14	28N	19W	NW	SW	NE	23	28N	19W
Trib. to Pedelo Cr.	Webster		0.5	SE	NW	SW	14	28N	19W	SE	NE	NE	22	28N	19W
Trib. to Pedelo Cr.	Webster		1.5	SW	NE	SW	23	28N	19W	NW	SE	NW	27	28N	19W
Trib. to Pedelo Cr.	Webster		2.0	NW	NW	NE	25	28N	19W	SE	SE	SW	27	28N	19W
Trib. to Pedelo Cr.	Webster		1.0	SW	NW	SW	24	28N	19W	SE	SW	NE	26	28N	19W
Trib. to Pedelo Cr.	Webster		0.5	NW	SW	SW	25	28N	19W	SE	SE	NW	26	28N	19W
Greasy Cr.	Webster		0.5	SE	NW	SE	13	28N	19W	SE	SE	SE	13	28N	19W
Peck Hollow	Webster		0.5	NW	NW	NE	21	28N	19W	SW	SW	NW	21	28N	19W
Peck Hollow	Webster	Christian	2.0	SW	SW	NW	21	28N	19W	NW	NE	SE	32	28N	19W
Trib. to Peck Hollow	Webster		1.0	SE	SW	NE	21	28N	19W	SW	SW	SW	21	28N	19W
Sawyer Cr.	Webster		2.0	NW	SW	SW	17	28N	19W	NW	SE	SW	07	28N	19W
Trib. to Sawyer Cr.	Webster		0.5	NE	SW	NW	20	28N	19W	NE	SW	SW	17	28N	19W
Trib. to Sawyer Cr.	Webster		0.5	SW	SW	SE	18	28N	19W	SW	SE	NE	18	28N	19W
Trib. to Sawyer Cr.	Webster		1.5	NE	NE	NW	32	29N	19W	SE	NW	SE	36	29N	20W
Trib. to Sawyer Cr.	Webster		0.5	NE	NE	NW	31	29N	19W	NE	NE	SW	31	29N	19W
Trib. to Sawyer Cr.	Webster		0.5	SW	SE	NE	08	28N	19W	NE	NE	SE	07	28N	19W
Trib. to Sawyer Cr.	Webster		1.0	NW	NE	NW	08	28N	19W	SW	SE	NW	07	28N	19W
Trib. to Sawyer Cr.	Webster		0.5	NW	NE	NE	07	28N	19W	NE	SW	NW	07	28N	19W
Panther Cr.	Webster		1.0	NE	NE	NW	35	29N	18W	NE	NE	NE	34	29N	18W
Trib. to Panther Cr.	Webster		0.5	SW	NE	SW	26	29N	18W	NE	NE	NE	34	29N	18W
Trib. to Panther Cr.	Webster		1.5	NE	NE	SW	15	29N	19W	SW	SW	SW	22	29N	19W
Dry Fk. Panther Cr.	Webster		1.5	NW	NE	SE	12	28N	19W	NW	NE	SW	11	28N	19W
Dry Fk. Panther Cr.	Webster		1.0	NW	NE	SW	03	28N	19W	SE	SE	NE	33	29N	19W
Trib. to Dry Fk. Panther Cr.	Webster		0.5	SW	SE	NE	09	28N	19W	NW	NW	NW	10	28N	19W
Trib. to Dry Fk. Panther Cr.	Webster		3.0	NW	SW	NW	06	28N	18W	SE	SE	SE	28	29N	19W

Stream Name Counties Miles From To



Table J—Losing Streams

Stream Name	Counties	Miles	From	To
Trib. to Dry Fk. Panther Cr.	Webster	1.5	NE SW SW 01 28N 19W	NE NE SW 11 28N 19W
Trib. to Dry Fk. Panther Cr.	Webster	0.5	SE NE NW 14 28N 19W	NW NE SW 11 28N 19W
Trib. to Cry Fk. Panther Cr.	Webster	0.5	SE NE SE 11 28N 19W	SE NE SW 11 28N 19W
Compton Br.	Webster	1.5	NE NE NW 15 29N 19W	SW NW SW 09 29N 19W
Trib. to Compton Br.	Webster	0.5	NE SE SW 10 29N 19W	SW SE SE 09 29N 19W
Trib. to James R.	Webster	0.5	NE SE SW 34 29N 17W	NW SE NE 34 29N 17W
Trib. to James R.	Webster	1.0	SE SW SE 34 29N 17W	NW SE SE 27 29N 17W
Norman Br.	Webster	2.0	SW NW NE 09 28N 19W	NW SW NE 06 28N 19W
Trib. to Norman Br.	Webster	0.5	04 28N 19W	05 28N 19W
Trib. to Norman Br.	Webster	1.0	SW SW SW 33 29N 19W	NW SW NE 06 28N 19W
Trib. to Norman Br.	Webster	0.5	NW NW NW 09 28N 19W	NW NE SE 05 28N 19W
White Oak Hollow	Webster	1.0	SW SW SE 10 28N 19W	SW NE NW 16 28N 19W
Trib. to White Oak Hollow	Webster	1.0	SE NE SE 16 28N 19W	SE SE NE 17 28N 19W
Trib. to White Oak Hollow	Webster	0.5	NE SW SE 09 28N 19W	NE NW NW 16 28N 19W
Trib. to White Oak Hollow	Webster	1.0	SE NW SE 08 28N 19W	NE NE NE 18 28N 19W
Trib. to N. Carolina Cr.	Webster	2.0	SE NW SE 07 29N 18W	SE NW SE 11 29N 19W
Trib. to N. Carolina Cr.	Webster	0.5	NW NW NE 07 29N 18W	NE SW NW 07 29N 18W
Trib. to N. Carolina Cr.	Webster	1.0	NE SW SW 07 29N 18W	NE NW SE 11 29N 19W
Trib. to N. Carolina Cr.	Webster	1.0	NW NW NE 13 29N 19W	NW NE SE 11 29N 19W
Trib. to N. Carolina Cr.	Webster	0.5	SW NW NE 13 29N 19W	NE SW SW 12 29N 19W
Trib. to N. Carolina Cr.	Webster	0.5	SW SW NW 13 29N 19W	SE NE SE 11 29N 19W
Trib. to N. Carolina Cr.	Webster	0.5	NE NW NE 14 29N 19W	SE SW NE 11 29N 19W
Dry Cr.	Webster	0.5	SE 05 29N 18W	NW 05 29N 18W
Trib. to Dry Cr.	Webster	1.0	NW SE NW 24 29N 18W	NW NW NE 23 29N 18W
Trib. to Dry Cr.	Webster	0.5	SW NW SW 24 29N 18W	NW NW NE 23 29N 18W
Trib. to Dry Cr.	Webster	1.0	SE SW SE 23 29N 18W	NW NW NE 23 29N 18W
L. Finley Cr.	Webster	0.5	SE SE SE 03 28N 17W	SE NW SE 04 28N 17W
Trib. to Dry Cr.	Webster	1.0	SE NW NW 26 29N 18W	SW SE SW 14 29N 18W
Trib. to L. Finley Cr.	Webster	0.5	SW SE NE 09 28N 17W	SE SW NW 09 28N 17W
Trib. to L. Finley Cr.	Webster	0.5	NE SE NE 09 28N 17W	NW SE SE 04 28N 17W
Trib. to L. Finley Cr.	Webster	0.5	SE SE NW 10 28N 17W	NE NE NW 10 28N 17W
Trib. to Finley Cr.	Webster	0.3	SW SW SE 02 28N 17W	NE SE NE 11 28N 17W
Unnamed Trib.	Webster	3.0	SW NW SW 25 29N 18W	NE NE NW 18 29N 17W
Davis Br.	Webster	4.5	NW NE NE 36 29N 18W	SE NW SW 11 28N 18W
Trib. to Davis Cr.	Webster	1.0	NE NE NE 09 28N 18W	SW NW NE 16 28N 18W
Trib. to Davis Br.	Webster	1.0	NW NE NW 36 29N 18W	SE NW NW 01 28N 18W
Trib. to Davis Br.	Webster	0.5	SW NW NW 36 29N 18W	NE NW SW 36 29N 18W
Trib. to James R.	Webster	0.5	NE NE SE 26 29N 17W	SW SW SE 23 29N 17W
Trib. to Davis Br.	Webster	0.5	NE NE SW 01 28N 18W	NW NE NE 02 28N 18W
Trib. to Davis Br.	Webster	0.5	NW NE NW 12 28N 18W	SE SW SE 02 28N 18W
Trib. to James R.	Webster	0.5	NW SE NW 26 29N 17W	SE SE SW 23 29N 17W
W. Wildcat Cr.	Webster	1.0	SW SE SW 29 29N 17W	NW SW SW 20 29N 17W
W. Wildcat Cr.	Webster	3.0	NE SE SE 25 29N 18W	NW SE SW 17 29N 17W
Trib. to W. Wildcat Cr.	Webster	0.5	NE SW SE 29 29N 17W	SE SE NE 30 29N 17W
Trib. to W. Wildcat Cr.	Webster	0.5	SW SE NE 25 29N 18W	NW NW NE 30 29N 17W

Stream Name	Counties	Miles	From	To
-------------	----------	-------	------	----

Table J—Losing Streams

Stream Name	Counties	Miles	From						To					
Trib. to James R.	Webster	0.3	NW	SE	NW	34	29N	17W	SE	SE	SW	27	29N	17W
Trib. to Osage Fk.	Webster	0.5	SW	NE	SW	12	30N	18W	NE	NW	SW	07	30N	17W
Trib. to Osage Fk.	Webster	0.5	NE	NW	NE	13	30N	18W	NE	NW	SW	07	30N	17W
W. Fk. Niangua R.	Webster	0.4	NW	NW	SE	28	31N	18W	NW	SE	NW	28	31N	18W
W. Fk. Niangua R.	Webster	0.9	NE	SW	NW	04	31N	18W	SE	NE	SW	33	32N	18W
Trib. to														
W. Fk. Niangua R.	Webster	0.5	NE	SE	NE	28	31N	18W	SW	SW	NE	28	31N	18W
E. Fk. Niangua R.	Webster	1.0	NW	NE	NW	03	31N	18W	SE	NE	SW	33	32N	18W
Niangua R.	Webster	0.4	SE	NE	SW	33	32N	18W	SE	SW	NW	33	32N	18W
Givins Br.	Webster	3.6	SW	SW	NW	01	31N	19W	SW	SW	NW	29	32N	18W
Hawk Pond Br.	Webster	2.1	NW	NE	NE	35	32N	19W	NW	SW	SW	19	32N	18W
Unnamed Trib.	Wright	3.0	SE	SW	SE	18	28N	13W	NW	NW	NE	05	28N	13W
Fox Cr.	Wright	4.0	NW	NE	NE	30	28N	13W	SW	NE	NE	09	27N	13W
Fox Cr.	Wright	20.0	NE	NE	SW	20	28N	13W	SE	NE	NE	29	25N	13W
Steins Cr.	Wright	8.0	SW	SW	SW	22	31N	15W	NW	NE	NE	22	32N	15W
Elk Cr.	Wright	4.5	NW	NE	NW	08	31N	14W	SW	NE	NE	26	32N	14W
Dry Cr.	Wright	7.5	SW	NE	NW	24	28N	14W	SE	SW	SW	17	27N	14W
Prairie Hollow Cr.	Wright	3.0	SE	SW	SW	28	28N	15W	SW	SW	SE	03	27N	15W
Prairie Hollow Cr.	Wright	2.0	SW	NW	SW	28	28N	15W	NE	SE	SW	03	27N	15W
Fry Cr. and Wolf Cr.	Wright	3.0	NW	SW	SW	11	28N	15W	SW	NW	SE	25	29N	15W

Stream Name	Counties	Miles	From						To					
-------------	----------	-------	------	--	--	--	--	--	----	--	--	--	--	--



10 CSR 20-7.050 General Methodology for Development of Impaired Waters List

PURPOSE: This rule describes the process used to develop the list of impaired waters as required by the Federal Water Pollution Control Act, Section 303(d), for the purpose of identifying those waters that do not fulfill their designated uses and require the development of total maximum daily loads.

PUBLISHER'S NOTE: The Secretary of State has determined that the publication of the entire text of the material which is incorporated by reference as a portion of this rule would be unduly cumbersome or expensive. Therefore, the material which is so incorporated is on file with the agency that filed this rule, and with the Office of the Secretary of State. Any interested person may view this material at either agency's headquarters or the same will be made available at the Office of the Secretary of State at a cost not to exceed actual cost of copy reproduction. The entire text of the rule is printed here. This note refers only to the incorporated by reference material.

(1) Definitions.

(A) Aquatic assemblage—Any major group of aquatic organisms, such as fish, aquatic macroinvertebrate animals, algae, or aquatic macrophytes.

(B) Pollutant—Dredged spoil, solid waste, incinerator residue, sewage, garbage, sewer sludge, munitions, chemical waste, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt, filter backwash or industrial, municipal or agricultural waste discharged into water.

(C) Qualitative biological monitoring—Monitoring that identifies the different taxa but not the relative abundance of the organisms being sampled.

(D) Quantitative biological monitoring—Monitoring that determines the density per unit area or relative abundance of living organisms.

(E) Section 303(d) list—A list of certain impaired waters, required by Section 303(d) of the Federal Water Pollution Control Act.

(F) Total maximum daily load (TMDL) studies. The objective of these studies is to determine the allowable amounts of a Section 303(d) listed pollutant that can be discharged to a Section 303(d) listed water and still be protective of all applicable water quality standards.

(2) Acceptable Water Quality Data for Use in Compiling the 303(d) List.

(A) The Missouri Department of Natural Resources (the department) will receive and review all data submitted, and will use scientifically defensible data. Scientifically defensible data will include data meeting the following requirements:

1. All environmental data generated directly by the department or through contracts funded by the department or the United States Environmental Protection Agency (USEPA) that are governed by a Quality Assurance Project Plan (QAPP) as required by the Total Quality Management Plan completed by the department and USEPA. The organization responsible for collection or collection and analysis of the environmental sampling must write and adhere to a QAPP approved by the quality assurance manager of the department; or

2. All environmental data collected by any other agencies, organizations, or individuals that are governed by an internal quality assurance program that has been reviewed and approved by the department.

(B) Only data collected subsequent to events with potential to cause permanent change in water quality in a given water shall be used to assess the present condition of that water.

(C) The department shall recognize four (4) levels of assurance for water quality data. Only data of Level 2 or higher shall be used to support additions, deletions, or changes to the proposed 303(d) list, unless the problem can be accurately characterized by Level 1 data. These four (4) levels are:

1. Level 1: All data not constituting Levels 2, 3 or 4.

2. Level 2:

A. Chemical data, collected quarterly to bimonthly for at least three (3) years, or intensive studies that monitor several nearby sites repeatedly over short periods of time; or

B. At least three (3) fish tissue samples.

3. Level 3:

A. Chemical data collected at least monthly for more than three (3) years and providing data on a variety of water quality constituents, including heavy metals and pesticides; or

B. Quantitative biological monitoring of at least one (1) aquatic assemblage at multiple sites.

4. Level 4:

A. Chemical data collected at least monthly for more than three (3) years and providing data on a variety of water quality constituents, including heavy metals and pesticides, and including chemical sampling of sediments and fish tissue; or

B. Quantitative biological monitoring of at least two (2) aquatic assemblages at multiple sites.

(3) How Water Quality Data is Evaluated for the Development of the 303(d) List.

(A) The department shall evaluate physical, chemical, biological, and toxicological data and determine whether any designated beneficial uses of waters are not being fully met. If any designated beneficial uses of a water are determined to not be fully met, that water will be considered impaired.

(B) The following means may also be used to determine whether waters are impaired. This list is not all-inclusive.

1. Missouri's narrative water quality criteria as described in 10 CSR 20-7.031, section (3) may be used to evaluate waters when a quantitative value can be applied to the pollutant.

2. The analysis of aquatic invertebrate data may be supported by habitat assessment protocols.

3. The department shall review the proposed 303(d) lists of all states with which Missouri shares border waters (Des Moines River, Mississippi River, Missouri River, and St. Francis River). When another state lists one of those waters differently than it is listed by Missouri, the department will request the data justifying that listing in the other state. Those data will be reviewed according to established data evaluation guidelines, and Missouri's listing of that water may be changed, according to the result of that evaluation. In the case of a water that crosses into or out of Missouri, if that water's proposed 303(d) listing status changes at the state line, the department shall, upon the request of the bordering state, EPA, or another interested party, review and evaluate the data justifying that water's listing in the other state. The review will take place according to established data evaluation guidelines, and Missouri's listing of that water may be changed, according to the result of that evaluation.

(4) Creation of the Proposed 303(d) List.

(A) The department shall develop a detailed methodology for identifying waters that are impaired and shall submit the methodology to public review prior to the development of an impaired waters list. The methodology shall include an explanation of how data are used, how the data are evaluated to determine impairment, and how a list of impaired waters is developed. The development of the methodology shall involve at least one (1) stakeholder meeting inviting all persons expressing an interest in the methodology and a sixty (60) day comment period on



the final draft. The detailed methodology referenced in this paragraph shall be promulgated by the commission through rulemaking procedures in the manner specified in Chapter 536, RSMo.

(B) The department shall propose for public comment a preliminary listing of impaired waters for no less than a sixty (60) day public comment period. Any comments received during the comment period shall be discussed and considered through a stakeholder meeting prior to the department proposing a rule to the Clean Water Commission under subsection (4)(C) of this rule.

(C) The 303(d) list developed pursuant to subsection (4)(B) of this rule shall be promulgated by the commission through rulemaking procedures in the manner specified in Chapter 536, RSMo, and, upon its effective date, the list shall be consistent with the detailed methodology developed pursuant to subsection (4)(A) of this rule. The 303(d) list shall be due to pollutants and no water shall be placed on the list without data on the specific waters being proposed and data that meets the minimum qualifications under subsection (2)(C) of this rule. The public comment period during the rulemaking shall be no less than sixty (60) days.

(D) The department shall establish priority ratings or schedules for the creation of total maximum daily loads (TMDLs) for waters on the proposed 303(d) list in accordance with the Federal Water Pollution Control Act, Section 303(d).

AUTHORITY: section 644.026, RSMo 2000.
Original rule filed Nov. 5, 2003, effective July 30, 2004.*

**Original authority: 644.026, RSMo 1972, amended 1973, 1987, 1993, 1995, 2000.*